



**US Army Corps  
of Engineers**

Construction Engineering  
Research Laboratory

CERL Technical Report 99/51  
June 1999

# **Assessment of Training Noise Impacts on the Red-cockaded Woodpecker: Preliminary Results**

Larry D. Pater, David K. Delaney, Timothy J. Hayden, Bernard Lohr, and Robert Dooling

Because military noise management has traditionally focused on minimizing human annoyance, loud training activities have often been relocated to sparsely populated areas where wildlife resides. This has led to increased conflicts between training activity and conservation of threatened and endangered species. Increasing importance has been placed on determining how noise affects these species. This report presents preliminary results of a multiyear study to determine the effects of certain kinds of training noise on the endangered Red-cockaded Woodpecker (RCW).

This research shows that the basic technical approach to data gathering and analysis is appropriate and effective. Preliminary data suggest that measured levels of military training noise did not affect RCW nesting success and productivity. The RCW flushed infrequently and returned to their nests quickly.



**DTIC QUALITY INSPECTED 4**

19990827 023

The contents of this report are not to be used for advertising, publication, or promotional purposes. Citation of trade names does not constitute an official endorsement or approval of the use of such commercial products. The findings of this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

***DESTROY THIS REPORT WHEN IT IS NO LONGER NEEDED***

***DO NOT RETURN IT TO THE ORIGINATOR***

## USER EVALUATION OF REPORT

REFERENCE: CERL Technical Report 99/51, *Assessment of Training Noise Impacts on the Red-cockaded Woodpecker: Preliminary Results*

Please take a few minutes to answer the questions below, tear out this sheet, and return it to CERL. As user of this report, your customer comments will provide CERL with information essential for improving future reports.

1. Does this report satisfy a need? (Comment on purpose, related project, or other area of interest for which report will be used.)

---

---

---

2. How, specifically, is the report being used? (Information source, design data or procedure, management procedure, source of ideas, etc.)

---

---

3. Has the information in this report led to any quantitative savings as far as manhours/contract dollars saved, operating costs avoided, efficiencies achieved, etc.? If so, please elaborate.

---

---

4. What is your evaluation of this report in the following areas?

a. Presentation: \_\_\_\_\_

b. Completeness: \_\_\_\_\_

c. Easy to Understand: \_\_\_\_\_

d. Easy to Implement: \_\_\_\_\_

e. Adequate Reference Material: \_\_\_\_\_

f. Relates to Area of Interest: \_\_\_\_\_

g. Did the report meet your expectations? \_\_\_\_\_

h. Does the report raise unanswered questions? \_\_\_\_\_

i. General Comments. (Indicate what you think should be changed to make this report and future reports of this type more responsive to your needs, more usable, improve readability, etc.)

---

---

---

---

---

---

5. If you would like to be contacted by the personnel who prepared this report to raise specific questions or discuss the topic, please fill in the following information.

Name: \_\_\_\_\_

Telephone Number: \_\_\_\_\_

Organization Address: \_\_\_\_\_

---

---

6. Please mail the completed form to:

Department of the Army  
CONSTRUCTION ENGINEERING RESEARCH LABORATORY  
ATTN: CEERD-IM-IT  
P.O. Box 9005  
Champaign, IL 61826-9005

# REPORT DOCUMENTATION PAGE

Form Approved  
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave Blank)		2. REPORT DATE June 1999		3. REPORT TYPE AND DATES COVERED Final	
4. TITLE AND SUBTITLE Assessment of Training Noise Impacts on the Red-cockaded Woodpecker: Preliminary Results				5. FUNDING NUMBERS SERDP CS-1083	
6. AUTHOR(S) Larry D. Pater, David K. Delaney, Timothy J. Hayden, Bernard Lohr, and Robert Dooling					
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Army Construction Engineering Research Laboratory (CERL) P.O. Box 9005 Champaign, IL 61826-9005				8. PERFORMING ORGANIZATION REPORT NUMBER TR 99/51	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) Strategic Environmental Research and Development Program ATTN: Conservation Program Manager 901 N. Stuart St., Suite 303 Arlington, VA 22203-1853				10. SPONSORING / MONITORING AGENCY REPORT NUMBER	
9. SUPPLEMENTARY NOTES Copies are available from the National Technical Information Service, 5385 Port Royal Road, Springfield, VA 22161					
12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.				12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words)  Because military noise management has traditionally focused on minimizing human annoyance, loud training activities have often been relocated to sparsely populated areas where wildlife resides. This has led to increased conflicts between training activity and conservation of threatened and endangered species. Increasing importance has been placed on determining how noise affects these species. This report presents preliminary results of a multiyear study to determine the effects of certain kinds of training noise on the endangered Red-cockaded Woodpecker (RCW).  This research shows that the basic technical approach to data gathering and analysis is appropriate and effective. Preliminary data suggest that measured levels of military training noise did not affect RCW nesting success and productivity. The RCW flushed infrequently and returned to their nests quickly.					
14. SUBJECT TERMS threatened and endangered species      military training noise      range management Red-cockaded Woodpecker      Strategic Environmental Research and Development Program				15. NUMBER OF PAGES 104	
				16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified		20. LIMITATION OF ABSTRACT SAR	

## Executive Summary

This report is submitted as partial fulfillment of the terms of the Strategic Environmental Research and Development Program (SERDP) funded project CS-1083. The purpose of this research is to assess the effects of military training noise on the endangered Red-cockaded Woodpecker (RCW) and to develop assessment methodology. The results of this research will provide a scientific basis for RCW management protocols, and will partially satisfy requirements of a 1996 U.S. Fish and Wildlife Service (USFWS) biological opinion that requires the Army to assess effects of implementing the 1996 "Management Guidelines for the RCW on Army Installations." Implementing these new guidelines will significantly reduce restrictions on training for military installations on which RCWs are present. These installations include Fort Stewart, Fort Bragg, Fort Benning, Fort Polk, Fort Gordon, Fort Jackson, Camp Lajeune, Eglin Air Force Base (AFB), and Camp Blanding. This research is being conducted jointly by the U.S. Army Construction Engineering Research Laboratory (CERL), Fort Stewart, and the U.S. Army Forces Command (FORSCOM). The project was developed by CERL in coordination with FORSCOM, the USFWS RCW Recovery Coordinator and Region 4 office, the Fort Stewart Director of Training, the Fort Stewart Department of Public Works (DPW) Fish and Wildlife Branch, and the Army Threatened and Endangered Species (TES) User Group.

During the first year, we observed and documented several hundred training noise events and resulting RCW responses under realistic conditions. We measured both proximate response behavior and nesting success. We also observed RCW behavior and nesting success without noise stimuli, to provide a baseline against which to judge response and impact. Very few overt proximate responses to noise occurred. No significant difference in breeding success was found between disturbed and relatively undisturbed nest sites. It is important to note that the first year data are not of sufficient statistical power to make strong conclusions or to establish reliable noise dose-response relationships or thresholds. The data are sufficient to confirm that the project technical approach is appropriate, needing only minor revision, and that the project objectives will be achieved.

## Foreword

This study was conducted for the Strategic Environmental Research and Development Program (SERDP) under an FY98 Conservation Project, No. CS-1083, "Assessment of Training Noise Impacts on the Red-cockaded Woodpecker." The technical monitor was Dr. Robert W. Holst.

The work was performed by the Ecological Processes Branch (CN-N) of the Installations Division (CN), Construction Engineering Research Laboratory (CERL). The CERL Principal Investigator was Larry L. Pater. Part of this work was done by Bernard Lohr and Robert Dooling, University of Maryland, College Park, MD, under DACA: 88-98-M-0081. Dr. Harold E. Balbach is Chief, CECER-CN-N and Dr. John T. Bandy is Operations Chief, CECER-CN. The CERL technical editor was Gloria J. Wienke, Information Technology Laboratory.

The Director of CERL is Dr. Michael J. O'Connor.

# Contents

<b>Executive Summary .....</b>	<b>3</b>
<b>Foreword .....</b>	<b>4</b>
<b>List of Figures and Tables .....</b>	<b>7</b>
<b>1 Introduction.....</b>	<b>11</b>
Background .....	11
Objectives.....	12
Scope .....	13
Mode of Technology Transfer .....	13
<b>2 Literature Review .....</b>	<b>15</b>
<b>3 Technical Approach .....</b>	<b>18</b>
Null Hypotheses .....	18
Study Area .....	18
Sample Cluster Selection .....	20
Impact Measures .....	21
Behavior and Proximate Response Measurement Protocols .....	22
Demographic and Nesting Success Data .....	23
Video Surveillance.....	24
Sound Instrumentation and Recording.....	25
Sound Metrics .....	26
Statistical Data Analysis .....	27
<b>4 Results.....</b>	<b>29</b>
Initiation Dates for each Nesting Phase .....	29
Overall Population Dynamics .....	29
Sample Cluster Population Dynamics.....	30
Noise and Response Monitoring Summary .....	30
<i>Passive Monitoring .....</i>	<i>31</i>
<i>Experimental Testing .....</i>	<i>31</i>
<i>Noise Measurement Test.....</i>	<i>31</i>
RCW Flush Response.....	32
Distance and Noise Level Thresholds for Response .....	35



<i>Large Caliber Live Fire .....</i>	<i>35</i>
<i>Small Caliber Live Fire.....</i>	<i>35</i>
<i>Helicopters.....</i>	<i>35</i>
<i>Military Vehicles.....</i>	<i>35</i>
<i>Artillery Simulators.....</i>	<i>35</i>
<i>MLRS.....</i>	<i>36</i>
<i>Fixed-wing Aircraft.....</i>	<i>36</i>
<i>Blank Fire Testing.....</i>	<i>36</i>
<b>5 Discussion .....</b>	<b>37</b>
Nesting Success.....	37
Flush Response .....	37
Distance and Sound Thresholds .....	38
<b>6 Plans and Conclusions .....</b>	<b>39</b>
Plans .....	39
Conclusions.....	40
<b>References .....</b>	<b>41</b>
Biology.....	41
Noise .....	44
<b>Appendix A: Significant Legal Requirements.....</b>	<b>49</b>
<b>Appendix B: Woodpecker Audiogram Contract Report .....</b>	<b>50</b>
<b>Appendix C: Summary Data Tables .....</b>	<b>56</b>
<b>Appendix D: Source Spectra Examples .....</b>	<b>59</b>
<b>Appendix E: Detailed Noise Event and RCW Response Data .....</b>	<b>69</b>
<b>Distribution</b>	

## List of Figures and Tables

### Figures

1	Location of Fort Stewart, GA. ....	19
2	Locations of training areas and RCW clusters on Fort Stewart.....	20
3	Assessment hierarchy for training impact on threatened and endangered species.....	21
4	Examples of audiograms and frequency weighting.....	28
5	Example comparison of band SEL levels for noise recordings at the base of nest trees versus recordings inside nest cavities (cluster 199, 5 June 1998).....	32
6	Description of RCW flush response to artillery blast events (cluster 83, 20 May 1998).....	33
7	Description of RCW flush response to artillery blast events (cluster 83, 21 May 1998).....	34
8	Description of RCW flush response to small arms blank fire (cluster 142, 3 June 1998).....	34
B1	Example ABR response.....	53
B2	Example best auditory threshold regression. ....	54
B3	Preliminary estimate of Downy Woodpecker audiogram.....	55
D1	SEL weighting comparison for large caliber live fire at cluster 83 on 21 May 1998 (500 m).....	60
D2	SEL weighting comparison for small arms live fire at cluster 51 on 5 May 1998 (M-16; 900 m). ....	61
D3	SEL weighting comparison for helicopters at cluster 83 on 21 May 1998 (40 m).....	62
D4	SEL weighting comparison for vehicle noise at cluster 47 on 5 May 1998 (60 m).....	63
D5	SEL weighting comparison for fixed-wing aircraft at cluster 51 on 15 May 1998 (600 m).....	64
D6	SEL weighting comparison for artillery simulators at cluster 172 on 21 May 1998 (1600 m).....	65
D7	SEL weighting comparison for ambient noise levels at cluster 55 on 21 April 1998.....	66
D8	SEL weighting comparison for M-16 blank fire testing at cluster 142 on 3 June 1998 (15.2m).....	67
D9	SEL weighting comparison for MLRS fire from cluster 203 on 20 May 1998 (2200 m).....	68

## Tables

C1	Flush response of nesting Red-cockaded Woodpeckers versus the number, distance, and noise level of large caliber live fire on Fort Stewart, GA, 1998. ....	56
C2	Flush response of nesting Red-cockaded Woodpeckers versus the number, distance, and noise level of small caliber live fire on Fort Stewart, GA, 1998. ....	56
C3	Flush response of nesting Red-cockaded Woodpeckers versus the number, distance, and noise level of helicopter flyovers on Fort Stewart, GA, 1998. Stimulus distance represents the closest estimated approach distance by a helicopter. ....	57
C4	Flush response of nesting Red-cockaded Woodpeckers versus the number, distance, and noise level of military vehicles on Fort Stewart, GA, 1998. Stimulus distance represents the closest estimated approach distance by military vehicles. ....	57
C5	Flush response of nesting Red-cockaded Woodpeckers versus the number, distance, and noise level of artillery simulators on Fort Stewart, GA, 1998. ....	57
C6	Flush response of nesting Red-cockaded Woodpeckers versus the number, distance, and noise level of MLRS on Fort Stewart, GA, 1998. ....	57
C7	Flush response of nesting Red-cockaded Woodpeckers versus the number, distance, and noise level of fixed-wing aircraft on Fort Stewart, GA, 1998. Stimulus distance represents the closest estimated approach distance by airplanes. ....	58
C8	Flush response of nesting Red-cockaded Woodpeckers versus the number, distance, and noise level of small arms blank fire on Fort Stewart, GA, 1998. ....	58
E1	Summary data for large caliber blast noise on Fort Stewart, GA. ....	70
E2	Representative unweighted spectra blast noise on Fort Stewart, GA. ....	76
E3	Summary noise data for small arms live fire on Fort Stewart, GA. ....	82
E4	Representative unweighted noise spectra for small arms live fire on Fort Stewart, GA. ....	83
E5	Summary data for helicopters at Fort Stewart, GA. ....	84
E6	Representative unweighted noise spectra for helicopters on Fort Stewart, GA. ....	84
E7	Summary data for military vehicle noise on Fort Stewart, GA. ....	85
E8	Representative unweighted noise spectra for military traffic on Fort Stewart, GA. ....	85
E9	Summary data for artillery simulators on Fort Stewart, GA. ....	86
E10	Representative unweighted noise spectra for artillery simulators on Fort Stewart, GA. ....	86
E11	Summary data for MLRS noise on Fort Stewart, GA. ....	87
E12	Representative unweighted noise spectra for MLRS on Fort Stewart, GA. ....	87
E13	Summary of airplane data from Fort Stewart, GA. ....	88
E14	Representative unweighted noise spectra for airplanes on Fort Stewart, GA. ....	88
E15	Summary data for blank fire on Fort Stewart, GA. ....	89
E16	Representative unweighted noise spectra for blank fire on Fort Stewart, GA. ....	93

E17 Noise spectra for ambient noise on Fort Stewart, GA. ....	97
E18 Representative unweighted spectra for ambient noise levels on Fort Stewart, GA. ....	99

# 1 Introduction

## Background

The Endangered Species Act requires that all federal agencies carry out programs to conserve threatened and endangered species (TES) and to evaluate the impacts of federal activities on listed species (Scott et al. 1994). TES management on military installations, particularly that involving the Red-cockaded Woodpecker (RCW), has caused conflicts between TES conservation objectives and military mission accomplishment (Fort Stewart Endangered Species Management Planning [ESMP] Team 1998). A brief summary of legal requirements is presented in Appendix A. Because noise management has traditionally focused mainly on minimizing human annoyance, loud activities have often been relocated to sparsely populated areas where wildlife resides. This has led to increased interactions between training activity and wildlife (Holland 1991). Increasing importance has been placed on determining the extent of noise impacts on wildlife (Bowles 1995), especially threatened and endangered (Delaney et al. 1999) species.

The Red-cockaded Woodpecker (*Picoides borealis*) is an endangered species that inhabits mature, open pine forests of the southeastern United States (Jackson 1994). Historically, RCW populations were distributed throughout the South from eastern Texas to the Atlantic coast, and north to New Jersey (Jackson 1987). The distribution has been reduced with the extirpation of RCWs from New Jersey (Lawrence 1867), Missouri (Cunningham 1946 as cited in Jackson 1987), and most recently Maryland (Devlin, Mosher, and Taylor 1980). The majority of RCWs are currently restricted to public lands, namely National Forests, military installations, and National Wildlife Refuges (Jackson 1978, Lennartz et al. 1983). Military installations, in particular, are gaining recognition as a valuable resource in the recovery of TES. It has been estimated that nearly a quarter of the remaining RCWs are located on nine military installations in the southeast (Costa 1992), which includes the Fort Stewart population. Such a close association has led to increased conflicts between TES conservation requirements and the military's mission of maintaining a high degree of combat readiness (Jordan, Wheaton, and Weiher 1995).

In 1984 the Army initially established a 200-ft (61-m) buffer zone around all RCW cavity trees to protect nesting habitat and identify RCW management units. In 1996, the Department of the Army (DA) issued revised guidelines for the management of RCWs on military lands, to reduce training restrictions and increase adaptive management of the RCW and its habitat. These guidelines are scheduled to go into effect by mid-1999. Under the revised guidelines, certain transient military activities are permitted within 50 ft (15 m) of RCW cavity trees. These include: (1) military vehicle and personnel travel, including armor; (2) .50-caliber machine gun blank fire and 7.62-mm blank fire and below; (3) artillery/hand grenade simulators and Hoffman type devices; (4) hand digging of hasty individual fighting positions; (5) use of smoke grenades and star cluster/parachute flares; and (6) smoke and haze operation (see Hayden 1997 for a more detailed description of past and current Army guidelines for RCWs). A 1996 USFWS biological opinion requires the Army to assess effects due to implementing the 1996 guidelines (Jordan et al. 1997). The current project will provide an important aspect of this required assessment.

The Fort Stewart Fish and Wildlife Directorate prepared an Endangered Species Management Plan (Fort Stewart ESMP Team 1998) for the installation that detailed four main changes under these revised guidelines: (1) consideration will be given jointly to training mission requirements and RCW biological requirements when implementing ESMP; (2) no training restrictions will be imposed on any new RCW clusters; (3) reduction in off-limit area for thru-cluster maneuver traffic around cluster trees from 200 ft (61 m) to 50 ft (15 m); and (4) the types of training activities allowed within RCW clusters will be expanded. These revisions are scheduled to go into effect by mid-1999.

## Objectives

The primary research objective of this multiyear study is to determine the impact of certain types of training noise on the endangered Red-cockaded Woodpecker. This will require that we develop dose-response threshold relationships for quantifying RCW responses to noise levels and stimulus distances, and relate these to nesting success. A second objective is to develop and disseminate cost-effective techniques for documenting the effects of training noise on TES populations. These techniques include the capability to characterize noise stimuli, to document behavioral responses, and to determine resulting population effects due to military noise. Achieving these objectives will provide a means to manage impact on both military training capability and TES, and will provide a factual basis for mitigation and management protocols and guidelines. This research directly addresses the #1 Army Conservation Pillar User Requirement, which is

concerned with impacts of military operations on threatened and endangered species. The results of this research will partially satisfy requirements of the 1996 USFWS biological opinion (Jordan et al. 1997) that requires the Army to assess effects due to implementing the 1996 "Management Guidelines for the RCW on Army Installations."

## Scope

All aspects of the research plan were reviewed and approved by the USFWS and Fort Stewart before monitoring activity began. Results from this research apply directly to Fort Stewart, and may also be applicable to other installations in the southeastern U.S. where RCWs and similar noise occur. This study will use population data collected at Fort Stewart and other installations under a Forces Command (FORSCOM) program. Specific evaluation of impact of maneuver training activities will be conducted under a separate coordinated research effort.

Training noise sources examined during this study include large caliber live fire, small arms live fire, small arms blank fire, artillery simulators, and helicopter flights. RCW response to other military activity noise, such as human and vehicle noise associated with maneuver training, aircraft overflights, and Multiple Launch Rocket System (MLRS) fire, will be documented opportunistically, but is not of high priority in this study.

## Mode of Technology Transfer

Products of this research will be provided directly to the Military Services for use during consultation with the USFWS and for development of management protocols. This aspect of the transition plan will directly help to alleviate impacts on military training capability and will provide information to the military that will guide effective management of impacts on endangered species populations. Other vehicles will include technical papers and journal articles and TES and noise workshops. The information will also be disseminated through the Environmental Noise Program Office of the U.S. Army Center for Health Promotion and Preventive Medicine, the Army TES User Group, and the U.S. Air Force (USAF) International Bibliography on Noise (IBON). Other forums for dissemination include the North Atlantic Treaty Organization (NATO) Committee for Challenges to Modern Society (CCMS) subcommittees for noise effects, the International Committee on the Biological Effects of Noise (ICBEN), the Acoustical

Society of America Animal Bioacoustics technical committee, and the Department of Defense (DoD) Committee on Environmental Noise.



## 2 Literature Review

Noise disturbance studies have often been anecdotal and fail to quantitatively measure either the stimulus or the behavioral response related to the animal's fitness. Predictive models for the relationship between disturbance dosage and quantifiable effects are even more scarce (Awbrey and Bowles 1990, Grubb and King 1991, Grubb and Bowerman 1997). Although many types of human disturbance have been reported as affecting birds (Fyfe and Olendorff 1976), very little research has addressed the effects of human activity on woodpeckers, especially the endangered Red-cockaded Woodpecker (Charbonneau et al. 1983, Jackson 1983, Beaty 1986, and Jackson and Parris 1995, The Nature Conservancy [TNC] 1996).

Few researchers have directly compared differences in bird responsiveness between aerial and ground-based disturbances (Bowles, Awbrey, and Kull 1990). Studies that have examined the effects of aircraft activity on nesting birds (e.g., Platt 1977; Windsor 1977; Ellis 1981; Anderson, Rongstad, and Mytton 1989) have often noted a slight but non-significant decrease in nesting success and productivity for disturbed versus undisturbed nests. Anderson, Rongstad, and Mytton (1989) noted a slight decline in the nesting success of experimental Red-tailed Hawk (*Buteo jamaicensis*) nests versus control nests (80 percent experimental versus 86 percent control success) after helicopter disturbances.

In contrast, ground-based disturbances appear to have a greater effect than aerial disturbances on the nesting success of some bird species. In their classification tree model of Bald Eagle (*Haliaeetus leucocephalus*) responses to various anthropogenic disturbances, Grubb and King (1991) determined that Bald Eagles in Arizona showed the highest response frequency and severity of response toward ground-based disturbances, followed by aquatic, and lastly by aerial disturbances. Delaney et al. (1999) reported similar findings for Mexican Spotted Owl (*Strix occidentalis lucida*) response to military helicopter activity and chain saws, observing that chain saws elicited a greater flush response rate than helicopters at comparable distances and noise levels.

A bird's behavior during the nesting season is an important determinant of its ultimate nesting success or failure (Hohman 1986). Various bird species have been shown to abandon their nests after being exposed to ground-based and

aerial disturbances. White and Thurow (1985) reported that approximately 30 percent of Ferruginous Hawks (*Buteo regalis*) abandoned their nests after being exposed to various ground-based disturbances, but there were no controls for comparison. Anderson, Rongstad, and Mytton (1989) reported that 2 of 29 Red-tailed Hawk nests were abandoned after being flushed by helicopter flights, compared with 0 of 12 control nests. Ellis, Ellis, and Mindell (1991) found only 1 of 19 Prairie Falcon (*Falco mexicanus*) nests were abandoned when exposed to frequent low-altitude jet flights during the nesting season (no control sites used). Platt (1977) reported similar rates with only 1 of 11 Gyrfalcon (*F. rusticolus*) nests failing (reportedly due to snow damage), compared with 0 of 12 control nests. Of the 6 Peregrine Falcon (*F. Peregrinus*) nests exposed to helicopter flights, only 1 was abandoned (also apparently due to inclement weather) compared with 0 of 3 control sites (Windsor 1977).

Birds may be more susceptible to disturbance-caused nest abandonment early in the nesting season because parents have less energy invested in the nesting process (Knight and Temple 1986). Some animals appear reluctant to leave the nest later in the nesting season (Anderson, Rongstad, and Mytton 1989; Ellis, Ellis, and Mindell 1991; Delaney et al. 1999). Steenhof and Kochert (1982) reported that Golden Eagles (*Aquila chrysaetos*) and Red-tailed Hawks exposed to human intrusions during early incubation had significantly lower nesting success than individuals exposed later in the season (45 percent success for Golden Eagles and 57 percent for Red-tailed Hawks within experimental groups versus 71 percent and 74 percent success with control groups, respectively). Although reactions of adult birds at the nest can influence hatching rates and fledgling success (Windsor 1977), flush behavior of adult birds from the nest is poorly quantified (Fraser, Frenzel, and Mathisen 1985; Holthuijzen et al. 1990; Delaney et al. 1999). In the few studies that have examined bird responses to specific disturbance types (e.g., aircraft approach distance), flush rates were higher if birds were naive (i.e., not previously exposed; Platt 1977). Some birds are more reluctant to flush off the nest during incubation and early nestling phases than later in the season (Grubb and Bowerman 1997, Delaney et al. 1999). Animal responsiveness has been shown to increase as the nesting season progresses (Grubb and Bowerman 1997). Delaney et al. (1999) found that Mexican Spotted Owls were more responsive to helicopters later in the reproductive cycle, which suggests that adult defensive behavior may decrease as the young mature. In contrast, Holthuijzen et al. (1990) found Prairie Falcon responsiveness to nearby blasting activity decreased as the nesting season progressed.

Few studies have documented the threshold distance that causes birds to flush in response to noise disturbance events. In those studies that reported stimulus distance, it was rare for birds to flush when the stimulus distance was greater

than 60 m (Carrier and Melquist 1976, Edwards et al. 1979, Craig and Craig 1984, Delaney et al. 1999). Similar findings were reported by Carrier and Melquist (1976) for Osprey (*Pandion haliaetus*), and Ellis (1981) for Peregrine Falcons. Many disturbance study reports imply that animal response increases with decreasing stimulus distance (Platt 1977; Grubb and King 1991; McGarigal, Anthony, and Isaacs 1991; Stalmaster and Kaiser 1997), though few studies have experimentally tested this relationship (see Delaney et al. 1999). Delaney et al. (1999) found that the proportion of owls flushing in response to a disturbance was strongly and negatively related to stimulus distance and positively related to noise level.

Even fewer examples are available for noise response thresholds. Snyder, Kale, and Sykes (1978) reported that Snail Kites (*Rostrhamus sociabilis*) did not flush even when noise levels were up to 105 decibels, A-weighted (dBA) from commercial jet traffic. This result was qualified by the fact that test birds were living near airports and may have habituated to the noise. Edwards et al. (1979) found a dose-response relationship for flush responses of several species of gallinaceous birds when approach distances were between 30 and 60 m and noise levels approximated 95 dBA. Delaney et al. (1999) reported that Mexican Spotted Owls did not flush during the nesting season when the sound exposure level (SEL) for helicopters was  $\leq 92$  dBA and the Equivalent Average Sound Level (LEQ) for chain saws was  $\leq 46$  dBA. Noise response thresholds were fairly comparable with data from the non-nesting season (92 dBA for helicopters and 51 dBA for chain saws).

Distance has been described as the most commonly used surrogate for noise disturbance in the literature on animal response to noise, and has been proposed to be the best representative for quantifying the relationship between stimulus and response measures (Awbrey and Bowles 1990). The reason appears to be that distance is more conveniently implemented into management practices (i.e., establishment of buffer zones) than other variables. However, use of a properly measured noise level as the stimulus measure facilitates broader application of response results, in particular to sources of similar aural character but different acoustic power emission.

### 3 Technical Approach

#### Null Hypotheses

Data collection, summary, and statistical analyses to assess and characterize military training noise in RCW clusters, and to evaluate the relationship between noise levels and RCW demographic data, are based on the following formal null hypotheses:

- Ho: There is no difference in the nesting success, productivity, or nesting behavior between disturbed and undisturbed RCW nest sites.
- Ho: There is no relationship between stimulus distance or noise level and RCW response behavior.
- Ho: There is no difference in RCW response between types of training activities.

#### Study Area

Fort Stewart is located in east central Georgia (Figure 1) within Liberty, Long, Bryon, Tattnall, and Evans counties, and is the largest Army Installation east of the Mississippi River. Physiographically, this area lies within the Atlantic Coastal Flatwoods Province, within a humid, semi-tropical latitude, and averages 50 in. (127 cm) of rain a year. The average temperature in January is 62 °F (44 °C) with a relative humidity of 70 percent, while July averages 91 °F (32 °C) with a relative humidity of 76 percent. Approximately 66 percent of the 112,745 ha of the installation are terrestrial and cover three main forest types: upland pine stands composed primarily of longleaf (*Pinus palustris*), loblolly (*P. taeda*), and slash pine (*P. elliottii*); mixed pine-hardwood sites; and hardwood stands. The remaining habitats include various wetland types and open water (Fort Stewart ESMP Team 1998).

The primary mission of Fort Stewart is training and operational readiness of the 3<sup>rd</sup> Infantry Division (Mech.) and other nondivision units. The 3<sup>rd</sup> Infantry Division (previously the 24<sup>th</sup>) was activated in 1975 and redesignated as a mechanized division in 1979 (Hayden 1997). Training activities are conducted year-round at Fort Stewart to maintain a combat ready fighting force. The




Figure 1. Location of Fort Stewart, GA.

installation also supports training of regional National Guard and Reserve units, as well as joint training exercises with troops from other installations and DoD Branches (Fort Stewart ESMP Team 1998).

Fort Stewart contains a variety of impact and firing areas (Figure 2). The central feature of the installation is the Artillery Impact Area (AIA; about 5,200 ha), which is surrounded by dozens of artillery firing points varying in distance from a few hundred meters to thousands of meters from the impact area itself. On the western border of the AIA is the Red Cloud Multipurpose Range Complex (MPRC) containing eight separate ranges. Just south of the AIA is the Explosive Ordnance Disposal Area (EOD), the Demolition Area (DEMO), and the Small Arms Impact Area (13 live-fire ranges, about 2,300 ha). To the east and north-east of the AIA are the Calfax and Luzon Ranges, and three smaller Aerial Gunnery Ranges (AGR). There are also seven drop zones located throughout the installation (Hayden 1997).




Figure 2. Locations of training areas and RCW clusters on Fort Stewart.

## Sample Cluster Selection

There are approximately 270 known RCW cavity tree clusters on Fort Stewart, distributed as shown in Figure 2. None are known in the AIA because this area has not been surveyed due to safety concerns. Of the approximately 141 reproductively active (mated pair present) RCW clusters, we chose 50 sample clusters for observation during the first field season. We intend to use these same clusters insofar as practical throughout this multiyear study. We classified clusters according to type and level of training noise, based on the number, distance, and noise levels of stimulus events that, to the best of our knowledge, each cluster typically receives. Three types of sample sites were chosen: passive disturbed, undisturbed, and experimental. "Passive disturbed" sites were those sites that receive potentially significant noise disturbance as part of normal training operations; we had no direct control over time, number, or level of noise events at these sites. Noise types include large caliber live fire, small arms live fire, artillery simulators, and helicopter flights. We attempted to choose sites that received predominantly one type of noise, but this was sometimes impossible if we were to also use the highest noise level clusters. "Undisturbed" or "low disturbance" sites (the two terms are equivalent and are used interchangeably in this report) are sites where noise levels were judged likely to be consistently low or absent for all of the noise types. At these sites we observed behavior and measured nesting success as a baseline for judging impact at disturbed sites. It is likely that at least some level of military noise of some type can be perceived at

every RCW cluster on Fort Stewart. Our criterion for low disturbance is noise levels near or below ambient noise levels. At "experimental" sites we exposed the birds to small arms blank fire under controlled conditions. The experimental sites were chosen from among cluster sites that had otherwise low noise disturbance. This implies that birds at these sites were not habituated to the noise stimulus. The sample clusters were randomly selected within noise types. Sample size was limited by the number of clusters that fit each of the foregoing selection protocol criteria and by available field observation resources.

## Impact Measures

Selection of noise impact criteria is a critical issue. For humans the response criterion is typically annoyance. For domesticated species the issue may be damage to individual animals or impacts on profits. For TES, the ultimate concern is long-term survival of the species. The challenge is to develop a relatively short-term procedure for inferring impact on long-term survival. The conceptual approach that will be used in this study is depicted in Figure 3. First, proximate responses to the noise stimulus are measured. A proximate response is the direct and immediate response of the animal to the stimulus, for example a behavioral (e.g., flight) or a physiological (e.g., change in heart rate) response. This tracks with the first regulatory decision criterion of the Endangered Species Act (ESA), that is, whether the action or activity "may affect" the species. Next, we examine whether the stimulus that elicited the proximate response affects "individual fitness," which is typically evaluated in terms of mortality or reduced




Figure 3. Assessment hierarchy for training impact on threatened and endangered species.

nesting success. This is established by field monitoring of many individuals throughout the nesting season. This level of effect tracks with the next decision criterion of the ESA, namely whether the action or activity will "adversely affect" the species. The ultimate level of effect is whether the action or activity causes significant changes in the number of individuals in the population. This level of effect tracks with the final decision criterion of the ESA, which is whether the action or activity is "likely to jeopardize the continued existence" of the species. Population effects will be inferred from measures of individual fitness by application of population viability analysis (PVA) models. Current applications of PVA do not capture the temporal and spatial variability of training events, and thus cannot model the resulting effects on endangered species' demographic parameters. The U.S. Army Construction Engineering Research Laboratory (CERL) currently is developing PVA modeling approaches capable of capturing training effects in predictive population models. This is a shared effort under this project and a related CERL research effort to evaluate effects of maneuver training (vehicles and troops) on RCWs.

In summary, the research paradigm is that proximate effects can be linked to individual fitness, which in turn can be linked to population effects. As a specific example, consider that a bird might flush from a nest (a proximate response) in response to a noise event. It is possible that this could lead to failure of the nest, especially if the noise and flush response occurred repeatedly. Monitoring is required to determine nesting success of disturbed and undisturbed nests. A population model is required to determine if such failure of some percentage of nests has an effect on survival of the population.

## **Behavior and Proximate Response Measurement Protocols**

We documented woodpecker behavior at low and high noise disturbance nest sites by direct observation (camouflaged blinds more than 30 m from the nest) and through video surveillance. We divided the nesting cycle into three stages: incubation (eggs present 0 to 11 days), brooding (small chicks attended by adults: day 12 through 22), and nestling (larger chicks typically unattended in nest: day 23 until fledging). A "data session" consisted of behavioral observations of at least one adult RCW, typically for 1 hour or longer. For disturbed sites, we attempted to observe behavior for some period of time before and after the disturbance events, though this was sometimes not possible at passive disturbed sites.

To evaluate RCW baseline behavior and responses to military training activities, we measured several parameters:



1. Alert - RCW moves to the cavity mouth, head movements, orient to noise source;
2. Flush from nest - RCW departs from the nest in response to the stimulus, and remains away from the nest for a measured period of time;
3. Recovery time - length of time an adult is away from the nest after being flushed;
4. Nest attentiveness - proportion of time that the adults spend on the nest through the nesting season (calculated for diurnal, 24-hour periods, and for each nesting phase);
5. Prey deliveries - number and rate of prey deliveries to the nest;
6. Trips - number and duration of times the attending adult left the nest.

RCW behavior categories 3 through 6 will not be included in this report because these data are not yet fully analyzed.

### **Demographic and Nesting Success Data**

RCW demographic data (population size, growth, density, and distribution) were collected in accordance with established protocols used by the Fish and Wildlife Branch DPW on Fort Stewart. Demographic data included the following parameters for each cluster:

1. Cluster occupancy - cluster occupied by one or more RCWs. Most individuals are identified by unique leg band combinations (provides a measure of population size, growth, and stability);
2. Mated status - presence of both an adult male and an adult female RCW;
3. Active nest - at least one egg was laid;
4. Nesting success - at least one fledgling was produced (provides a measure of the proportion of RCW clusters that is reproductively successful);
5. Nesting productivity - number of young fledged per nest (provides a measure of fecundity);
6. Number of eggs produced;
7. Number of nestlings hatched;
8. Group size - (provides a possible measure of territory quality and availability).

These data enable several trends to be detected:

1. Reproductive loss - mortality rate of eggs, nestlings, and fledglings during nesting;
2. Nest annual reoccupancy rates - provides a potential measure of RCW response to disturbance. Sites with heavy disturbance levels may be abandoned in subsequent years in favor of other sites further from specific disturbances;

3. Site tenacity - turnover rate of adult and helper RCWs within a cluster site across years;
4. Nesting success rates at disturbed and undisturbed sites;
5. Mean number of young fledged at disturbed and undisturbed sites;
6. Mean clutch and brood size at disturbed and undisturbed sites;
7. Reproductive potential - total number of young that could be produced if all eggs and nestlings survived to fledge successfully.

Most of the demographic data for Red-cockaded Woodpecker clusters was collected by DPW Fish and Wildlife personnel from Fort Stewart. Each active (at least one RCW present) cluster was initially visited to determine the cluster occupancy. Adult RCWs were banded by Fish and Wildlife DPW personnel to determine group size and affiliation using methods similar to Walters et al. (1988). A 25 percent random sample of all RCW clusters were then monitored approximately every 7 to 9 days to record clutch and brood size. Nestlings were uniquely color banded approximately 5 to 10 days after hatching. Clusters were visited 20 to 25 days after nestlings were banded to determine the number and sex of fledglings (Walters et al. 1988). The 25 percent sample included many of our sample clusters. We augmented the DPW Fish and Wildlife sample by monitoring demographic data (particularly the number of young fledged) for additional cluster sites to provide more complete coverage of the sample clusters.

## Video Surveillance

Video cameras are being evaluated as a means to record RCW behavior over prolonged periods, to reduce costs, and to avoid potentially disruptive effects of human presence. The camera systems can also be used to document response in areas that cannot be safely monitored (e.g., downrange of firing positions).

Cameras were attached to tree trunks with adjustable, jointed angle-brackets and screws. Cameras were mounted at the same level or slightly above nest height in the nearest practical tree (i.e., large enough to climb to nest height) and at least 5 m from the nest tree so as not to disturb incubating woodpeckers. A power line-and-coaxial-cable down line, covered with camouflaged cloth, was attached to a 10.5-cm, DC (direct current) monitor and battery so camera placement could be directed from the base of the camera tree. At least two people are required for camera placement: a climber to position the camera and a person on the ground to check the video signal and placement. To become operational, a trunk line is attached at the base of the tree (covered by a camouflaged 1.2-cm diameter hose for protection against rodents), allowing the power/recording station to be placed 60 m from the tree to minimize potential disturbance to the

woodpeckers. We put the recorder, twin batteries, and all connectors inside a weatherproof bin concealed under a camouflaged tarpaulin. Freshly recharged batteries are used for each set of recordings.

We used black and white, charge-coupled device (CCD), video-board cameras to document RCW behavior at 14 nest sites during the 1998 nesting season. The solid state, 12-volt, flexible circuit-board cameras were equipped with 12.0-mm lenses. The cameras provide a minimum of 380 lines of resolution and have a minimum sensitivity of 0.5-Lux. Cameras are mounted in waterproof heavy-gauge plastic switch boxes with transparent covers (12.9 x 6.7 x 4.1 cm) which, except for the lens and LED (light-emitting diode) area, are painted black. Two ports are threaded into the protective housing: one for the power supply and the second for the video signal (Delaney et al. 1998).

Panasonic Model AG-1070DC Professional/Industrial VHS video recorders, connected to cameras via coaxial cable (RG-59), provided approximately 24 hours of coverage per tape. These 12-volt, DC-powered recorders were designed for field surveillance applications. Cameras and video recorders are powered by two 12-volt, 33.0-amp-hour, Power-Sonic Model PS-12330 sealed rechargeable batteries connected in parallel (a 24-hour taping would draw a single battery below operational limits). These "gel-cell" type batteries (weighing 11.3 kg each) reduce the risk of battery damage, and eliminate the potential for spillage during backpack transport.

## Sound Instrumentation and Recording

Sony TCD-D7, Digital Audio Tape (DAT) recorders were used to continuously record all noise events, along with exact time and date. We attached Bruel & Kjaer (B&K) Type 4149 1.3-cm Condenser Microphones with 7.5-cm wind screens to B&K Model 2639 Preamplifiers, mounting the microphone on a 1-m stick, and placing the unit directly under a woodpecker's nest about 1 m from the tree trunk. Two equipment placement procedures were used. In one setup, the B&K Model 2804 Power Supply and DAT recorder were located at our observation point in a camouflaged blind 30 m from the woodpeckers, with three 10-m connecting cables attached to the preamplifier and microphone at the base of the tree. This facilitates tending of the equipment without exposing the human observer during a data session. In an alternate arrangement, the entire package of sound recording equipment was placed at the base of the nest tree in a small camouflaged container. A 1.0-kHz, 94-dB calibration signal (20 micropascals reference) from a B&K Type 4250 Sound Level Calibrating System was recorded before and after each noise event recording. This signal provides an absolute,

standardized reference for sound levels and spectra when data are later analyzed using a B&K Type 2144 Frequency Analyzer. All noise data were analyzed at CERL.

In addition to recording noise levels at the base of the nest tree, we also recorded noise levels within nest cavities prior to nesting or at non-nesting sites. These measurements were taken to estimate how noise levels measured at the ground would need to be adjusted to predict noise levels within the nest cavity.

## Sound Metrics

Noise is defined as sound that is undesirable or constitutes an unwarranted disturbance, and can alter behavior or normal functioning (ANSI S1.1-1994). The types of military noise that are within the scope of this study vary widely in instantaneous transient amplitude, duration, spectral energy content, and suddenness of onset. Appropriate noise metrics and frequency weighting are essential to adequately quantify noise impact for each type of noise. Noise metrics are chosen to measure the noise dose in a way that meaningfully correlates with subject response. Frequency weighting is an algorithm of frequency-dependent attenuation, which simulates the hearing sensitivity and range of the study subjects. Frequency weighting discriminates against sound, which, while easily measured, is not heard by the study subjects. The current project requires specialized metrics and techniques to meaningfully measure noise impacts on animals. Our paradigm is to measure noise events in terms of unweighted one-third-octave-band levels, apply frequency weighting to the resultant spectra, and calculated appropriate overall metrics.

It is well-established (ANSI S12.40-1990; S12.9-1996; S12.17-1996; Homans 1974; NAS 1977, 1981; Rice 1983; Rice, Flindell, and John 1986; Schomer 1986; Schomer et al. 1994) that the appropriate metric for blast noise is SEL, which is essentially the time integral of the square of the acoustic pressure. We measured blast noise as unweighted 1/3-octave band SEL, to which frequency weighting appropriate for the RCW will be applied (when available from the audiogram portion of this study, described in Appendix B) to obtain appropriately-weighted overall levels. The same metric and procedure was also used with small arms noise (Buchta 1990; Hede and Bullen 1982; Hoffman, Rosenheck, and Guggenbuehl 1985; Luz 1982; Sorenson and Magnusson 1979; Vos 1995). Two metrics, the SEL and the maximum 1-second equivalent average (LEQ) level, were used for helicopter noise, airplane noise, and vehicle pass-by noise, since both are meaningful in terms of correlation with response (Environmental Protection Agency [EPA] 1974, 1982, Federal Interagency Committee on

Urban Noise [FICUN] 1980, Fidell et al. 1991, Schomer 1994, Schultz 1978, US Code of Federal Regulations 1980). Ambient noise was measured as LEQ for various appropriate time periods (EPA 1982). In all cases, the noise signals were recorded on digital audio tapes and preserved for possible further analysis.

Only noise that is audible to the study species should be accounted for in the metric used to quantify noise level. The commonly used "A" frequency weighting (ANSI S1.4-1983) attenuates noise energy according to human hearing range and sensitivity. For human response to blast noise, "C" frequency weighting is often applied to received blast noise signals, rather than "A" weighting which is more representative of human hearing response (ANSI S1.4-1983). This is done to retain low frequency energy that, while not heard by humans, causes a secondary rattle in buildings which does evoke response (ANSI S12.4-1986). This is not appropriate for wildlife. Frequency weighting designed for humans generally will not be appropriate for animal species. An audiogram, which describes hearing range and sensitivity, provides guidance regarding appropriate frequency weighting for the species of interest and also aids in interpretation of noise response data. Figure 4 shows a composite average audiogram of seven orders of birds, with an approximate representation of a human audiogram and the "A" weighting curve included for comparison. The differences are substantial. The "owl" audiogram further illustrates how audiograms can vary among species. We searched the literature and consulted several leading experts on bird hearing without finding an audiogram for the RCW or for any species in RCW's order, *Piciformes*. Thus as part of this project we will obtain an audiogram that will be used to develop a frequency weighting function that is appropriate for woodpeckers. A report on the status of this effort is included as Appendix A.

## Statistical Data Analysis

We used SPSS 8.0 for Windows (SPSS Inc. 1998) to perform all descriptive statistics, for example, independent-sample *t*-tests for comparing the mean number of eggs, nestlings, and young fledged between 1<sup>st</sup> and 2<sup>nd</sup> nesting attempts. Whenever appropriate, multiple observations at single nests were averaged before inferential tests were performed so that the sample sizes are the number of nests examined. We used a one-tailed Fisher Exact Test to assess 2x2 contingency tables for variability in nesting success between disturbed and undisturbed nest sites (Zar 1984). Alpha levels of 0.05 and power 0.80 will be required to reject a null hypothesis for all tests. Means  $\pm$  standard error (SE) are presented in the following chapter.




Figure 4. Examples of audiograms and frequency weighting.

## 4 Results

### Initiation Dates for each Nesting Phase

The first woodpecker clutches were initiated on approximately 17 April through 10 May, while secondary clutches (clusters that renested after initial nest failure) were initiated from 12 May through 12 June. Eggs from initial nesting attempts hatched from approximately 27 April through 20 May, while nests from 2<sup>nd</sup> nesting attempts hatched from 22 May through 21 June. We observed young fledging from initial nesting attempts from 23 May through 14 June, and from 16 June through 16 July for fledglings from secondary nesting attempts.

### Overall Population Dynamics

Of the 165 potential breeding pairs on Fort Stewart, 141 nested during the 1998 nesting season (85.5 percent). Of the clusters that nested for which we have good data (114 clusters), 87.7 percent fledged young successfully. Sixteen of the 25 clusters that initially failed to nest were found renesting within the following 2 weeks, with 75 percent of these sites successfully fledging young. Clusters that renested were found to be as successful (Fisher Exact Test,  $P > 0.05$ ; 75 percent for sites that renested versus 89.8 percent for initial nesting attempts) and productive as sites that nested only once. We observed no statistically significant difference in number of eggs ( $F_{1,130} = 0.12$ ,  $P = 0.74$ ), nestlings ( $F_{1,131} = 0.12$ ,  $P = 0.74$ ), or the number of young fledged ( $F_{1,100} = 2.32$ ,  $P = 0.13$ ) between sites that renested and those that nested only once. We then pooled these data to determine mean rates for the overall population. Mean clutch size for RCW nests was  $3.01 \pm 0.08$  eggs/nest, mean brood size was  $2.09 \pm 0.07$  nestlings/nest, and the number of young fledged was  $1.75 \pm 0.09$  young/occupied nest ( $1.99 \pm 0.07$  young/successful nest). Occupied nests include sites that are successful as well as sites that are not. Successful nests only include those sites that are successful in fledging young. Just over half of the young that fledged were male (53.3 percent). There was a 38.7 percent decline in the reproductive potential of RCW nests from the incubation phase to the nestling phase ( $F_{1,229} = 99.47$ ,  $P < 0.001$ ). The decline was not as dramatic from the nestling phase to the fledgling phase (10.3 percent), but was still significant ( $F_{1,205} = 4.12$ ,  $P = 0.04$ ). Overall, we ob-

served a significant decline of 45.7 percent in the reproductive potential from incubation through the fledgling phase ( $F_{1,225} = 136.49$ ,  $P < 0.001$ ).

### Sample Cluster Population Dynamics

Disturbed and undisturbed nest sites did not differ significantly in the number of eggs ( $F_{1,48} = 0.00$ ,  $P = 0.99$ ), number of nestlings ( $F_{1,40} = 1.27$ ,  $P = 0.27$ ), or number of young fledged ( $F_{1,39} = 0.04$ ,  $P = 0.84$ ). Twenty-one of the 25 disturbed RCW nest sites were successful in producing an average of  $1.68 \pm 0.20$  young/occupied nest ( $2.00 \pm 0.15$  young/successful nest), while 13 of 16 undisturbed sites were successful in producing an average of  $1.75 \pm 0.28$  young/occupied nest ( $2.15 \pm 0.22$  young/successful nest). For disturbed sites, 7 of the 25 nesting attempts were second attempts. For undisturbed sites, 0 of 16 nesting attempts were second attempts. This difference was not statistically significant (Fisher Exact Test,  $P > 0.05$ ). As was the case for the population as a whole, sites that renested after initial nesting failure were as successful and productive as sites that nested only once. Therefore, data were pooled before determining overall sample group fitness rates. These results should be viewed as preliminary, since the sample sizes and thus the statistical power were limited.

Of the 14 clusters that failed to produce young during 1998, we were able to confirm only 1 case of nest predation (video site; rat snake, *Elaphe obsoleta*). Two other sites may have failed due to nest predation (rat snake and flying squirrel [*Glaucomys volans*] were present in the nest cavity during nest checks), but we could not confirm that these sites were still active just prior to occupation by these animals. We also documented (video site) one case of an attempted nest predation of an RCW nest by a hawk.

### Noise and Response Monitoring Summary

During the 1998 field season we documented RCW response to passive noise from large caliber live fire (25 mm M2A2 Bradley Fighting Vehicles, 120 mm M1A1-Tanks, and 155 mm M109 Howitzers), small arms live fire (5.56 mm M-16 and Saw, 7.62 mm, 9 mm, and .50 caliber machine guns), military helicopters, fixed-wing aircraft, military vehicles, artillery simulators, and MLRS as they occurred. During experimental testing we presented woodpeckers with controlled small arms blank fire noise. Passive noise was monitored during all nesting phases, while blank fire tests were performed only during the incubation and early portions of the brooding phase when adults were present at the nest for extended periods of time.



We made noise measurements and behavioral response observations at a total of 34 disturbed (passive or experimental) sample clusters. Detailed results are described below and are presented in the data tables and figures in Appendices C, D and E. The tables of Appendix C present summaries of the noise level measurements and RCW responses. Appendix E presents noise level summaries for each noise stimulus type and detailed noise measurements in terms of one-third-octave-band SEL levels. These are the data to which future adjustments for cavity resonance and woodpecker frequency weighting will be applied to obtain single-number overall noise levels. A typical spectrum for each type of noise is presented in Appendix D. We also made behavioral observations at a total of 16 undisturbed sample clusters for the purpose of obtaining baseline against which to judge proximate response at the disturbed clusters.

The original intent was to observe each disturbed cluster at least once during both the incubation and nestling phases of nesting. However, this was sometimes not possible because ranges did not fire as scheduled or military activities were canceled. Therefore, some clusters were visited more than once and others were not observed at all.

### ***Passive Monitoring***

We recorded 1,041 passive noise events in 56 data sessions at 34 RCW clusters during the 1998 nesting season. Large caliber live fire events (greater than 20 mm in diameter) were recorded most frequently, followed by small arms live fire (.50 caliber and below), vehicle maneuver noise, fixed-wing aircraft, helicopters, artillery simulators, and MLRS fire. Multiple noise events and stimulus types were usually recorded during each data session. Most stimulus events were distant and had relatively low noise levels, as shown in the tables of Appendix C. Over 60 percent of all data sessions were recorded during the nestling phase (Appendix E).

### ***Experimental Testing***

We exposed RCWs to small arms blank fire (5.56 mm M-16) fired at a distance of 15.2 m from the nest tree during a 5-minute period. Due to various logistical constraints, only four tests were conducted at RCW nest sites during 1998 (clusters 36, 37, 76, and 142; Appendix C, Table C8).

### ***Noise Measurement Test***

In addition to recording noise levels at the base of active RCW nest sites, we also measured noise levels in RCW nest cavities and at the base of the tree, for com-

parison. The measurements were performed prior to nesting or at non-nesting sites; only artificial cavities were tested in 1998. Artificial nest cavities were found to act as sound resonators, emphasizing the 250 Hz one-third-octave frequency band. In the example presented in Figure 5, artillery muzzle blast noise was 14.7 dB louder within the cavity at the 250 Hz frequency range than noise recorded for the same blast event at the base of the nest tree. This has important consequences for any future extrapolation of noise levels from measurements we record at the base of nest trees versus what RCWs may actually be experiencing within nest cavities. We will investigate this in more detail in Fiscal Year 1999. We also plan to test for any differences between artificial and natural cavities during the 1999 field season.




Figure 5. Example comparison of band SEL levels for noise recordings at the base of nest trees versus recordings inside nest cavities (cluster 199, 5 June 1998).

## RCW Flush Response

Three possible flush responses were observed at RCW nest sites during the 1998 breeding season (2 at cluster 83 and 1 at cluster 142). Each flush response is examined here in detail. Both of the flush responses at cluster 83 occurred during close artillery blast noise. This site received the highest noise levels of any RCW

cluster site monitored. On 20 May 1998, we recorded 13 blast events during a data session at cluster 83. In Figure 6, blasts 1 through 8 are shown in terms of both unweighted and A-weighted SEL for each blast. The attending adult appeared to flush during the loudest blast event recorded during that data session (7<sup>th</sup> of 13 blast events recorded, SEL = 87.7 dBA). The RCW returned to the nest after 6.25 minutes and did not flush again in response to several subsequent blasts. On 21 May 1998, we recorded 60 blast events during another data session at cluster 83. This time the attending adult appeared to flush in response to the 52<sup>nd</sup> blast event during that data session, returning to the nest after 4.42 minutes, shortly before the last noise event occurred (Figure 7). This blast event was one of the louder blasts of the day, but not the loudest (90.9 dBA).




Figure 6. Description of RCW flush response to artillery blast events (cluster 83, 20 May 1998).

The 3<sup>rd</sup> flush event occurred during an experimental blank fire test at cluster 142. An RCW adult appeared to flush from the nest 2 seconds after experimental M-16 blank firing began, with an RCW returning to the nest 10 seconds after firing ended (Figure 8; total elapsed time off the nest: 5.06 minutes). Only one of four experimental blank fire tests elicited a flush response. M-16 blank fire




Figure 7. Description of RCW flush response to artillery blast events (cluster 83, 21 May 1998).




Figure 8. Description of RCW flush response to small arms blank fire (cluster 142, 3 June 1998).

testing will be expanded during the 1999 field season to include a larger sample size to develop a distance and noise response threshold for RCWs.

## **Distance and Noise Level Thresholds for Response**

### ***Large Caliber Live Fire***

The 1998 field season data show that RCWs did not flush when large caliber guns were fired at distances more than 1800 m from nest sites (accounting for 88 percent of all large caliber blasts recorded) and SEL noise levels were lower than 87 dBA (105 dB, unweighted; Appendix C, Table C1). We only monitored RCW response to blast noise at a distance of less than 1800 m at one active nest site (about 500 m, cluster 83, about 12 percent of all blasts events recorded). We did not locate any active nests between 500 m and 1800 m of blast sites, therefore, we could not test for response within that range.

### ***Small Caliber Live Fire***

RCWs did not flush when small arms live fire was more than 1000 m from nest sites and SEL noise levels were lower than 63 dBA (76 dB, unweighted; Appendix C, Table C2). We did not locate any active RCW nest sites within 800 m of any small arms ranges to which we had access for testing purposes.

### ***Helicopters***

RCWs did not flush when military helicopters were more than 60 m from nest sites and SEL noise levels were lower than 85 dBA (102 dB, unweighted; Appendix C, Table C3). Due to the low probability of encountering helicopters, we were unable to test for RCW response at distances less than 60 m.

### ***Military Vehicles***

RCWs did not flush when military vehicle traffic was more than 60 m from nests and SEL noise levels were lower than 92 dBA (106 dB, unweighted; Appendix C, Table C4).

### ***Artillery Simulators***

RCWs did not flush when artillery simulators were more than 1600 m from nest sites and SEL noise levels were lower than 72 dBA (82 dB, unweighted; Appen-

dix C, Table C5). We did not encounter any artillery simulators less than 1600 m from active RCW nest sites.

### ***MLRS***

RCWs did not flush when rockets were launched more than 2400 m from nest sites and SEL noise levels were lower than 59 dBA (82 dB, unweighted; Appendix C, Table C6).

### ***Fixed-wing Aircraft***

RCWs did not flush when airplanes were more than 1000 m from nest sites and SEL noise levels were lower than 87 dBA (94 dB, unweighted; Appendix C, Table C7).

### ***Blank Fire Testing***

We did not vary stimulus distance during blank fire testing and therefore were not able to develop a preliminary distance or sound threshold (Appendix C, Table C8).

## 5 Discussion

### Nesting Success

The preliminary data, based on the military training intensity and noise levels recorded during this year of study, suggest that measured levels of military training noise did not affect RCW nesting success or productivity. It is of course possible that under more intensive circumstances, for example increased training intensity and noise levels, that RCW nesting success might be reduced. Small sample size and low sample power restrict our ability to make any strong conclusions based on this year's data. Through further investigation over the next 2 years we will be able to make more definitive conclusions regarding RCW fitness as a function of training noise.

### Flush Response

Red-cockaded Woodpeckers flushed infrequently in response to military training noise during the 1998 nesting season. Most of the passive noise events that we recorded were distant and had relatively low noise levels. It is possible that RCWs have shifted their location on the landscape to lessen the effect of military training noise. This could explain why there seem to be few active nest sites in close proximity to heavily used large caliber live fire ranges.

Woodpeckers quickly returned to their nests after being flushed. Recovery times by RCWs were comparable with times reported for bird species in other noise disturbance studies (Awbrey and Bowles 1990, Holthuijzen et al. 1990). The amount of time that an attending adult is away from the nest has important consequences when we consider the role that nest predation and nest competition has on this species. There are a number of species that are capable of usurping nesting cavities from the RCW. Both red-bellied woodpeckers (*Melanerpes carolinus*) and red-headed woodpeckers (*Melanerpes erythrocephalus*) have been shown to remove and eat eggs, usually in the process of usurping the cavity from the RCW. Southern flying squirrels (*Glaucomys volans*) have also been documented to eat eggs or young when competing with RCWs for nest cavities (Jackson 1994).

## Distance and Sound Thresholds

An examination of the data presented in Appendices C and E reveals a wide range of received noise levels at a given distance. One reason is that different types of noise sources of course have different acoustic emissive power. For a given noise source, the most important reason is differences in propagation conditions, a result of differences in atmospheric wind and temperature structure. It is well known that, at distances of several kilometers, received noise level can vary by as much as 20 dB above and below the mean due to changes in meteorological conditions (Embleton 1982; Li, White, and Franke 1994; Larsson and Israelsson 1991; Pater 1981; Piercy, Embleton, and Sutherland 1977; White and Gilbert 1989; White, Shaffer, and Raspet 1993). Differences in received noise level can also be due to orientation of the weapon relative to the receiver. Many weapons exhibit substantial directivity, some as much as 15 dB louder down-range (Pater 1981; Pater et al. (DRAFT); Schomer, Goff, and Little 1976 [Vol I and II]; Schomer, Little, and Hunt 1979; Schomer et al. 1981; Schomer 1982; Schomer 1984; Schomer and Goebel 1985; Schomer 1986a, 1986b; Walther 1972).



## 6 Plans and Conclusions

### Plans

The results of the first year of the project have shown that the basic technical approach is appropriate and effective. The primary need is for more data. We plan to increase the number of personnel engaged in gathering field data during the 1999 nesting season. We will in particular obtain more data for small arms blanks and for helicopters, and possibly do experimental manipulations using artillery simulators. We will search for reproductively active clusters that are located in areas that will fill in the blanks in the data in terms of stimulus distance and noise level.

The matter of cavity resonance effect on the noise level perceived by the RCWs will be investigated. We cannot measure noise levels in the cavity of an endangered species during the nesting season. Thus we will need to develop an algorithm for extrapolating from noise levels measured at the base of the tree.

The investigation of woodpecker hearing is beginning to return useful results; the current effort will be continued. An expanded effort may be appropriate.

The use of cameras for untended monitoring of activity has proven to be useful. The camera systems will be improved and will be selectively used, since viewing of the tapes, even at a substantial time compression, is extremely time consuming.

One aspect of the technical approach that has not yet been executed is to use available noise models and training activity data to calculate noise dose for each cluster, and to examine these data for correlation with nesting success data. Fort Stewart installed the updated version of the Range Facility Management Support System (RFMSS) early in 1998, which includes detailed data regarding training activity. These data will be used in 1999 to examine said correlation.

## Conclusions

During the first year of this study of the impacts of training noise on the RCW, we observed and documented training noise events and the resulting RCW responses under realistic conditions. We measured both proximate response behavior and nesting success. We also observed RCW behavior and nesting success at clusters where noise stimuli were absent or minimal (near or below ambient sound levels), to provide an undisturbed behavior baseline against which to judge response and impact. Very few candidate proximate responses to noise occurred. No significant difference in nesting success was found between disturbed and relatively undisturbed nest sites. The first year data are limited in number and statistical power and are not sufficient to make strong conclusions or to establish reliable noise dose-response relations or thresholds. The results are however sufficient to confirm that the project technical approach is appropriate and needs only minor revision, and that the project objectives will be achieved.

## References

### Biology

- Anderson, D.E., O.J. Rongstad, and W.R. Mytton. 1989. "Response of nesting red-tailed hawks to helicopter flights." *Condor* 91:296-299.
- Awbrey, F.T., and A.E. Bowles. 1990. *The effects of aircraft noise and sonic booms on raptors: a preliminary model and a synthesis of the literature on disturbance*. Noise and Sonic Boom Impact Technology, Technical Operating Report 12. Wright-Patterson Air Force Base (AFB), OH.
- Beaty, T.A. 1986. *Response of Red-cockaded Woodpeckers to habitat alteration*. Directorate of Engineering and Housing, Fish and Wildlife Section, Fort Stewart, GA.
- Bowles, A.E. 1995. "Responses of wildlife to noise." Pages 109-156 in R.L. Knight and K.J. Gutzwiller, editors. *Wildlife Recreationists*, Island Press, Washington, DC.
- Bowles, A.E., F.T. Awbrey, and R. Kull. 1990. "A model for the effects of aircraft overflight noise on the reproductive success of raptorial birds." *Noise and Sonic Boom Impact Technology, Inter-Noise 90*. Wright-Patterson AFB, OH.
- Carrier, W.D., and W.E. Melquist. 1976. "The use of a rotor-winged aircraft in conducting nesting surveys of ospreys in northern Idaho." *J. Raptor Res.* 10:77-83.
- Charbonneau, D., L. Swindell, E.J. Moore, T.A. Beaty, and A. Eaton. 1983. "Preliminary report of the effects of forage habitat reduction on Red-cockaded Woodpecker reproduction in the CALFAX Range Facility at Ft. Stewart, Georgia." Directorate of Engineering and Housing, Fish and Wildlife Section, Fort Stewart, GA.
- Costa, R. 1992. "Challenges for recovery." Pages 37-44 in *Proceedings from Sandhills Red-cockaded Woodpecker conference*. D. J. Case and Assoc., Mishawaka, Inc.
- Craig, T.H., and E.H. Craig. 1984. "Results of a helicopter survey of cliff nesting raptors in a deep canyon in southern Idaho." *Journal of Raptor Research* 18:20-25.
- Delaney, D.K., T.G. Grubb, P. Beier, L.L. Pater, and M.H. Reiser. 1999. "Effects of helicopter noise on Mexican Spotted Owls." *J. Wildl. Manage.* 63:60-76.
- Delaney, D.K., T.G. Grubb, and D.K. Garcelon. 1998. "An infrared video camera system for monitoring diurnal and nocturnal raptors." *J. Raptor Res.* 33:290-296
- Delaney, D.K., T.G. Grubb, and L.L. Pater. 1997. "Effects of helicopter noise on nesting Mexican Spotted Owls." Project Order No. CE P.O. 95-4. Rep. USAF 49 CES/CEV, Holloman AFB, NM.

- Devlin, W.J., J.A. Mosher, and G.J. Taylor. 1980. "History and present status of the Red-cockaded Woodpecker in Maryland." *Am. Birds* 34:314-316.
- Edwards, R.G., A.B. Broderson, R.W. Barbour, D.F. McCoy, and C.W. Johnson. 1979. *Assessment of the environmental compatibility of differing helicopter noise certification standards*. Final Report for the Department of Transportation, WA. Report #FAA-AEE-19-13. Contract #78419000000000.
- Ellis, D.H. 1981. *Responses of raptorial birds to low level military jets and sonic booms: Results of the 1980--81 Joint U.S. Air Force-U.S. Fish and Wildlife Service Study*. Institute for Raptor Studies Report NTIS ADA108-778.
- Ellis, D.H., C.H. Ellis, and D.P. Mindell. 1991. "Raptor responses to low-level jet aircraft and sonic booms." *Environmental Pollution* 74:53-83.
- Fort Stewart Endangered Species Management Planning Team. 1998. *Endangered species management plan*. 116 pages.
- Fraser, J.D., L.D. Frenzel, and J.E. Mathisen. 1985. "The impact of human activities on breeding bald eagles in north-central Minnesota." *Journal of Wildlife Management* 49:585-592.
- Fyfe, R.W., and R.R. Olendorff. 1976. "Minimizing the dangers of studies to raptors and other sensitive species." Canadian Wildlife Service Occasional Paper 23.
- Grubb, T.G., and W.W. Bowerman. 1997. "Variations in breeding bald eagle response to jets, light planes, and helicopters." *Journal of Raptor Research* 31:213-222.
- Grubb, T.G., W.W. Bowerman, J.P. Giesy, and G.A. Dawson. 1992. "Responses of breeding bald eagles, *Haliaeetus leucocephalus*, to human activities in north-central Michigan." *Canadian Field-Naturalist* 106:443-453.
- Grubb, T.G. and R.M. King. 1991. "Assessing human disturbance of breeding bald eagles with classification tree models." *Journal of Wildlife Management* 55:501-512.
- Hayden, T.J. 1997. *Biological assessment of the effects of the proposed revision of the 1994 management guidelines for the Red-cockaded Woodpecker on Army installations*. U.S. Army Construction Engineering Research Laboratory (CERL) Special Report 97/48, ADA322086, January 1997.
- Hohman, W.L. 1986. "Incubation rhythms of Ring-necked Ducks." *Condor* 88:290-296.
- Holland, E.D. 1991. "The environment can ground training." *Naval Proceedings*, October 1991: 71-75.
- Holthuijzen, A.M.A., W.G. Eastland, A.R. Ansell, M.N. Kochert, R.D. Williams, and L.S. Young. 1990. "Effects of blasting on behavior and productivity of nesting prairie falcons." *Wildlife Society Bulletin* 18:270-281.
- Jackson, J.A. 1994. "Red-cockaded woodpecker (*Picoides borealis*)." Pp. 1-19 in A. Poole and F. Gill, eds. *The birds of North America*, No. 85. The Academy of Natural Sciences, Washington, DC. The American Ornithologists Union.

- Jackson, J.A. 1987. "The Red-cockaded Woodpecker." Pp. 479-493 in R.L. DiSilvestro, ed. *Audubon wildlife report 1987*, Academic Press, New York.
- Jackson, J.A. 1983. "Possible effects of excessive noise on post-fledging Red-cockaded Woodpeckers." Pp. 38-40 in D.A. Wood, ed. *Red-cockaded Woodpecker symposium II proceedings*, Florida Game Fresh Water Fish Commission, Tallahassee, FL.
- Jackson, J.A. 1978. "Analysis of the distribution and population status of the Red-cockaded Woodpecker." Pp. 101-111 in R.R. Odum and L. Landers, eds. *Proceedings of the rare and endangered wildlife symposium*. Georgia Dep. Nat. Res., Game Fish Div., Tech. Bull. WL 4.
- Jackson, J.A., and S.D. Parris. 1995. "The ecology of Red-cockaded Woodpeckers associated with construction and use of a multi-purpose range complex at Ft. Polk, Louisiana." Pages 277-282 in D.L. Kulhavy, R.G. Hooper, and R. Costa, eds. *Red cockaded Woodpecker: recovery, ecology, and management*. Center for Applied Studies in Forestry, College of Forestry, Stephen F. Austin State University, Nacogdoches, TX.
- Jordan, R.A., K.S. Wheaton, W.M. Weiher, and T.J. Hayden. 1997. *Integrated endangered species management recommendations for Army Installations in the Southeastern United States*. CERL Special Report 97/94, ADA286931, June 1997.
- Jordan, R.A., K.S. Wheaton, and W.M. Weiher. 1995. *Integrated endangered species management recommendations for Army Installations in the Southeastern United States: Assessment of the potential effects of Army-wide management guidelines for the Red-cockaded Woodpecker on associated endangered, threatened, and candidate species*. Final Report, The Nature Conservancy Southeast Regional Office, North Carolina.
- Knight, R.L., and S.A. Temple. 1986. "Why does intensity of avian nest defense increase during the nesting cycle?" *Auk* 103:318-327.
- Lawrence, G.N. 1867. "Catalogue of birds observed in New York, Long and Staten Islands and the adjacent parts of New Jersey," *Annual Lyceum of the Natural History of New York* 8:279-300.
- Lennartz, M.R., P.H. Geissler, R.F. Harlow, R.C. Long, K.M. Chitwood, and J.A. Jackson. 1983. "Status of the Red-cockaded Woodpecker on federal lands in the south." Pp. 7-12 in D.A. Wood, ed. *Red-cockaded Woodpecker symposium II Proceedings*. Florida Game Fresh Water Fish Commission, Tallahassee, FL.
- McGarigal, K., R.G. Anthony, and F.B. Isaacs. 1991. "Interactions of humans and bald eagles on the Columbia River estuary." *Wildlife Monograph* 115:1-47.
- Platt, J.B. 1977. "The breeding behavior of wild and captive gyrfalcons in relation to their environment and human disturbance." Ph.D. dissertation. Cornell University, Ithaca, NY.
- Scott, J.M., S.A. Temple, D.L. Harlow, and M.L. Shaffer. 1994. "Restoration and management of endangered species." Pages 531-539 in T.A. Bookhout, ed. *Research and management techniques for wildlife and habitats*. Fifth ed. The Wildlife Society, Bethesda, MD.
- Snyder, N.F.R., H.W. Kale II, and P.W. Sykes, Jr. 1978. *An evaluation of some potential impacts of the proposed Dade County training jetport on the endangered Everglade Kite*. FWS, Patuxent Wildl. Res. Cent., MD.

- SPSS, Inc. 1998. *SPSS 8.0 for Windows: base, professional statistics, and advanced statistics*. SPSS, Inc., Chicago, IL.
- Stalmaster, M.V., and J.L. Kaiser. 1997. "Flushing responses of wintering bald eagles to military activity." *Journal of Wildlife Management* 61:1307-1313.
- Steenhof, K., and M.N. Kochert. 1982. "An evaluation of methods used to estimate raptor nesting success." *J. Wildl. Manage.* 46:885-893.
- Tazik, D.J., J.D. Cornelius, D.M. Herbert, T.J. Hayden, and B.R. Jones. 1992. *Biological assessment of the effects of military associated activities on endangered species at Fort Hood, Texas*. CERL Special Report EN-93/01, ADA263489, December 1992.
- Thiessen, G. 1957. "Acoustic irritation threshold of ring-billed gulls." *Journal of Acoustical Society of America* 29:1307-1309.
- The Nature Conservancy. 1996. *Effects of military training on the Red-cockaded Woodpecker*. Final Report for Fort Benning Army Installation.
- Walters, J.R., P.D. Doerr, and J.H. Carter, III. 1988. "The cooperative breeding system of the red-cockaded woodpecker." *Ethology* 78:275-305.
- White, C.M., and T.L. Thurow. 1985. "Reproduction of ferruginous hawks exposed to controlled disturbance." *Condor* 87:14-22.
- Windsor, J. 1977. *The response of Peregrine Falcons (Falco peregrinus) to aircraft and human disturbance*. Mackenzie Valley Pipeline Investigations, Report for Environmental Social Programs. Canadian Wildl. Serv.
- Zar, J.H. 1984. *Biostatistical Analysis*. Prentice-Hall, Englewood Cliffs, New Jersey.

## Noise

- ANSI, American National Standards Institute S1.1-1994, "American National Standard: Acoustical Terminology," 1994.
- ANSI, American National Standards Institute S1.4-1983, "American National Standard Specification for Sound Level Meters," 1983.
- ANSI, American National Standards Institute S12.17-1996, "Impulse Sound Propagation for Environmental Noise Assessment," August 1996.
- ANSI, American National Standards Institute S12.4-1986, "American National Standard Method for Assessment of High-Energy Impulsive Sounds with Respect to Residential Communities," 1986.
- ANSI, American National Standards Institute S12.40-1990, "Sound Level Descriptors for Determination of Compatible Land Use," 1990.

- ANSI, American National Standards Institute S12.9-1996, "Quantities and Procedures for Description and Measurement of Environmental Sound – Part 4: Noise Assessment and Prediction of Long-term Community Response," September 1996.
- Buchta, E. 1990. "A field survey of annoyance caused by sounds from small firearms," *J. Acoust. Soc. Am.*, 88, 1459-1467.
- DeJong and Commins. 1983. "CEC Joint Research on Annoyance due to Impulse Noise: Field Studies," *Noise as a Public Health Problem: Proceedings of the Fourth International Congress, Volume 2*, G. Rossi, Editor, Cetnro Ricerche E Studi Amplifon, Milan, Italy, 1085-1093.
- Embleton, T. 1982. "Sound Propagation Outdoors – Improved Prediction Schemes for the 80's," *Noise Control Engineering Journal*, 18/1, 30-39.
- EPA. 1974. *Information on Levels of Environmental Noise Requisite to Protect Health and Welfare with an Adequate Margin of Safety*, U.S. Environmental Protection Agency, Report No. 550/9-74-004, March 1974.
- EPA. 1982. *Guidelines for Noise Impact Analysis*, U.S. Environmental Protection Agency, Report No. 550/9-891-105, April 1982.
- FICUN. 1980. Federal Interagency Committee on Urban Noise, *Guidelines for Considering Noise in Land Use Planning and Control*.
- Fidell, S. et. al. 1991 "Revision of a Dosage Effect Relationship for the Prevalence of Annoyance Due to General Transportation Noise," *J. Acoust. Soc. Am.*, 89, 221-233.
- Hede and Bullen. 1982. "Community reaction to noise from a suburban rifle range," *Journal of Sound and Vibration*, 82, 39-49.
- Hoffman, R., A. Rosenheck, and U. Guggenbuehl. 1985. *Assessment Procedure for Rifle Firing Noise from 300 Meter Facilities*, EMPA Department for Acoustics and Noise Abatement, Swiss Federal Office for Environmental Protection, February 1985.
- Homans, B. 1974. *User Manual for the Acquisition and Evaluation of Operational Blast Noise Data*, CERL Technical Report E-42, AD782911, June 1974.
- Li, Y.L., M.J. White, and S.J. Franke. 1994. "New fast field programs for anisotropic sound propagation through a wind velocity profile," *J. Acoust. Soc. Am.* 95, 718-726, February 1994.
- Larsson, C., and S. Israelsson. 1991. "Effects of Meteorological Conditions and Source Height on Sound Propagation near the Ground," *Applied Acoustics* 33 (1991), 109-121.
- Luz, G. 1982. "An improved procedure for evaluating the annoyance of small arms ranges," *J. Acoust. Soc. Am.*, 72, Suppl. 1, S26.
- Maekawa, Z. 1968. "Noise Reduction by Screens," *Applied Acoustics*, 1, 157-173.
- McBryan, J. 1980. *Compilation of Operational Blast Noise Data*, CERL Technical Report N-82, ADA080429, January 1980.

- NAS, National Academy of Sciences 1981 Committee on Hearing, Bioacoustics, and Biomechanics, Working Group 84 Report, *Assessment of Community Response to High-Energy Impulsive Sounds*.
- NAS, National Academy of Sciences 1977 Committee on Hearing, Bioacoustics, and Biomechanics, Working Group 69 Report, *Guidelines for Preparing Environmental Impact Statements on Noise*.
- Ogura, Y., Y. Suzuki, and T. Sone. 1993. "A new method for loudness evaluation of noises with impulsive components," *Noise Control Engineering Journal*, 40, 231-240.
- Pater, L. 1976. "Noise Abatement Program for Explosive Operations at NSWCDL," 17th Explosives Safety Seminar of the Department of Defense Explosives Safety Board.
- Pater, L. 1981. "Gun Blast Far Field Overpressure Contours," Naval Surface Weapons Center, TR-79-442, March 1981.
- Pater, L., Eric Sandeen, George Swenson, Jr., Kenneth McK. Eldred, Raman Yousefi, and Walter Alvendia. 1994. *Comparison of Barriers and Partial Enclosures for Rifle Range Noise Reduction*, CERL Technical Report EC-94/19, ADA282799, May 1994.
- Pater, L., Walter Alvendia, Raman Yousefi, and James Wilcoski. DRAFT. "Acoustic Spectral Emission Data for Several Small Weapons," Draft CERL Technical Report.
- Pierce, A.D. 1989. *Acoustics, An Introduction to Its Physical Principles and Applications*, Acoustical Society of America.
- Piercy, J.E., T. Embleton, and L. Sutherland. 1977. "Review of Noise Propagation in the Atmosphere," *J. Acoust. Soc. Am.*, 61, 1403-1418, June 1977.
- Rice, C. 1983. "CEC Joint Research on Annoyance due to Impulse Noise: Laboratory Studies," *Noise as a Public Health Problem: Proceedings of the Fourth International Congress, Volume 2*, G. Rossi, Editor, Cetnro Ricerche E Studi Amplifon, Milan, Italy, pages 1073-1084.
- Rice, C., I. Flindell, and J. John. 1986. "Annoyance due to Impulse Noise: Laboratory Studies, Final Report, CEC Third Programme, Phase 2, 1984-85," Contract Report 86/13, Institute of Sound and Vibration Research, University of Southampton, July 1986.
- Schomer, P.D. 1973. *Predicting Community Response to Blast Noise*, CERL Technical Report E-17, AD773690, December 1973.
- Schomer, P.D., R.J. Goff, and L.M. Little. 1976. *The Statistics of Amplitude and Spectrum of Blasts Propagated in the Atmosphere - Vol. I*, CERL Technical Report N-13, ADA033475, November 1976.
- Schomer, P.D., R.J. Goff, and L.M. Little. 1976. *The Statistics of Amplitude and Spectrum of Blasts Propagated in the Atmosphere - Vol. II: Appendices C through E*, CERL Technical Report N-13, ADA033361, November 1976.



- Schomer, P.D., D. Effland, V. Pawlowska, and S. Roubik. 1981. *Blast Noise Prediction Volume 1: Data Bases and Computational Procedures*, CERL Technical Report N-98, ADA 099440, March 1981.
- Schomer, P.D., L.M. Little, and A.B. Hunt. 1979. *Acoustic Directivity Patterns for Army Weapons*, CERL Technical Report N-60, ADA066223, January 1979.
- Schomer, P.D. 1982. *Acoustic Directivity Patterns for Army Weapons: Supplement 1*, CERL Technical Report N-60, ADA121665, September 1982.
- Schomer, P.D. 1984. *Acoustic Directivity Patterns for Army Weapons: Supplement 2*, CERL Technical Report N-60, ADA145643, August 1984.
- Schomer, P.D., and S. S. Goebel. 1985. *Acoustic Directivity Patterns for Army Weapons: Supplement 3: The Bradley Fighting Vehicle*, CERL Technical Report N-60, ADA155219, April 1985.
- Schomer, P.D. 1986a. *Acoustic Directivity Patterns for Army Weapons: Supplement 4: The Multiple Launch Rocket System*, CERL Technical Report N-60, ADA166490, February 1986.
- Schomer, P.D. 1986b. "High-energy Impulsive Noise Assessment," *J. Acoust. Soc. Am.*, 79(1), 182-186, January 1986b.
- Schomer, P.D., L. Wagner, L. Benson, E. Buchta, K.-W. Hirsch, and D. Krahe. 1994. "Human and community response to military sounds: Results from field-laboratory tests of small-arms, tracked-vehicle, and blast sounds," *Noise Control Engineering Journal*, Vol 42, 71-84.
- Schomer, P. 1994. "New Descriptor for High-Energy Impulsive Sounds," *Noise Control Eng. J.* 42(5), 179-191.
- Schultz, T.J. 1978. "Synthesis of Social Surveys on Noise Annoyance," *J. Acoust. Soc. Am.*, 64, 377-405.
- Sorenson and Magnusson. 1979. "Annoyance caused by noise from shooting range," *Journal of Sound and Vibration*, 62, 437-442.
- U.S. Code of Federal Regulations. 1980. Title 14, Part 150. "Airport Noise Compatibility Planning."
- Vos, J. 1995. "A review of research on the annoyance caused by impulse sounds produced by small firearms," *Proceedings of INTER-NOISE 95: Vol 2, Noise Control Foundation: New York*, 875-878.
- Walther, M.F. 1972. *Gun Blast from Naval Guns*, NWL Technical Report TR-2733, Naval Weapons Laboratory, August 1972.
- White, M.J., and K.E. Gilbert. 1989. "Application of the parabolic equation to the outdoor propagation of sound," *Applied Acoustics* 27(3), 227-238.

White, M.J., C.R. Shaffer, and R. Raspet. 1993. *Measurements of Blast Noise Propagation over Water at Aberdeen Proving Ground, MD*, CERL Technical Report EAC-93/02, ADA280383, September 1993.

## **APPENDIX A: Significant Legal Requirements**

The Endangered Species Act (ESA) requires federal agencies to carry out programs for the conservation of threatened and endangered species. Agencies are further required to ensure that their actions do not jeopardize the continued existence of listed species or result in the destruction or adverse modification of the critical habitat of these species. These requirements fall under provisions of Section 7 of the Act, which also requires agencies to conduct biological assessments to evaluate the impacts of their activities on listed species. This assessment serves as the primary basis for coordination with the U.S. Fish and Wildlife Service which, in turn, issues a biological opinion and specific endangered species management recommendations. Implementation of these recommendations can place constraints on execution of the military mission. To avoid possible penalties resulting from findings of "take" due to harassment or harm resulting from exposure to military-related noise, a capability is needed to evaluate and monitor the impact of noise on both behavior and breeding success of affected species. Under the ESA it is the responsibility of the land owner, not of the U.S. Fish and Wildlife Service, to evaluate effects of land use activities on threatened and endangered species.

The ESA prohibits take of endangered species, where "take" means to harass, harm, pursue, hunt, shoot, wound, kill, trap, capture, or collect, or attempt to engage in any such conduct. Within the definition of take, the term "harm" has been subject to significant judicial scrutiny. "Harm" is clearly an act that actually kills or injures wildlife, but it may also include actions that significantly impair essential behavioral patterns, including breeding, feeding, or sheltering.

The National Environmental Policy Act (NEPA) requires federal agencies to assess the impact of planned activities on the environment and to make the assessment available to the general public. The decisionmaking procedures are documented by either an Environmental Assessment (EA) or an Environmental Impact Statement (EIS). Noise and threatened and endangered species are often important issues in these documents, particularly as reviewers place a stronger emphasis on cumulative effects of activities.

## APPENDIX B: Woodpecker Audiogram Contract Report

### Introduction

As a means of estimating the hearing ability of the Red-cockaded Woodpecker (RCW, *Picoides borealis*), we have begun testing the hearing of a closely-related surrogate species, the downy woodpecker (*P. pubescens*). As the closest relative of the RCW, downy woodpeckers serve as an excellent example for a first approach to investigating hearing in RCWs. We will also be testing another close relative, the hairy woodpecker (*P. villosus*) as we are able to capture them during the course of the next several months. As an additional comparison and control with the woodpeckers, we have been testing budgerigars (*Melopsittacus undulatus*), another small, nonpasserine bird. Budgerigars are a readily available laboratory study species, and the hearing abilities of budgerigars are well known. Our goal is to provide a generalized audiogram for small woodpeckers that would include the hearing ability of the RCW.

### Methods

Thus far we have captured two individual downy woodpeckers (a male and a female), and we have obtained usable data from one of these birds (the female). Results reported below indicate our best estimate of woodpecker hearing abilities based on data obtained from this individual, and will be supplemented as we continue capturing and testing birds. Downy woodpeckers are obtained locally using baited feeders and mist nets (all appropriate permits and animal-use protocols have been obtained and adhered to). This procedure allows woodpeckers to be captured and secured with minimal stress and injury. Budgerigars may be either store-bought pet varieties, or members of a breeding flock captured and imported from their native Australia. Hearing abilities for domestic and wild type budgerigars are similar. Budgerigars have been tested repeatedly in our procedures over the course of this year.

An audiogram may be determined in several ways. The most accurate technique is known as a "behavioral audiogram" and involves training an individual to per-

form specific behaviors in response to auditory stimuli. This technique requires considerable time and effort to allow animals to adjust to captivity and learn the appropriate behaviors (usually as a conditioned response to food reward), and is therefore impractical as a rapid, first assessment of hearing ability in captive wild woodpeckers. However, over an appropriate time course and with sufficient habituation to a captive situation, this technique may prove to be feasible in small woodpeckers. Another method for estimating hearing abilities involves measurement of electrical activity in the auditory nerve. This technique requires surgical access to peripheral hearing structures, and while possible in a surrogate species, is not likely to be useful for application to RCWs. A third method for obtaining an audiogram involves the measurement of "evoked potentials" on the surface of the skull. This is a non-invasive technique, and may ultimately be useful for testing RCWs themselves. Evoked potentials occur as a consequence of underlying neural activity resulting from auditory stimuli. Specifically, the short-term "auditory brainstem response" (ABR) is an evoked response that has proved useful in obtaining hearing threshold data in small birds. While less accurate than behavioral methods, evoked potential techniques such as the ABR enable hearing abilities to be tested relatively quickly. It is therefore our method of choice for obtaining initial hearing threshold data for small woodpeckers.

### Measuring ABR in Small Birds

To obtain ABR recordings in small birds, birds are first anesthetized lightly using a mixture of ketamine and diazepam. Once sedated, a bird is secured to a foam pad and Grass pin electrodes are placed under the surface of the skin on the scalp. The active electrode is placed at the vertex of the skull and the reference electrode is placed in the skin just dorsal and posterior to the ear that will receive the auditory stimuli. A ground electrode is placed under the skin on the opposite side of the head from the reference electrode. Stimuli are clicks and tone bursts, delivered either in the free field from one side of the bird or via a Pilot funnel attached to the speaker and placed next to the external opening of the bird's ear. Results and calibrations are similar for these two methods, and results obtained using the Pilot funnel delivery method are reported here.

We use 5 ms alternating phase tone bursts with 2 ms cosine-ramped rise/fall times delivered at a rate of 20 per second. Responses are collected for 20 ms following each tone burst. Birds are tested at the following frequencies: 300 Hz, 500 Hz, 1000 Hz, 1500 Hz, 2000 Hz, 2860 Hz, 4000 Hz, 5700 Hz, and 8000 Hz. Click stimuli are 0.1 ms onset/offset pulses (also alternating in phase) delivered in the same way at a rate of 5 per second. Sound generation and waveform av-

eraging are controlled with Tucker-Davis Technologies hardware modules and software running on a Pentium 133 microcomputer. Tones and clicks are calibrated before and after each recording session using a Larson-Davis System 824 sound level meter. Stimuli are recorded and examined using the sound level meter and the SIGNAL sound analysis software package.

## Estimating thresholds

Thresholds are estimated using peak-to-peak waveform amplitude of the ABR, as it varies with stimulus intensity. A regression line is fitted to this amplitude versus intensity function and the intensity intercept of the regression line used as an estimate of relative auditory threshold. Because such thresholds for tone bursts differ by an absolute value of roughly 25 dB from auditory thresholds determined behaviorally, we adjusted the auditory thresholds using the click stimulus as a measure of "best response" (since click stimuli produce a more robust response in the ABR). An example ABR response to a click stimulus across different intensity levels is given in Figure B1. In this figure, each tracing represents 20 ms following the onset of the click. We subsequently adjusted the tone stimulus thresholds by an amount equivalent to the difference between the click threshold and the absolute value of the best frequency tone burst threshold (and adjusted all other tone stimulus thresholds accordingly).

## Results

Using the method described above, Figure B2 shows an estimate of best auditory threshold in the woodpecker based on the click ABR. The regression indicates a best sensitivity of 24.4 dB, approximately 20 dB higher than that for budgerigars.

Adjusting the absolute values of tone stimulus thresholds in the manner described above produces an audiogram for the woodpecker from which we were able to obtain tone and click threshold data. This preliminary audiogram is shown in Figure B3. Bearing in mind that results reported here are an estimation from one bird, it appears that the shape of the woodpecker audiogram is roughly comparable to that of the budgerigar and those of small passerine birds in general. Woodpeckers may be somewhat less sensitive in absolute terms (a higher threshold at best frequency), and appear to have somewhat greater sensitivity at relatively lower frequencies compared to the budgerigar (frequency of best sensitivity is lower). Neither budgerigars nor woodpeckers exhibit much sensitivity at the lowest tested frequency of 300 Hz. Both species showed no

sensitivity at all to 8000 Hz tones using the ABR technique. Behavioral thresholds for budgerigars are typically at least 50 to 60 dB higher at this frequency than at their best frequency (approximately 2860 Hz), possibly accounting for the lack of response, with the generally less sensitive ABR method of estimating hearing thresholds.




Figure B1. Example ABR response.




Figure B2. Example best auditory threshold regression.

What might account for the higher threshold at best frequency for this downy woodpecker when compared with budgerigars? One potential explanation derives from the technique of measuring evoked potentials at the surface of the skull. The skull is generally much thicker in woodpeckers than in budgerigars. An increased skull thickness is likely to be a protective adaptation for drumming and other percussive behaviors in woodpeckers. It remains to be determined whether such adaptations also include a reduction in auditory sensitivity compared with other small birds, or skull thickness (or perhaps an active hearing protective mechanism in the woodpecker auditory system) prevent us from measuring true tone thresholds using the ABR technique. We have planned additional tests, involving invasive recordings beneath the skull with a bird or two, and experiments involving deeper anesthetics in an attempt to illuminate this issue. Another potential confounding effect at low frequencies (500 to 1000 Hz), is the presence of an artifact that partially obscures the ABR waveform. At present, we have eliminated potential noise sources, and believe that this constitutes a frequency-following response in the bird. While this waveform artifact does not preclude the determination of thresholds from low frequency waveforms, it may result in greater variation from measurements taken at those frequencies. Further modifications are planned to address this issue as well. As we obtain more birds and continue testing, we can provide more confident assess-



ments of the actual thresholds involved for small woodpeckers and their relationship to thresholds already determined for other species of small birds.




Figure B3. Preliminary estimate of Downy Woodpecker audiogram.

## Appendix C: Summary Data Tables

**Table C1. Flush response of nesting Red-cockaded Woodpeckers versus the number, distance, and noise level of large caliber live fire on Fort Stewart, GA, 1998.**

Stimulus Distance (m)	Cluster Tested	Number of Noise Events	Number of Data Sessions	Number of Flushes	Noise Levels, SEL (dB) unweighted "A" weighted	Typical Ambient LEQ (dB) "A" weighted
500	83	73	2	2	97.7 - 107.6 77.5 - 95.4	41.7 - 54.1
1800-2000	62, 48	6	3	None	90.1 - 97.4 52.1 - 77.3	37.9 - 46.0
3000-3600	83, 172, 184	19	3	None	83.6 - 95.8 47.7 - 67.6	28.6 - 43.3
3900-4000	84, 177	35	3	None	62.8 - 85.4 38.2 - 66.3	31.8 - 32.8
4500-5300	9, 48, 55, 159	75	4	None	60.2 - 85.5 48.0 - 71.4	40.1 - 42.2
5800-6000	41, 47	30	2	None	58.9 - 72.0 42.1 - 54.0	35.1 - 49.4
7200-7500	62, 67, 76, 218	83	4	None	61.0 - 78.6 36.2 - 48.8	33.8 - 46.4
9000-9500	36, 48, 62, 67, 75, 84, 179, 187, 203	116	10	None	75.1 - 83.6 44.4 - 58.2	36.6 - 53.5
10300-10600	48, 75, 76, 159, 172, 184, 187, 218	122	9	None	67.1 - 76.6 37.4 - 43.0	33.1 - 43.3
11000-12500	9, 37, 142, 152, 159, 183, 187, 216	58	9	None	58.0 - 69.3 36.1 - 54.5	33.9 - 46.2
<b>Totals</b>	<b>25</b>	<b>617</b>	<b>48</b>	<b>2</b>		

**Table C2. Flush response of nesting Red-cockaded Woodpeckers versus the number, distance, and noise level of small caliber live fire on Fort Stewart, GA, 1998.**

Stimulus Distance (m)	Cluster Tested	Number of Noise Events	Number of Data Sessions	Number of Flush Responses	Noise Levels, SEL (dB) unweighted "A" weighted	Typical Ambient LEQ (dB) "A" weighted
800-1000	51	91	1	None	67.1 - 67.5 59.2 - 59.9	37.7
1200-1400	9, 23	52	1	None	57.2 - 57.6 47.6 - 50.9	39.4
2000-2600	26, 61	97	2	None	49.5 - 57.7 31.5 - 41.6	32.3 - 34.0
2800-4000	26, 86, 133	17	4	None	52.7 - 60.6 34.4 - 43.8	32.3
5600-5800	2	5	1	None	75.1 - 75.9 60.4 - 63.4	41.6
8000-10000	48, 61, 76, 172, 177, 187, 194	69	7	None	Noise levels at these distances were difficult to distinguish from ambient levels	32.8 - 46.2
10001-12000	48, 67, 142	13	2	None	Same as above	30.7 - 41.8
<b>Totals</b>	<b>12</b>	<b>344</b>	<b>18</b>	<b>None</b>		

**Table C3. Flush response of nesting Red-cockaded Woodpeckers versus the number, distance, and noise level of helicopter flyovers on Fort Stewart, GA, 1998. Stimulus distance represents the closest estimated approach distance by a helicopter.**

Stimulus Distance (m)	Cluster Tested	Number of Noise Events	Number of Data Sessions	Number of Flushes	Noise Levels, SEL (dB) unweighted "A" weighted	Typical Ambient LEQ (dB) "A" weighted
40-60	83	1	1	None	106.3 91.9	41.7
100-200	62, 83, 203	3	3	None	98.2 - 104.1 87.7 - 93.8	41.7 - 46.0
250-300	48, 83	3	3	None	96.3 - 97.6 80.9 - 87.0	41.7 - 41.8
500	26, 142	2	2	None	72.5 - 78.0 55.8 - 56.6	34.0 - 37.1
<b>Totals</b>	<b>6</b>	<b>9</b>	<b>9</b>	<b>None</b>		

**Table C4. Flush response of nesting Red-cockaded Woodpeckers versus the number, distance, and noise level of military vehicles on Fort Stewart, GA, 1998. Stimulus distance represents the closest estimated approach distance by military vehicles.**

Stimulus Distance (m)	Cluster Tested	Number of Noise Events	Number of Data Sessions	Number of Flushes	Noise Levels, SEL (dB) unweighted "A" weighted	Typical Ambient LEQ (dB) "A" weighted
15-60	47, 83, 179, 203, 216	8	6	None	83.1 - 106.6 65.9 - 95.0	35.1 - 45.5
150-250	47, 48, 62, 75, 127, 136, 172, 183, 216	32	9	None	98.2 - 104.1 87.7 - 93.8	41.7 - 46.0
400-500	51, 172, 183, 218	6	4	None	96.3 - 97.6 80.9 - 87.0	41.7 - 41.8
<b>Totals</b>	<b>14</b>	<b>46</b>	<b>19</b>	<b>None</b>		

**Table C5. Flush response of nesting Red-cockaded Woodpeckers versus the number, distance, and noise level of artillery simulators on Fort Stewart, GA, 1998.**

Stimulus Distance (m)	Cluster Tested	Number of Noise Events	Number of Data Sessions	Number of Flushes	Noise Levels, SEL (dB) unweighted "A" weighted	Typical Ambient LEQ (dB) "A" weighted
1600-1800	172	3	1	None	74.4 - 82.2 57.1 - 72.2	36.4
2800-3000	86	2	1	None	63.9 - 64.1 56.4 - 56.6	37.7
3800-4000	133	1	1	None	63.3 41.7	41.3
6000-6200	172	2	1	None	58.8 - 58.9 38.6 - 40.4	35.4
<b>Totals</b>	<b>3</b>	<b>8</b>	<b>4</b>	<b>None</b>		

**Table C6. Flush response of nesting Red-cockaded Woodpeckers versus the number, distance, and noise level of MLRS on Fort Stewart, GA, 1998.**

Stimulus Distance (m)	Cluster Tested	Number of Noise Events	Number of Data Sessions	Number of Flushes	Noise Levels, SEL (dB) unweighted "A" weighted	Typical Ambient LEQ (dB) "A" weighted
2000-2400	203	2	1	None	80.5 - 82.0 58.1 - 59.0	47.2
5300-5700	75	3	1	None	58.4 - 80.2 47.6 - 54.1	45.5
<b>Totals</b>	<b>2</b>	<b>5</b>	<b>2</b>	<b>None</b>		

**Table C7. Flush response of nesting Red-cockaded Woodpeckers versus the number, distance, and noise level of fixed-wing aircraft on Fort Stewart, GA, 1998. Stimulus distance represents the closest estimated approach distance by airplanes.**

Stimulus Distance (m)	Cluster Tested	Number of Noise Events	Number of Data Sessions	Number of Flushes	Noise Levels, SEL (dB) unweighted    "A" weighted	Typical Ambient LEQ (dB) "A" weighted
501-1000	47, 51, 62, 83, 127, 136, 159, 174, 218	12	13	None	78.9 - 93.4    67.4 - 82.8	34.4 - 47.6
<b>Totals</b>	<b>9</b>	<b>12</b>	<b>13</b>	<b>None</b>		

**Table C8. Flush response of nesting Red-cockaded Woodpeckers versus the number, distance, and noise level of small arms blank fire on Fort Stewart, GA, 1998.**

Stimulus Distance (m)	Cluster Tested	Number of Noise Events	Number of Data Sessions	Number of Flushes	Noise Levels, SEL (dB) unweighted    "A" weighted	Typical Ambient LEQ (dB) "A" weighted
15.2	36, 37, 76, 142	243	4	1	78.9 - 93.4    67.4 - 82.8	34.4 - 47.6
<b>Totals</b>	<b>4</b>	<b>243</b>	<b>4</b>	<b>1</b>		

## **Appendix D: Source Spectra Examples**

## Large Caliber Muzzle Blast




Figure D1. SEL weighting comparison for large caliber live fire at cluster 83 on 21 May 1998 (500 m).

## Small Arms Live Fire




Figure D2. SEL weighting comparison for small arms live fire at cluster 51 on 5 May 1998 (M-16; 900 m).




Figure D3. SEL weighting comparison for helicopters at cluster 83 on 21 May 1998 (40 m).






Figure D4. SEL weighting comparison for vehicle noise at cluster 47 on 5 May 1998 (60 m).




Figure D5. SEL weighting comparison for fixed-wing aircraft at cluster 51 on 15 May 1998 (600 m).

## Artillery Simulators




Figure D6. SEL weighting comparison for artillery simulators at cluster 172 on 21 May 1998 (1600 m).




Figure D7. SEL weighting comparison for ambient noise levels at cluster 55 on 21 April 1998.

## Blank Fire M-16 Test




Figure D8. SEL weighting comparison for M-16 blank fire testing at cluster 142 on 3 June 1998 (15.2m).




Figure D9. SEL weighting comparison for MLRS fire from cluster 203 on 20 May 1998 (2200 m).

## **Appendix E: Detailed Noise Event and RCW Response Data**

Table E1. Summary data for large caliber blast noise on Fort Stewart, GA.

						0 = no visible response 1 = alert to cavity mouth 2 = flush from cavity					
Date	Cluster	Nesting Phase & Day	Event Type	Event Dist. (m)	Azimuth re. DOF	RCW Response	Recovery time (min)	Remarks	Mic Pos.	SEL (dB) at mic	
										Flat	A
19-Jun-98	9	N-20	Explosion	5300	55	0			Base	81.8	48.0
19-Jun-98	9	N-20	Explosion	5300	55	0			Base	85.5	48.8
26-May-98	36	I-5	Tank blast	9500	30	0			Base	82.6	57.4
26-May-98	36	I-5	Tank blast	9500	30	0			Base	83.6	58.1
08-Jun-98	37	N-3	Tank blast	11200	60	0			Base	58.0	36.8
08-Jun-98	37	N-3	Tank blast	11200	60	0			Base	69.3	39.9
11-Jun-98	41	N-14	Tank blast	6000	100	0			Base	58.9	49.4
11-Jun-98	41	N-14	Tank blast	6000	100	0			Base	61.9	50.5
11-Jun-98	41	N-14	Tank blast	6000	100	0			Base	67.6	53.1
11-Jun-98	41	N-14	Tank blast	6000	100	0			Base	69.1	52.0
11-Jun-98	41	N-14	Tank blast	6000	100	0			Base	71.0	52.7
14-May-98	47	N-13	Tank blast	5800	90	0			Base	70.0	54.0
14-May-98	47	N-13	Tank blast	5800	90	0			Base	72.0	42.1
27-Apr-98	48	I-3	Artillery blast	3900	25	0			Base	87.4	66.8
27-Apr-98	48	I-3	Artillery blast	3900	25	0			Base	91.1	70.7
27-Apr-98	48	I-3	Artillery blast	3900	25	0			Base	95.1	74.6
27-Apr-98	48	I-3	Artillery blast	3900	25	0			Base	93.8	69.6
27-Apr-98	48	I-3	Artillery blast	3900	25	0			Base	97.4	75.6
27-Apr-98	48	I-3	Artillery blast	3900	25	0			Base	96.6	74.5
27-Apr-98	48	I-3	Artillery blast	3900	25	0			Base	96.2	77.3
27-Apr-98	48	I-3	Artillery blast	3900	25	0			Base	92.8	72.4
27-Apr-98	48	I-3	Artillery blast	3900	25	0			Base	94.6	74.2
27-Apr-98	48	I-3	Artillery blast	3900	25	0			Base	93.2	74.0
27-Apr-98	48	I-3	Artillery blast	3900	25	0			Base	90.1	69.5
27-Apr-98	48	I-3	Artillery blast	3900	25	0			Base	93.9	74.4
19-May-98	48	N-13	Artillery blast	5000	90	0			Base	86.1	71.3
19-May-98	48	N-13	Artillery blast	5000	90	0			Base	87.7	71.4
19-May-98	48	N-13	Artillery blast	7900	50	0			Base	90.3	70.0
19-May-98	48	N-13	Artillery blast	7900	50	0			Base	89.8	70.3
19-May-98	48	N-13	Artillery blast	5000	25	0			Base	88.9	70.4
19-May-98	48	N-13	Artillery blast	5000	50	0			Base	85.8	66.3
19-May-98	48	N-13	Tank blast	3600	50	0			Base	85.8	67.3
19-May-98	48	N-13	Tank blast/ explosion	3600	50	0			Base	77.0	58.2
19-May-98	48	N-13	Tank blast	3600	50	0			Base	75.1	57.7
21-Apr-98	55	N-1	Tank blast	4900	35	0			Base	78.8	52.0



21-Apr-98	55	N-1	Tank blast/ explosion	4900	35	0			Base	73.6	50.9
21-Apr-98	55	N-1	Tank blast	4900	35	0			Base	60.2	48.3
21-Apr-98	55	N-1	Tank blast/ explosion	4900	35	0			Base	75.2	52.8
21-Apr-98	55	N-1	Tank blast	4900	35	0			Base	60.7	52.9
21-Apr-98	55	N-1	Tank blast/ explosion	4900	35	0			Base	76.9	52.9
21-Apr-98	55	N-1	Tank blast	4900	35	0			Base	67.9	53.3
21-Apr-98	55	N-1	Tank blast/ explosion	4900	35	0			Base	80.0	52.8
27-Apr-98	62	I-2	Artillery blast	1800	70	0			Base	90.1	60.8
27-Apr-98	62	I-2	Artillery blast	1800	70	0			Base	90.1	60.7
14-May-98	62	N-3	Artillery blast	6600	70	0			Base	76.0	46.3
14-May-98	62	N-3	Artillery blast	6600	70	0			Base	78.6	37.8
14-May-98	62	N-3	Artillery blast	6600	70	0			Base	78.5	37.6
14-May-98	62	N-3	Artillery blast	6600	70	0			Base	77.4	42.5
14-May-98	62	N-3	Artillery blast	6600	70	0			Base	77.9	39.3
14-May-98	62	N-3	Artillery blast	6600	70	0			Base	74.8	40.0
21-May-98	62	N-10	Artillery blast	4500	90	0			Base	83.6	63.8
21-May-98	62	N-10	Artillery blast	1800	40	0			Base	95.5	54.1
21-May-98	62	N-10	Artillery blast	4500	90	0			Base	83.4	62.9
21-May-98	62	N-10	Artillery blast	1800	70	0			Base	91.7	52.1
28-Apr-98	67	I-5	25 mm	11500	50	0			Base	52.5	33.0
28-Apr-98	67	I-5	25 mm	11500	50	0			Base	57.7	34.0
28-Apr-98	67	I-5	25 mm	11500	50	0			Base	57.4	39.0
09-Jun-98	67	N-5	Tank blast	9500	50	0			Base	77.5	44.4
09-Jun-98	67	N-5	Tank blast	9500	50	0			Base	76.0	47.9
09-Jun-98	67	N-5	Impact noise	7500		0			Base	78.3	48.8
20-May-98	75	N-12	Impact noise	13000		0			Base	81.1	50.5
09-Jun-98	76	N-7	Impact noise	7500		0			Base	69.4	38.1
09-Jun-98	76	N-7	Impact noise	7500		0			Base	75.2	37.7
09-Jun-98	76	N-7	Impact noise	7500		0			Base	76.9	42.5
09-Jun-98	76	N-7	Impact noise	7500		0			Base	74.6	40.8
09-Jun-98	76	N-7	Impact noise	7500		0			Base	76.7	41.4
09-Jun-98	76	N-7	Impact noise	7500		0			Base	75.5	41.2
09-Jun-98	76	N-7	Impact noise	7500		0			Base	76.8	47.3
09-Jun-98	76	N-7	Impact noise	7500		0			Base	76.9	45.0
09-Jun-98	76	N-7	Impact noise	7500		0			Base	77.7	45.6
09-Jun-98	76	N-7	Tank blast	10300	40	0			Base	76.4	41.5
20-May-98	83	I-2	Artillery blast	500	60	0			Base	102.6	78.0
20-May-98	83	I-2	Artillery blast	500	60	0			Base	95.3	69.9
20-May-98	83	I-2	Artillery blast	500	60	0			Base	102.5	82.6
20-May-98	83	I-2	Artillery blast	500	60	0			Base	95.1	72.7
20-May-98	83	I-2	Artillery blast	500	60	0			Base	102.5	77.5

20-May-98	83	I-2	Artillery blast	500	60	0			Base	95.1	69.3
20-May-98	83	I-2	Artillery blast	500	60	2	6.25	returns 10:11:55	Base	107.6	87.7
20-May-98	83	I-2	Artillery blast	500	60	0			Base	106.4	87.0
21-May-98	83	I-3	Artillery blast	500	60	0			Base	103.6	88.7
21-May-98	83	I-3	Artillery blast	500	60	0			Base	104.6	90.3
21-May-98	83	I-3	Artillery blast	500	60	2	4.42		Base	105.4	90.9
21-May-98	83	I-3	Artillery blast	500	60	0			Base	102.9	88.0
21-May-98	83	I-3	Artillery blast	500	60	0			Base	105.0	90.7
21-May-98	83	I-3	Artillery blast	500	60	0			Base	102.8	94.6
21-May-98	83	I-3	Artillery blast	3200	20	0			Base	94.1	64.0
21-May-98	83	I-3	Artillery blast	500	60	0			Base	100.4	81.4
21-May-98	83	I-3	Artillery blast	3200	20	0			Base	93.2	65.3
21-May-98	83	I-3	Artillery blast	3200	20	0			Base	95.8	67.6
21-May-98	83	I-3	Artillery blast	3200	20	0			Base	92.9	62.4
21-May-98	83	I-3	Artillery blast	3200	20	0			Base	93.6	61.8
21-May-98	83	I-3	Artillery blast	3200	20	0			Base	94.0	64.8
21-May-98	83	I-3	Artillery blast	500	60	0			Base	100.1	84.0
21-May-98	83	I-3	Artillery blast	500	60	0			Base	100.9	88.4
21-May-98	83	I-3	Artillery blast	500	60	0			Base	100.4	83.4
21-May-98	83	I-3	Artillery blast	500	60	0			Base	100.6	79.4
21-May-98	83	I-3	Artillery blast	500	60	0			Base	98.1	84.3
21-May-98	83	I-3	Artillery blast	500	60	0			Base	102.0	85.5
21-May-98	83	I-3	Artillery blast	500	60	0			Base	99.8	82.1
21-May-98	83	I-3	Artillery blast	500	60	0			Base	100.0	85.9
21-May-98	83	I-3	Artillery blast	500	60	0			Base	99.3	87.0
21-May-98	83	I-3	Artillery blast	500	60	0			Base	105.2	92.2
21-May-98	83	I-3	Artillery blast	500	60	0			Base	102.5	86.8
21-May-98	83	I-3	Artillery blast	500	60	0			Base	102.0	89.6
21-May-98	83	I-3	Artillery blast	500	60	0			Base	102.8	94.6
21-May-98	83	I-3	Artillery blast	500	60	0			Base	101.1	84.4
21-May-98	83	I-3	Artillery blast	500	60	0			Base	102.0	85.5
21-May-98	83	I-3	Artillery blast	500	60	0			Base	96.2	82.3
21-May-98	83	I-3	Artillery blast	500	60	0			Base	104.9	86.5
21-May-98	83	I-3	Artillery blast	500	60	0			Base	104.6	87.8
21-May-98	83	I-3	Artillery blast	500	60	0			Base	103.4	87.3
21-May-98	83	I-3	Artillery blast	500	60	0			Base	97.7	78.5
21-May-98	83	I-3	Artillery blast	500	60	0			Base	99.6	80.5
21-May-98	83	I-3	Artillery blast	500	60	0			Base	100.4	82.9
21-May-98	83	I-3	Artillery blast	500	60	0			Base	101.2	85.3
21-May-98	83	I-3	Artillery blast	500	60	0			Base	99.9	83.0
21-May-98	83	I-3	Artillery blast	500	60	0			Base	97.3	82.6
21-May-98	83	I-3	Artillery blast	500	60	0			Base	99.8	82.9
21-May-98	83	I-3	Artillery blast	500	60	0			Base	99.8	82.9
21-May-98	83	I-3	Artillery blast	500	60	0			Base	97.9	83.0

21-May-98	83	I-3	Artillery blast	500	60	0		Base	100.0	84.9
21-May-98	83	I-3	Artillery blast	500	60	0		Base	104.4	95.4
21-May-98	83	I-3	Artillery blast	500	60	0		Base	103.3	87.9
21-May-98	83	I-3	Artillery	500	60	0		Base	92.9	66.0
21-May-98	83	I-3	Artillery	500	60	0		Base	103.0	87.1
21-May-98	83	I-3	Artillery	500	60	0		Base	103.1	87.5
21-May-98	83	I-3	Artillery	500	60	0		Base	104.5	89.6
25-May-98	83	I-7	Tank blast	11800	45	0		Base	74.0	46.7
25-May-98	83	I-7	Explosion	7500	0	0		Base	74.5	38.8
25-May-98	83	I-7	Tank blast	11800	45	0		Base	74.2	40.3
25-May-98	83	I-7	Explosion	7500		0		Base	64.7	43.7
21-May-98	84	N-19	Blast			0		Base	71.8	56.2
21-May-98	84	N-19	Blast			0		Base	73.5	54.9
28-Apr-98	142	I-6	25 mm fire	12700	55	0		Base	61.1	40.7
28-Apr-98	142	I-6	25 mm fire	12700	55	0		Base	58.4	40.6
28-Apr-98	142	I-6	25 mm fire	12700	55	0		Base	58.1	41.6
28-Apr-98	142	I-6	25 mm	12700	55	0		Base	64.2	37.2
28-Apr-98	142	I-6	25 mm	12700	55	0		Base	64.0	39.2
28-Apr-98	142	I-6	25 mm	12700	55	0		Base	57.5	36.7
28-Apr-98	142	I-6	25 mm	12700	55	0		Base	58.0	36.1
22-May-98	152	N-10	Artillery Impact noise	12900		0		Base	60.9	40.5
20-Apr-98	169	No-nest	Artillery blast	4100		Non-nesting		Base	88.3	52.0
20-Apr-98	169	No-nest	Artillery blast	4100		Non-nesting		Cavity	87.0	62.7
20-Apr-98	169	No-nest	Artillery blast	4100		Non-nesting		Cavity	88.0	67.2
20-Apr-98	169	No-nest	Artillery blast	4100		Non-nesting		Base	89.4	58.5
23-Apr-98	172	I-6	Tank blast	10400	65	0		Base	68.5	53.2
23-Apr-98	172	I-6	Tank blast	10400	65	0		Base	74.0	53.4
19-May-98	172	N-22	Artillery blast	1800	70	0		Base	83.7	66.3
19-May-98	172	N-22	Artillery blast	1800	70	0		Base	83.6	61.1
19-May-98	172	N-22	Artillery blast	1800	70	0		Base	83.7	65.9
19-May-98	172	N-22	Artillery blast	1800	70	0		Base	83.7	66.2
19-May-98	172	N-22	Artillery Impact noise	12000		0		Base	73.2	37.3
19-May-98	172	N-22	Artillery Impact noise	10500		0		Base	76.6	37.4
19-May-98	172	N-22	Artillery blast	1800	70	0		Base	80.1	47.3
19-May-98	172	N-22	Artillery blast	3600	45	0		Base	77.0	47.7
19-May-98	172	N-22	Artillery blast	7200	100	0		Base	73.9	41.8
14-Jul-98	172	Post-fledgling	25 mm	10300	120	Post-Fledgling		Cavity	82.5	74.4
14-Jul-98	172	Post-fledgling	25 mm	10300	120	Post-Fledgling		Base	79.2	73.3
20-May-98	177	I-8	Tank blast/explosion	4000	150	0		Base	72.5	38.2
20-May-98	177	I-8	Tank blast/	4000	150	0		Base	80.9	48.8

			explosion								
27-May-98	177	I	Tank blast	4000	150	0			Base	62.8	45.5
27-May-98	177	I	Tank blast	4000	150	0			Base	84.1	53.3
27-May-98	177	I	Tank blast	4000	150	0			Base	85.4	66.3
17-May-98	179	N-25	Tank blast/ explosion	9000	45	0			Base	82.3	47.1
26-May-98	179	N-25	Tank blast	9000	45	0			Base	86.8	43.7
26-May-98	179	N-25	Tank blast	9000	45	0			Base	86.5	47.1
26-May-98	179	N-25	Tank blast	9000	45	0			Base	87.3	48.6
21-May-98	183	N	Tank blast	11300	80	0			Base	83.0	66.5
21-May-98	183	N	Tank blast	11300	80	0			Base	63.7	54.6
04-May-98	184	N-3	Blast	5000	90	0			Base	84.4	51.6
04-May-98	184	N-3	Blast	5000	90	0			Base	86.7	52.1
04-May-98	184	N-3	Impact noise	12000		0			Base	65.8	36.8
11-Jun-98	187	N-16	Blast	4000		0			Base	79.7	45.9
11-Jun-98	187	N-16	25 mm	12000		0			Base	64.7	51.3
11-Jun-98	187	N-16	25 mm	12000		0			Base	63.7	50.3
11-Jun-98	187	N-16	25 mm	12000		0			Base	63.3	44.3
11-Jun-98	187	N-16	Tank	12000		0			Base	79.4	45.1
11-Jun-98	187	N-16	Tank	12000		0			Base	89.3	47.3
05-Jun-98	199	No-nest	Tank blast/ explosion	4000		Non-nesting			Base	90.6	73.7
05-Jun-98	199	No-nest	Tank blast/ explosion	4000		Non-nesting			Cavity	93.0	78.7
05-Jun-98	199	No-nest	Tank blast/ explosion	4000		Non-nesting			Cavity	92.2	77.2
05-Jun-98	199	No-nest	Tank blast/ explosion	4000		Non-nesting			Base	91.7	73.0
05-Jun-98	199	No-nest	Tank blast/ explosion	4000		Non-nesting			Base	90.6	78.3
05-Jun-98	199	No-nest	Tank blast/ explosion	4000		Non-nesting			Cavity	92.2	79.4
05-Jun-98	199	No-nest	Tank blast/ explosion	4000		Non-nesting			Cavity	91.8	79.9
05-Jun-98	199	No-nest	Tank blast	4000		Non-nesting			Base	90.1	74.5
19-May-98	216	N-16	Artillery blast			0			Base	72.7	54.0
19-May-98	216	N-16	Artillery blast			0			Base	87.9	70.1
19-May-98	216	N-16	Artillery blast			0			Base	87.0	43.8
19-May-98	216	N-16	Artillery blast			0			Base	86.6	43.8
19-May-98	216	N-16	Artillery blast			0			Base	87.8	68.7
14-May-98	218	N-14	Tank blast/ explosion	7300	80	0			Base	70.3	36.4
14-May-98	218	N-14	Tank blast	7300	80	0			Base	66.8	36.2
14-May-98	218	N-14	Tank blast/ explosion	7300	80	0			Base	75.6	39.7
14-May-98	218	N-14	Tank blast/ explosion	7300	80	0			Base	77.9	42.2

14-May-98	218	N-14	Tank blast	7300	80	0			Base	61.0	36.8
14-May-98	218	N-14	Tank blast/ explosion	7300	80	0			Base	74.2	42.7
14-May-98	218	N-14	Tank blast	7300	80	0			Base	65.6	37.4
14-May-98	218	N-14	Tank blast/ explosion	7300	80	0			Base	72.6	40.1
21-May-98	218	N-21	Artillery Impact noise	10600		0			Base	67.1	40.6
21-May-98	218	N-21	Artillery Impact noise	10600		0			Base	71.7	43.0
14-Jul-98	Buelah	n/a	25 mm	6200		n/a			n/a	61.0	44.3
15-Jul-98	Buelah	n/a	Tank blast	8800	105	n/a			n/a	87.0	52.4
21-May-98	83	I-3	Artillery blast	500	60	0			Base	104.0	87.1
21-May-98	83	I-3	Artillery blast	500	60	0			Base	102.9	89.3
21-May-98	83	I-3	Artillery blast	500	60	0			Base	101.9	80.3
21-May-98	83	I-3	Artillery blast	500	60	0			Base	99.0	78.9
21-May-98	83	I-3	Artillery blast	500	60	0			Base	101.9	87.9
21-May-98	83	I-3	Artillery blast	500	60	0			Base	102.6	84.2
21-May-98	83	I-3	Artillery blast	500	60	0			Base	102.5	85.8
21-May-98	83	I-3	Artillery blast	500	60	0			Base	98.5	80.9



4/21	55	Tank blast	4900	Base	40	43	41	45	46	46	51	49	51	54	50	47	46	45	43	42	43	42	43	42	47	45	44	41	37	35	31	28	28	23	28	28	31	32	32	33	35	37	60.2	
4/21	55	Tank blast/explosion	4900	Base	68	65	69	67	61	62	64	62	62	62	59	55	49	49	49	49	47	47	47	47	47	47	45	44	41	38	35	31	30	27	31	32	32	34	35	38	40	75.2		
4/21	55	Tank blast	4900	Base	44	39	36	44	45	45	50	51	49	49	48	46	48	50	49	49	48	47	47	47	47	47	45	44	41	38	34	32	29	26	27	28	31	31	33	35	37	60.7		
4/21	55	Tank blast/explosion	4900	Base	71	68	66	69	65	67	65	65	64	64	58	55	49	49	49	49	48	48	48	48	48	47	45	44	41	38	34	32	31	29	31	31	31	33	35	38	40	76.9		
4/21	55	Tank blast	4900	Base	48	46	49	55	57	57	56	57	60	60	58	55	53	50	47	48	47	47	47	47	47	47	45	44	40	37	33	30	27	25	28	28	31	34	35	38	40	80.0		
4/21	55	Tank blast/explosion	4900	Base	75	74	70	67	63	66	70	64	64	64	59	57	51	48	48	48	49	49	49	49	49	49	47	45	44	40	37	33	30	27	31	31	31	34	35	38	40	80.0		
4/27	62	Artillery blast	1800	Base	67	79	82	87	82	76	73	70	72	67	71	71	66	58	58	53	53	53	53	53	53	53	51	48	44	40	35	31	34	26	25	25	25	18	17	15	15	90.1		
4/27	62	Artillery blast	1800	Base	67	79	82	87	82	76	73	70	72	67	70	71	68	58	58	53	53	53	53	53	53	53	51	48	44	40	34	27	32	25	22	24	24	24	24	26	27	29	30	90.1
5/14	62	Artillery blast	6600	Base	62	66	70	72	68	61	53	51	52	49	47	43	40	35	29	31	30	28	25	20	24	23	17	21	21	21	17	21	21	21	26	44	34	29	23	18	11	1	76.0	
5/14	62	Artillery blast	6600	Base	67	70	73	74	70	61	52	50	52	46	48	42	37	35	33	30	27	27	26	23	24	23	8	20	22	17	23	23	22	20	19	21	21	21	21	21	21	21	78.6	
5/14	62	Artillery blast	6600	Base	66	72	74	73	66	55	48	53	51	48	47	43	38	34	31	29	27	27	27	27	27	27	27	27	25	24	17	22	22	5	19	20	19	21	14	13	13	78.5		
5/14	62	Artillery blast	6600	Base	61	68	71	72	71	61	49	51	52	49	47	48	43	37	33	30	29	27	25	23	24	24	14	22	22	20	11	20	28	40	25	19	14	14	14	14	14	77.4		
5/14	62	Artillery blast	6600	Base	65	69	72	73	71	62	53	51	53	50	49	47	42	35	33	30	28	29	26	21	25	26	24	18	22	18	22	18	22	10	19	22	22	18	12	11	11	77.9		
5/14	62	Artillery blast	6600	Base	44	64	69	70	68	63	51	54	51	51	48	50	44	39	31	31	30	28	26	21	25	26	22	24	22	11	19	17	16	11	10	19	22	18	14	1	17	14	74.8	
5/21	62	Artillery blast	4500	Base	52	57	58	62	65	70	74	74	77	77	77	77	66	58	52	51	51	51	52	52	51	50	47	46	43	38	33	29	30	34	35	37	33	31	31	17	17	83.6		
5/21	62	Artillery blast	1800	Base	87	88	90	89	87	83	73	68	70	61	60	57	52	50	47	45	39	43	44	40	43	44	44	40	33	38	39	35	34	29	30	34	35	33	29	30	22	96.5		
5/21	62	Artillery blast	4500	Base	41	56	61	65	66	69	75	75	76	77	76	72	61	53	47	46	43	40	42	44	36	41	40	37	37	37	37	37	37	37	29	32	26	23	20	24	24	83.4		
5/21	62	Artillery blast	1800	Base	84	86	85	85	82	75	73	69	66	66	56	53	53	47	46	43	40	42	44	36	41	40	37	37	37	37	37	37	37	29	32	26	23	20	20	20	20	91.7		
4/28	67	25 mm	11500	Base	49	48	38	41	39	33	32	30	29	24	21	25	21	15	23	28	27	28	27	28	24	23	11	19	17	16	11	9	10	16	11	10	10	10	10	10	10	92.5		
4/28	67	25 mm	11500	Base	33	39	37	42	47	52	53	50	44	46	40	35	32	29	27	25	25	27	27	23	24	21	15	19	17	7	17	13	11	11	11	11	11	11	11	11	11	57.7		
4/28	67	25 mm	11500	Base	54	50	50	44	40	37	34	32	32	30	29	28	29	28	31	32	35	34	34	32	29	27	14	22	20	14	14	14	14	14	14	14	14	14	14	14	14	14	57.4	
6/9	67	Tank blast	9500	Base	72	73	71	65	61	56	55	59	58	53	50	47	48	45	40	40	36	33	30	27	26	23	23	33	24	14	30	34	27	30	31	7	12	12	12	12	12	77.5		
6/9	67	Tank blast	9500	Base	71	69	63	57	58	67	64	63	62	53	53	47	47	43	44	44	44	45	45	43	34	29	27	24	22	27	37	29	30	41	33	38	28	20	28	28	28	76.0		
6/9	67	Impact noise	7500	Base	72	71	68	74	72	71	68	64	59	56	53	51	49	49	48	48	44	45	45	43	33	29	27	22	24	24	24	19	18	15	15	15	15	15	15	15	15	15	76.3	
5/20	75	Impact noise	13000	Base	72	74	77	74	72	63	56	57	56	53	54	51	49	49	49	48	48	46	43	40	35	31	26	26	14	21	20	14	15	15	15	15	15	15	15	15	15	15	81.1	
6/9	76	Impact noise	7500	Base	59	65	63	60	53	67	58	55	50	48	48	42	35	36	34	33	30	27	26	21	21	22	14	19	14	14	14	14	14	14	14	14	14	14	14	14	14	14	69.4	
6/9	76	Impact noise	7500	Base	70	71	69	62	58	55	54	50	45	45	45	39	37	34	32	33	32	30	26	18	24	22	12	17	17	17	17	17	17	19	19	19	19	19	19	19	19	75.2		
6/9	76	Impact noise	7500	Base	71	72	71	63	61	64	61	56	46	52	49	48	42	40	37	37	37	36	32	27	26	25	20	22	21	21	21	21	21	21	21	21	21	21	21	21	21	76.9		
6/9	76	Impact noise	7500	Base	65	71	69	58	61	63	61	54	45	52	47	44	38	39	36	37	36	34	31	28	24	23	19	22	21	1	19	22	29	27	15	4	18	24	24	74.6				
6/9	76	Impact noise	7500	Base	70	73	70	63	64	64	60	55	45	53	45	47	42	39	37	38	37	35	31	25	23	23	17	19	18	7	19	23	29	26	15	15	15	15	15	15	2	76.7		
6/9	76	Impact noise	7500	Base	70	71	66	60	63	61	63	56	46	54	49	45	42	38	36	35	34	30	24	23	22	14	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	75.5		
6/9	76	Impact noise	7500	Base	69	72	72	68	60	61	58	54	46	51	46	47	42	39	37	37	37	36	34	28	27	26	22	28	28	28	28	28	28	28	28	28	28	28	28	28	28	76.8		
6/9	76	Impact noise	7500	Base	68	71	72	69	63	56	60	51	45	48	48	47	40	39	34	36	36	35	33	28	26	24	21	24	24	24	24	24	24	24	24	24	24	24	24	24	24	76.9		
6/9	76	Impact noise	7500	Base	71	73	70	65	67	62	61	51	56	51	49	42	40	39	40	40	39	37	34	32	29	23	24	24	18	26	30	35	34	21	4	22	24	24	24	24	24	77.7		
6/9	76	Tank blast	10300	Base	70	72	69	64	63	62	60	54	46	49	45	44	40	36	35	35	36	36	35	32	29	26	19	21	20	18	19	29	29	29	29	29	29	29	29	29	29	29	76.4	
5/20	83	Artillery blast	500	Base	82	86	89	91	94	94	96	96	90	83	83	84	76	73	72	69	66	71	67	67	64	63	62	60	58	55	51	46	43	40	30	26	19	102.6						
5/20	83	Artillery blast	500	Base	90	87	87	83	80	80	86	79	84	81	77	78	70	67	64	68	67	62	58	52	50	47	39	41	40	31	42	46	33	39	46	19	28	28	28	28	95.3			
5/20	83	Artillery blast	500	Base	81	85	88	91	94	95	96	96	90	82	80	84	83	78	78	77	76	75	74	73	72	71	70	69	68	65	64	62	60	58	56	52	48	42	42	42	102.5			
5/20	83	Artillery blast	500	Base	84	84	86	82	82	88	87	78	82	84	83	79	73	68	67	70	70	66	63	58	53	52	46	44	42	34	40	45	27	39	45	21	25	16	16	16	95.1			
5/20	83	Artillery blast	500	Base	83	86	90	92	95	96	96	94	89	82	76	82	82	75																										

5/21 83	Artillery blast 500	Base	85	89	92	93	92	93	92	90	90	89	92	92	98	93	86	79	83	89	81	82	80	77	76	75	73	71	69	67	63	60	52	51	47	41	41	35	103.6
5/21 83	Artillery blast 500	Base	83	91	95	97	96	94	91	89	94	89	94	92	95	93	86	82	84	88	85	82	81	80	80	80	79	76	73	71	68	68	65	60	56	52	44	104.6	
5/21 83	Artillery blast 500	Base	87	90	93	94	93	93	94	95	99	96	95	96	95	89	88	83	87	88	88	83	82	82	79	80	76	75	73	70	69	65	61	58	55	50	47	43	105.4
5/21 83	Artillery blast 500	Base	73	88	92	94	93	90	90	92	94	94	94	94	94	90	86	77	80	87	82	80	81	78	77	75	74	72	72	68	66	63	59	57	53	48	43	32	102.9
5/21 83	Artillery blast 500	Base	82	87	87	88	94	95	96	98	98	98	98	98	93	89	86	87	85	84	85	85	83	81	81	78	79	78	73	72	68	65	61	59	55	50	47	38	105.0
5/21 83	Artillery blast 500	Base	73	77	79	84	86	88	91	91	89	95	94	92	85	85	85	85	89	94	91	91	85	84	80	80	82	78	77	75	74	72	71	69	67	65	61	102.8	
5/21 83	Artillery blast 3200	Base	85	87	87	88	86	79	70	69	71	65	63	62	60	57	56	56	53	53	53	50	47	50	49	45	50	46	51	52	51	54	56	57	59	61	94.1		
5/21 83	Artillery blast 500	Base	85	88	88	87	81	85	89	92	94	92	90	87	87	75	75	76	78	77	75	71	68	66	64	62	64	58	56	55	54	53	56	57	59	61	63	100.4	
5/21 83	Artillery blast 3200	Base	85	87	87	87	81	88	87	73	74	67	63	66	61	57	58	59	58	57	53	50	51	50	47	50	45	50	45	52	52	51	55	56	57	59	61	93.2	
5/21 83	Artillery blast 3200	Base	86	89	89	89	88	82	74	72	70	68	69	65	63	60	60	60	59	58	58	56	52	54	53	48	52	47	43	49	55	55	55	58	59	62	64	95.8	
5/21 83	Artillery blast 3200	Base	82	87	87	86	83	78	72	72	70	66	68	66	62	56	55	54	54	54	53	50	47	47	47	47	42	47	47	43	48	49	48	52	53	54	56	58	92.9
5/21 83	Artillery blast 3200	Base	86	87	87	88	83	78	73	70	69	65	68	64	60	54	52	53	51	51	51	48	45	48	47	47	42	47	41	48	49	48	51	53	54	56	58	93.6	
5/21 83	Artillery blast 3200	Base	84	87	87	88	86	84	78	76	70	72	73	67	70	57	58	61	58	57	57	51	48	48	48	48	43	45	47	42	48	49	48	52	53	54	56	58	94.0
5/21 83	Artillery blast 500	Base	87	89	91	89	93	91	87	88	88	88	88	88	88	84	80	76	80	80	83	77	76	72	71	71	66	64	61	57	55	53	55	56	57	59	61	100.1	
5/21 83	Artillery blast 500	Base	84	88	90	87	91	89	89	89	90	90	90	92	90	90	83	76	83	81	84	85	79	78	77	74	74	72	69	65	62	58	60	58	59	61	100.9		
5/21 83	Artillery blast 500	Base	89	91	94	89	87	84	86	89	90	87	90	88	81	73	75	78	80	78	72	73	71	69	69	69	69	69	65	63	59	57	57	56	57	59	61	100.4	
5/21 83	Artillery blast 500	Base	88	91	93	90	93	91	87	88	88	87	85	84	78	72	77	73	74	72	74	71	69	68	67	65	64	62	58	56	54	52	55	56	57	59	61	100.6	
5/21 83	Artillery blast 500	Base	83	85	86	87	88	87	87	90	88	84	88	82	80	75	82	83	82	84	74	75	73	71	69	68	67	65	62	60	57	54	55	56	57	59	61	98.1	
5/21 83	Artillery blast 500	Base	89	91	92	93	91	90	91	93	91	90	90	90	90	88	80	78	82	79	79	76	76	73	71	68	66	62	59	56	58	59	56	57	59	62	64	102.0	
5/21 83	Artillery blast 500	Base	88	90	90	89	89	89	89	88	87	87	91	89	81	77	80	80	80	76	74	74	72	69	66	64	62	60	57	55	53	52	55	56	57	59	61	99.8	
5/21 83	Artillery blast 500	Base	83	85	87	85	85	86	89	92	94	89	84	88	81	75	81	84	84	84	84	78	76	74	72	72	69	68	65	61	58	55	55	56	57	59	61	100.0	
5/21 83	Artillery blast 500	Base	82	86	88	87	87	85	84	86	91	87	88	92	81	76	83	85	85	87	88	83	84	80	78	75	72	70	68	65	63	59	55	53	54	55	57	59	99.3
5/21 83	Artillery blast 500	Base	86	83	92	89	89	90	94	95	100	94	97	92	86	85	90	87	88	83	83	83	84	80	81	79	78	77	77	73	71	68	66	64	62	60	61	105.2	
5/21 83	Artillery blast 500	Base	85	88	91	91	89	88	90	92	95	93	92	90	85	83	83	84	83	83	82	78	77	73	74	71	69	67	64	58	56	53	55	56	57	59	61	102.5	
5/21 83	Artillery blast 500	Base	83	87	90	90	91	91	89	88	88	88	85	83	87	85	82	84	84	87	86	82	79	79	75	74	73	69	67	63	60	56	55	56	57	59	61	102.0	
5/21 83	Artillery blast 500	Base	74	77	80	84	87	89	91	91	89	85	94	92	85	85	89	94	91	91	91	85	84	80	80	82	78	77	75	74	72	71	69	67	65	63	102.8		
5/21 83	Artillery blast 500	Base	78	83	84	86	85	86	86	88	92	97	93	92	83	79	78	77	77	77	78	75	74	73	71	69	67	64	60	56	54	52	55	56	57	59	61	101.1	
5/21 83	Artillery blast 500	Base	88	90	93	90	90	89	89	89	93	93	91	90	81	78	84	79	83	81	81	81	75	73	72	72	71	70	67	64	63	60	56	56	57	59	61	102.0	
5/21 83	Artillery blast 500	Base	79	82	85	84	85	86	82	82	88	87	85	83	83	77	80	81	78	78	78	73	71	69	69	68	63	60	57	54	53	52	55	56	57	59	61	96.2	
5/21 83	Artillery blast 500	Base	95	98	99	95	95	91	87	89	88	90	88	85	82	80	87	83	85	77	73	73	74	72	73	71	71	67	66	61	58	56	57	57	59	61	63	104.9	
5/21 83	Artillery blast 500	Base	91	94	96	98	94	91	91	90	91	93	94	91	83	84	90	82	80	80	82	80	82	78	75	74	71	70	68	64	61	58	54	55	56	57	59	61	104.6
5/21 83	Artillery blast 500	Base	92	95	95	92	91	90	92	93	94	93	90	86	81	81	83	85	83	83	83	78	76	75	75	73	73	73	71	69	66	60	58	56	57	59	61	103.4	
5/21 83	Artillery blast 500	Base	81	84	87	86	94	85	87	87	89	90	89	84	76	75	77	75	77	79	80	76	75	73	72	69	67	63	59	57	53	52	51	54	56	57	59	61	97.7
5/21 83	Artillery blast 500	Base	74	78	83	84	86	88	90	92	91	92	91	85	74	74	74	80	76	71	70	69	67	66	63	61	58	55	52	50	49	52	53	54	56	58	99.6		
5/21 83	Artillery blast 500	Base	76	79	82	84	86	89	89	92	92	92	92	92	83	75	78	74	76	76	73	72	71	69	69	68	65	63	61	58	55	53	55	56	57	59	61	100.4	
5/21 83	Artillery blast 500	Base	57	65	74	79	82	84	88	93	96	94	94	94	86	79	75	82	85	79	77	76	72	71	70	68	64	63	60	55	51	52	53	54	56	58	101.2		
5/21 83	Artillery blast 500	Base	73	81	84	85	84	87	88	88	92	94	92	87	78	79	81	76	78	75	74	72	71	69	68	66	64	60	57	54	51	52	53	54	56	58	99.9		
5/21 83	Artillery blast 500	Base	79	82	85	85	83	86	84	86	90	89	88	86	77	75	77	79	80	76	75	73	72	71	70	68	65	61	59	55	53	52	55	55	57	59	61	97.3	
5/21 83	Artillery blast 500	Base	78	83	85	84	82	87	89	92	93	93	89	86	78	77	78	80	76	78	75	73	72	69	69	67	67	63	59	56	54	52	54	56	57	59	61	98.8	
5/21 83	Artillery blast 500	Base	78	83	85	84	82	87	89	92	93	93	89	85	78	77	78	80	76	78	75	73	72	69	69	67	67	63	59	56	54	52	54	56	57	59	61	99.8	
5/21 83	Artillery blast 500	Base	79	83	85	86	85	86	87	89	88	90	89	83	75	77	82	80	78	77	74	74	71	69	70	68	65	60	56	54	52	54	55	57	59	61	97.9		
5/21 83	Artillery blast 500	Base	72	81	86	87	87	89	90	89	92	94	91	83	86	80	82	81	84	79	80	73	75	73	72	70	68	65	64	61	57	54	53	55	57	59	61	100.0	
5/21 83	Artillery blast 500	Base	84	89	92	93	91	89	91	92	96	94</																											



5/21	83	Artillery	500	Base	87	90	94	95	94	91	90	93	90	90	88	88	80	82	86	81	79	79	77	76	76	72	71	69	66	62	58	56	55	56	57	59	61	103.0	
5/21	83	Artillery	500	Base	85	88	91	93	92	87	89	96	95	94	86	83	81	85	83	84	81	78	78	76	74	74	73	71	70	67	64	61	59	58	57	58	59	61	103.1
5/21	83	Artillery	500	Base	87	92	95	96	95	92	90	93	94	95	89	87	80	84	87	86	83	82	79	78	77	76	75	72	69	67	66	63	62	61	60	60	61	104.5	
5/25	83	Tank blast	11800	Base	61	65	68	69	66	63	64	50	47	46	46	43	39	37	35	32	30	28	26	25	24	18	25	27	32	40	40	41	32	20	11	14	-1	74.0	
5/25	83	Explosion	7500	Base	59	66	69	70	64	62	54	49	55	48	46	42	38	37	34	31	30	28	27	23	26	27	20	24	11	17	17	24	28	15	10	-1	74.5		
5/25	83	Tank blast	11800	Base	65	70	67	67	65	58	56	51	48	51	43	44	43	40	36	33	32	29	28	27	29	28	21	24	25	21	16	14	28	30	17	13	74.2		
5/25	83	Explosion	7500	Base	54	55	54	56	58	55	55	52	49	51	46	47	42	38	36	34	33	31	30	31	32	31	27	25	23	20	20	37	39	21	2	15	2	64.7	
5/21	84	Blast	0	Base	51	57	59	54	55	63	60	64	63	61	59	57	63	58	53	50	48	49	48	41	35	31	27	24	24	24	34	27	16	0	8	71.8			
5/21	84	Blast	0	Base	48	59	61	56	63	66	61	62	57	64	67	63	53	51	52	49	47	48	46	45	42	35	30	27	25	18	20	23	33	28	17	3	8	-3	73.5
4/28	142	25 mm fire	12700	Base	55	53	50	48	43	45	47	48	53	51	48	45	39	29	31	31	32	34	34	32	30	30	26	24	21	1	18	18	13	14	8	8	61.1		
4/28	142	25 mm fire	12700	Base	37	39	37	37	44	50	45	49	53	52	49	45	38	29	29	32	33	34	34	33	31	27	12	21	23	20	18	15	14	15	14	9	58.4		
4/28	142	25 mm fire	12700	Base	44	42	41	41	48	49	45	44	51	53	46	38	35	29	31	32	34	35	35	33	32	32	30	24	22	18	18	15	14	15	14	7	58.1		
4/28	142	25 mm	12700	Base	45	49	53	56	57	55	56	55	54	51	44	40	37	28	30	29	27	30	28	20	24	25	11	20	19	17	15	9	14	8	8	64.2			
4/28	142	25 mm	12700	Base	44	41	43	45	48	53	56	55	60	51	48	43	33	26	30	29	31	28	22	26	25	17	21	21	16	23	11	12	9	12	12	64.0			
4/28	142	25 mm	12700	Base	34	33	35	42	47	47	51	49	51	45	47	42	40	31	28	27	22	27	25	16	23	23	26	22	19	23	19	13	11	13	10	10	57.5		
4/28	142	25 mm	12700	Base	38	39	36	42	47	50	53	48	48	46	45	44	37	28	26	27	22	27	25	14	25	24	25	22	10	24	17	7	11	7	8	58.0			
5/22	152	Artillery	12900	Base	42	44	47	43	44	46	44	54	57	51	47	47	38	37	30	29	26	27	26	21	23	21	31	30	22	18	17	29	17	10	10	60.9			
		Impact noise																																					
4/20	169	Artillery blast	4100	Base	72	76	80	81	82	82	77	63	58	59	57	53	54	51	49	47	44	42	41	38	40	38	34	33	19	23	26	17	24	12	12	88.3			
4/20	169	Artillery blast	4100	Cavity	71	75	79	80	81	80	75	61	54	55	55	56	59	71	67	53	47	42	40	43	42	38	31	36	35	18	29	27	21	22	17	87.0			
4/20	169	Artillery blast	4100	Cavity	72	77	80	84	78	77	67	71	69	69	65	65	67	77	68	53	46	40	40	41	39	39	36	37	37	29	32	31	23	24			88.0		
4/20	169	Artillery blast	4100	Base	73	78	82	85	80	79	70	76	76	75	70	62	63	57	52	47	43	41	37	37	37	29	32	34	21	27	26	19	23	17	17	89.4			
4/23	172	Tank blast	10400	Base	59	56	63	62	57	54	52	48	54	54	49	47	46	44	49	48	46	45	39	47	43		41	39	37	31	33	32	28		68.5				
4/23	172	Tank blast	10400	Base	67	64	68	69	61	59	58	54	53	53	48	52	50	40	47	45	47	46	46	47	46		43	39	35	33	26	26			74.0				
5/19	172	Artillery blast	1800	Base	66	61	69	72	77	75	75	75	73	71	68	65	67	63	62	61	60	59	57	57	55	54	53	52	51	49	48	47	46	45	43	42	38	83.7	
5/19	172	Artillery blast	1800	Base	66	62	69	72	77	75	75	75	73	71	67	65	67	62	60	53	51	47	44	40	36	33	31	35	25	23	21	18	15	12	10	9	7	83.6	
5/19	172	Artillery blast	1800	Base	62	64	72	76	79	75	72	68	64	71	70	69	66	64	62	60	60	59	57	56	55	54	52	51	50	49	47	46	45	44	42	41	40	40	83.7
5/19	172	Artillery blast	1800	Base	66	67	71	72	79	72	75	75	72	69	68	68	65	60	65	60	59	59	57	57	55	54	53	52	51	49	48	47	46	44	43	41	40	38	83.7
5/19	172	Artillery	12000	Base	58	66	68	69	61	55	52	47	53	47	49	46	39	34	30	29	25	24	24	20	22	21	17	22	21	13	23	16	16	11	9		73.2		
		Impact noise																																					
5/19	172	Artillery	10500	Base	61	67	71	74	65	61	52	47	54	52	48	42	39	35	30	28	26	24	24	21	24	15	20	20	-1	17	15	2	16	13	9	-1	76.6		
		Impact noise																																					
5/19	172	Artillery blast	1800	Base	65	67	70	73	72	74	69	67	69	63	55	52	44	38	32	27	26	24	24	22	23	22	17	23	20	8	19	19	23	20	13	6		80.1	
5/19	172	Artillery blast	3600	Base	53	61	66	65	61	68	72	69	68	61	59	55	43	40	30	27	26	25	24	19	22	22	16	21	21	12	26	19	29	18	13	7		77.0	
5/19	172	Artillery blast	7200	Base	48	63	68	67	67	64	60	64	58	47	55	50	44	35	31	27	25	24	23	20	23	22	16	21	20	13	17	18	31	25	15	10		73.9	
7/14	172	25 mm	10300	Cavity	59	72	68			69	69	63	69	68	67	72	78	70	67	66	59	66	65	60	65	65	55	67	61	57	52	47	49		42	42		82.5	
7/14	172	25 mm	10300	Base	59	41	64	67	33	68	68	66	69	66	65	70	66	65	64	65	61	66	65	58	66	64	49	67	61	38	56	52	46	47		42		79.2	
5/20	177	Tank blast/explosion	4000	Base	65	67	68	64	56	47	49	52	48	52	42	46	39	35	33	32	25	29	29	19	27	27	-25	24	23	16	16	14	13		10		72.5		
		Tank blast/explosion	4000	Base	73	74	75	73	71	61	52	60	60	61	54	51	44	39	41	40	41	41	41	40	37	31	32	28	17	24	22	5	17	17	2	13		80.9	
5/20	177	Tank blast/explosion	4000	Base	56	55	55	57	52	44	43	45	45	44	42	41	41	38	37	37	37	34	31	26	26	23	20	26	41	38	22	24	16	16		9		62.8	
5/27	177	Tank blast	4000	Base	74	78	79	77	70	66	70	69	64	65	60	59	56	53	49	48	47	44	40	37	33	31	27	26	20	21	18	16	15	15	10	11	4	84.1	
5/27	177	Tank blast	4000	Base	73	80	79	71	71	73	74	75	71	68	67	62	62	65	56	62	58	58	57	56	54	53	52	51	50	48	47	45	44	42	41	39	37	85.4	
5/17	179	Tank blast/explosion	9000	Base	79	78	74	67	60	57	56	54	57	53	52	50	48	44	39	41	37	40	38	28	37	37	35	35	32		29	25	23	23	15	12		82.3	

5/26	179	Tank blast	9000	Base	84	83	77	69	56	54	55	56	56	53	51	48	45	42	40	38	33	37	34	30	32	33	20	29	26	22	24	20	20	15	86.8				
5/26	179	Tank blast	9000	Base	82	83	80	68	60	55	55	59	60	54	55	54	53	46	45	43	38	36	36	29	34	32	21	30	29	23	22	15	23		86.5				
5/26	179	Tank blast	9000	Base	81	82	82	78	68	58	61	61	59	59	59	55	53	50	45	42	41	38	36	32	34	35	19	31	29	26	23	19	17	16	87.3				
5/21	183	Tank blast	11300	Base	58	63	67	73	78	73	73	73	69	69	72	69	63	64	62	63	60	58	58	57	55	54	53	52	51	49	48	47	46	44	43	42	40	39	83.0
5/21	183	Tank blast	11300	Base	48	49	61	53	51	50	45	42	45	43	38	37	37	32	32	34	36	37	36	34	31	28	22	27	30	46	49	49	44	33	24	18	16	12	63.7
5/4	184	Blast	5000	Base	74	75	73	75	78	75	78	69	62	58	61	59	56	51	48	46	43	41	39	35	32	29	26	24	24	16	20	18	4	14	14	0	11	84.4	
5/4	184	Blast	5000	Base	77	80	80	78	77	77	77	67	65	65	62	57	54	49	48	46	45	43	40	37	34	31	26	24	24	16	20	18	8	16	14	6	12	0	86.7
5/4	184	Impact noise	12000	Base	51	55	53	57	61	59	55	54	50	47	45	41	37	34	31	27	27	27	27	20	24	24	7	22	24	9	18	15	25	14	12	0	85.8		
6/11	187	Blast	4000	Base	68	74	72	73	71	68	63	60	59	55	51	46	35	31	28	26	26	24	23	20	22	24	22	23	39	35	30	38	32	37	31	26	17	16	79.7
6/11	187	25 mm	12000	Base	56	59	55	55	54	54	53	52	51	47	44	40	35	32	30	29	25	28	26	17	26	25	27	38	45	39	33	45	42	40	38	34	30	24	64.7
6/11	187	25 mm	12000	Base	59	57	52	53	52	50	49	49	50	49	44	41	35	32	30	28	24	28	25	14	26	25	26	32	44	34	33	46	37	43	38	30	27	22	63.7
6/11	187	25 mm	12000	Base	48	50	44	50	46	51	53	56	57	57	51	44	37	31	27	25	24	25	23	20	22	23	20	29	36	31	25	32	37	33	28	23	15	63.3	
6/11	187	Tank	12000	Base	69	72	67	72	73	70	70	64	58	56	51	47	39	34	27	28	25	23	22	21	22	23	21	26	39	30	23	31	28	30	22	15	16	6	79.4
6/11	187	Tank	12000	Base	86	85	81	78	70	63	66	57	53	51	43	41	37	31	27	24	25	22	21	24	22	20	25	39	33	23	39	41	41	33	23	24	20	89.3	
6/5	199	Tank blast/ explosion	4000	Base	85	82	75	76	81	81	78	74	80	76	77	71	70	70	70	67	68	67	66	64	63	61	60	59	57	56	57	56	54	49	48	46	44	90.6	
6/5	199			Cavity	87	82	81	79	83	82	79	75	81	76	76	72	75	81	84	73	69	68	65	64	63	61	61	59	58	57	56	55	53	52	51	49	48	46	93.0
6/5	199	Tank blast/ explosion	4000	Cavity	82	86	81	74	82	82	80	77	78	79	68	74	73	78	82	77	68	67	64	63	62	61	60	58	57	56	55	53	52	51	49	48	45	42	92.2
6/5	199	Tank blast/ explosion	4000	Base	63	86	84	78	83	82	82	80	78	78	71	71	70	69	67	67	66	65	64	63	61	60	59	57	56	54	53	51	48	46	43	41	40	91.7	
6/5	199	Tank blast/ explosion	4000	Base	83	84	81	80	75	81	77	75	78	74	72	74	74	74	70	68	70	69	65	66	73	70	64	63	64	62	61	59	56	55	53	48	46	41	90.6
6/5	199	Tank blast/ explosion	4000	Cavity	83	87	83	82	76	79	75	73	76	69	73	70	75	78	82	74	70	71	70	71	67	66	63	66	63	66	62	61	60	58	57	54	49	92.2	
6/5	199	Tank blast/ explosion	4000	Cavity	79	85	82	79	76	79	77	71	75	72	72	73	73	81	85	76	71	66	69	67	67	62	61	61	60	59	57	56	55	54	53	52	51	91.8	
6/5	199																																						
6/5	199	Tank blast	4000	Base	79	85	81	79	76	78	77	73	75	74	75	76	74	72	69	67	66	67	67	66	64	64	62	60	58	57	55	54	53	52	50	49	48	47	90.1
5/19	216	Artillery blast		Base	46	49	52	54	58	61	64	64	64	67	64	60	58	52	48	46	45	45	44	41	39	35	32	28	21	22	21	36	33	20	11	14	7	72.7	
5/19	216	Artillery blast		Base	54	69	76	83	81	77	77	75	74	72	75	70	71	65	66	64	64	63	62	60	59	58	57	56	55	53	52	51	50	48	47	45	43	40	87.9
5/19	216	Artillery blast		Base	78	81	83	79	70	64	56	56	62	57	52	50	46	42	35	34	30	27	25	22	24	23	22	33	28	17	25	25	24	29	21	11		87.0	
5/19	216	Artillery blast		Base	78	81	82	78	68	63	58	60	63	57	53	50	47	42	37	34	31	27	27	22	24	22	18	22	26	16	18	23	21	28	16	10		86.6	
5/19	216	Artillery blast		Base	76	80	82	80	75	72	73	76	75	72	71	71	66	57	62	65	59	62	58	58	57	56	55	54	52	50	47	44	41	40	34	28	25	22	87.8
5/14	218	Tank blast/ explosion	7300	Base	56	62	65	65	63	56	49	52	51	45	42	39	38	33	30	29	27	25	22	20	19	18	19	18	19	21	21	20	21	22	23	24	26	27	70.3
5/14	218	Tank blast	7300	Base	57	60	53	59	61	58	50	46	52	48	45	42	39	34	35	30	28	24	22	18	17	16	16	16	17	17	17	18	20	20	21	23	24	66.8	
5/14	218	Tank blast/ explosion	7300	Base	59	63	71	71	68	64	55	53	56	52	48	44	42	39	35	33	31	27	23	22	20	19	19	20	22	21	21	21	23	23	24	26	27	75.6	
5/14	218	Tank blast/ explosion	7300	Base	63	70	71	72	72	66	58	55	57	53	51	47	43	41	39	36	33	29	26	23	22	21	21	22	26	30	24	24	25	25	26	27	29		77.9
5/14	218																																						
5/14	218	Tank blast	7300	Base	40	51	54	56	54	50	45	41	40	46	38	42	32	28	25	24	21	20	17	16	16	16	16	20	28	20	26	30	24	23	21	23	24	61.0	
5/14	218	Tank blast/ explosion	7300	Base	65	68	67	66	66	63	54	56	60	53	54	49	42	43	40	35	31	28	23	21	20	19	20	25	27	24	29	27	25	23	24	26	27	74.2	
5/14	218																																						
5/14	218	Tank blast	7300	Base	45	54	59	60	60	51	48	48	45	47	46	39	35	32	27	25	22	21	19	17	15	16	16	17	23	32	19	22	27	22	21	23	24	65.6	
5/14	218	Tank blast/ explosion	7300	Base	64	65	66	65	63	61	54	53	55	53	52	45	43	40	37	34	29	26	22	21	19	19	18	20	22	20	21	21	23	23	24	26	27	72.6	



Table E3. Summary noise data for small arms live fire on Fort Stewart, GA.

Date	Cluster	Nesting Phase & Day	Event Type	Event Dist. (m)	Azimuth re. DOF	0 = no visible response 1 = alert to cavity mouth 2 = flush from cavity			Remarks	Mic Pos.	SEL (dB) at mic	
						RCW Response	Recovery time (min)				Flat	A
29 Apr 98	2	I-6	.50 caliber live fire	5800		0	0			Base	75.1	60.7
29 Apr 98	2	I-6	.50 caliber live fire	5800		0	0			Base	75.9	63.4
29 Apr 98	2	I-6	.50 caliber live fire	5800		0	0			Base	75.8	60.4
19 Jun 98	9	N-20	.50 caliber live fire	8100	55	0	0			Base	59.1	42.1
19 Jun 98	9	N-20	.50 caliber live fire	8100	55	0	0			Base	59.3	41.2
11 May 98	23	I-8	9 mm live fire	1400	155	0	0			Base	57.6	47.6
11 May 98	23	I-8	9 mm live fire	1400	155	0	0			Base	57.2	50.9
30 Apr 98	26	I-7	M-16 live fire	2400	40	0	0			Base	53.5	39.6
30 Apr 98	26	I-7	M-16 live fire	2400	40	0	0			Base	49.5	34.2
30 Apr 98	26	I-7	M-16 live fire	2400	40	0	0			Base	50.0	32.8
30 Apr 98	26	I-7	M-16 live fire	2400	40	0	0			Base	57.7	41.6
30 Apr 98	26	I-7	M-16 live fire	2400	40	0	0			Base	50.0	35.5
30 Apr 98	26	I-7	M-16 live fire	2400	40	0	0			Base	50.2	32.7
30 Apr 98	26	I-7	M-16 live fire	2400	40	0	0			Base	51.0	35.7
30 Apr 98	26	I-7	M-16 live fire	2400	40	0	0			Base	52.5	31.5
30 Apr 98	26	I-7	M-16 live fire	2400	40	0	0			Base	52.6	31.8
30 Apr 98	26	I-7	M-16 live fire	2400	40	0	0			Base	56.2	34.9
30 Apr 98	26	I-7	M-16 live fire	2400	40	0	0			Base	55.5	36.0
06 May 98	26	N-2	9 mm	2600	0	0	0			Base	60.6	42.4
06 May 98	26	N-2	M-16 live fire	3100	20	0	0			Base	55.4	37.0
06 May 98	26	N-2	M-16 live fire	3100	20	0	0			Base	60.1	43.8
06 May 98	26	N-2	M-16 live fire	3100	20	0	0			Base	52.7	34.4
06 May 98	26	N-2	M-16 live fire	3100	20	0	0			Base	56.2	39.1
06 May 98	26	N-2	M-16 live fire	3100	20	0	0			Base	67.5	59.9
05 May 98	51	I-4	M-16 live fire	900	160	0	0			Base	67.4	59.4
05 May 98	51	I-4	M-16 live fire	900	160	0	0			Base	67.1	59.2
05 May 98	51	I-4	M-16 live fire	900	160	0	0			Base	47.8	40.9
14 May 98	133	N-13	7.62 mm gunfire	4000	115	0	0			Base	56.5	35.3
11 Jun 98	187	N-16	.50 caliber live fire	0	55	0	0			Base	56.4	42.7
11 Jun 98	187	N-16	.50 caliber live fire	0	55	0	0			Base	55.1	40.2
11 Jun 98	187	N-16	.50 caliber live fire	0	55	0	0			Base	60.2	48.3
18 May 98	194	N-20	7.62 mm coax	4300	160	0	0			Base	75.2	52.8
18 May 98	194	N-20	7.62 mm coax	4300	160	0	0			Base	60.7	52.9
18 May 98	194	N-20	7.62 mm coax	4300	160	0	0			Base		

Table E4. Representative unweighted noise spectra for small arms live fire on Fort Stewart, GA.

Date			Cd	Event Type	Event Dist. (m)	Mc Pos	Band SEL (dB) at 1/3 Octave Spectrum Center Frequencies (Hz)																								Calc. Overall SEL												
							10	13	16	20	25	32	40	50	63	80	100	125	160	200	250	315	400	500	630	800	1000	1250	1600	2000	2500	3150	4000	5000	6300	8000	10000	12500	16000	20000			
	4/29	2		50 caliber fire	5000	Base	55	51	52	60	57	61	68	70	66	66	60	60	55	-21	56	54	51	56	55	55	54	49	52	48	51	43	41	42		30	33		30		75		
	4/29	2		50 caliber fire	5000	Base	58	51	62	64	66	65	67	71	66	61	57	60	54	50	52	55	55	55	55	55	54	52	54	51	53	50	41	47		37	38		39		76		
	4/29	2		50 caliber fire	5000	Base	51	52	60	63	68	68	67	68	68	62	61	59	57	44	55	55	55	55	53		52	50	49	51	48	40	43		33	43		30		76			
	6/19	9		50 caliber fire	8100	Base	32	41	36	35	42	41	46	53	52	51	52	45	44	39	32	32	31	31	30	28	28	29	28	26	26	28	32	26	27	26	21	25	25	21	59		
	6/19	9		50 caliber fire	8100	Base	42	38	38	41	39	43	44	54	52	48	52	47	44	39	33	33	31	30	29	28	28	27	24	27	24	28	23	26	25	21	25	25	21	25	20	59	
	5/11	23		9mm heli fire	1400	Base	44	54	42	43	46	46	42	41	40	41	38	39	36	35	35	39	42	45	43	40	38	34	31	28	34	31	28	22	18	18	21	20	20	21	23	24	58
	5/11	23		9mm heli fire	1400	Base	41	48	41	41	50	46	42	42	38	38	39	38	40	35	37	43	46	47	47	44	40	38	35	34	28	22	19	18	21	20	20	21	23	24	57		
	4/30	26		M-16 heli fire	2400	Base	43	43	41	39	40	42	41	47	43	44	41	37	35	30	32	32	33	32	31	29	29	31	29	29	29	29	27	24	28	23	14	21	15		11		50
	4/30	26		M-16 heli fire	2400	Base	35	45	35	33	34	38	39	39	38	39	35	32	31	26	26	25	24	25	23	17	21	19		19	20	24	28	23	14	21	15		8		50		
	4/30	26		M-16 heli fire	2400	Base	36	46	35	37	38	38	40	37	37	39	35	31	28	22	26	22	20	23	23		22	19		18	18	25	24	22	11	12	11		8		50		
	4/30	26		M-16 heli fire	2400	Base	42	47	48	46	45	53	47	45	47	44	41	37	35	30	32	30	26	31	28	15	27	26	14	25	28	32	34	34	30	20	19		18	-3	58		
	4/30	26		M-16 heli fire	2400	Base	35	40	38	39	37	41	41	34	44	37	34	32	32	25	27	25	24	27	24	20	25	23	19	21	24	29	25	15		10	12		8	-3	50		
	4/30	26		M-16 heli fire	2400	Base	34	38	44	42	39	38	39	40	40	36	35	33	30	24	28	24	21	23	22	11	20	19	16	17	19	26	24	18	24	18	11	10		11		50	
	4/30	26		M-16 heli fire	2400	Base	33	35	36	36	47	42	39	41	40	36	36	34	32	28	28	28	27	28	27	26	26	22	22	19	24	21	16	21	16		9	13		8		51	
	4/30	26		M-16 heli fire	2400	Base	35	38	50	42	37	39	37	39	37	39	37	32	31	29	25	24	19	23	23	14	22	17		18	17	16	23	19	-3	12	12		12		53		
	4/30	26		M-16 heli fire	2400	Base	36	40	50	42	34	41	39	36	36	39	37	31	32	27	25	23	21	22	21	11	21	21	16	19	18	15	23	20	14	11	9		8		53		
	4/30	26		M-16 heli fire	2400	Base	36	41	54	46	39	46	43	41	39	41	42	36	34	30	27	26	23	27	26	18	26	24	13	22	20	18	24	22	22	12	14		13		55		
	5/6	26		9mm	2800	Base	35	34	37	41	42	45	50	52	42	42	35	36	38	34	31	31	29	31	29	22	26	24	10	20	19		17	16		14	16		14	17	12	56	
	5/6	26		M-16 heli fire	3100	Base	39	39	39	42	45	46	50	59	46	48	40	40	41	38	35	35	34	37	37	35	33	30	20	25	25		19	19		17	17		16	-3	61		
	5/6	26		M-16 heli fire	3100	Base	33	40	40	38	41	47	52	47	42	41	40	33	35	35	32	31	32	32	31	28	27	23	12	19	21	19	18	15		12	14		2	10		55	
	5/6	26		M-16 heli fire	3100	Base	42	47	52	54	49	52	50	45	45	47	45	42	42	39	38	37	38	38	38	37	34	31	23	26	26	18	23	19		16	17		16		60		
	5/6	26		M-16 heli fire	3100	Base	36	43	38	40	41	49	41	40	35	38	42	31	31	29	28	29	28	29	28	25	23	23	14	18	18	0	15	13		9	12		9	-3	53		
	5/6	26		M-16 heli fire	3100	Base	38	44	40	41	42	49	52	47	43	42	39	36	36	33	33	33	32	34	34	32	29	27	11	23	20	5	20	17		13	15		13		56		
	5/5	51		M-16 heli fire	900	Base	59		55	61		51			57	53		55	53	53	52	54	55	54	52	43	53	51	46	46		36	41		40	34		40	34		67		
	5/5	51		M-16 heli fire	900	Base	58		55	60		58			59	55		55	52		57	52		53	52		52	52	57	48	46		43	44		36	33		37		67		
	5/5	51		M-16 heli fire	900	Base			60	57	48	60	56		57	46		57	52		50	49		51	53		52	50	47	51	45		37	46		39	37		37		67		
	5/14	133		7.62mm rifle	4000	Base	28	34	35	35	37	39	34	36	33	35	32	31	32	33	32	33	31	31	27	24	24	22	18	22	23	26	28	30	36	33	28	28	30	31		48	
	6/11	187		50 caliber fire	0	Base	33	42	43	46	47	48	44	48	49	47	45	37	33	28	26	24	23	25	22		20	21	16	19	18		15	13	29	27	15		10		56		
	6/11	187		50 caliber fire	0	Base	38	41	44	46	44	46	45	48	50	46	44	40	35	31	28	27	20	25	24	18	24	23	20	34	34	30	33	34	33	30	22		15		56		
	6/11	187		50 caliber fire	0	Base	36	41	43	45	47	47	44	46	47	44	42	39	32	27	25	24	16	23	23	8	21	21	20	31	32	18	25	32	32	33	23	23	15	16	1	55	
	5/18	194		7.62mm coax	4300	Base	40	43	41	45	46	46	51	49	51	54	50	47	46	45	43	42	43	42	42	41	37	35	31	28	28	23	28	28	28	31	32	33	35	37	60		
	5/18	194		7.62mm coax	4300	Base	68	65	69	67	61	62	64	62	62	62	59	55	49	49	49	47	47	47	45	44	41	38	35	31	30	27	31	32	32	34	35	36	38	40	75		
	5/18	194		7.62mm coax	4300	Base	44	39	36	44	45	45	50	51	49	49	48	46	48	50	47	47	50	47	47	45	46	43	40	36	32	29	26	27	28	28	31	32	33	35	37	61	
	5/18	194		7.62mm coax	4300	Base	71	68	66	69	65	67	65	65	64	61	58	55	49	49	49	48	48	47	45	44	41	38	34	32	29	26	27	28	28	31	32	33	35	37	61		
	5/18	194		7.62mm coax	4300	Base	44	39	36	44	45	45	50	51	49	49	48	46	48	50	47	47	50	47	47	45	46	43	40	36	32	29	26	27	28	28	31	32	33	35	37	61	
	5/18	194		7.62mm coax	4300	Base	71	68	66	69	65	67	65	65	64	61	58	55	49	49	49	48	48	47	45	44	41	38	34	32	29	26	27	28	28	31	32	33	35	37	61		
	5/18	194		7.62mm coax	4300	Base	44	39	36	44	45	45	50	51	49	49	48	46	48	50	47	47	50	47	47	45	46	43	40	36	32	29	26	27	28	28	31	32	33	35	37	61	
	5/18	194		7.62mm coax	4300	Base	71	68	66	69	65	67	65	65	64	61	58	55	49	49	49	48	48	47	45	44	41	38	34	32	29	26	27	28	28	31	32	33	35	37	61		
	5/18	194		7.62mm coax	4300	Base	44	39	36	44	45	45	50	51	49	49	48	46	48	50	47	47	50	47	47	45	46	43	40	36	32	29	26	27	28	28	31	32	33	35	37	61	
	5/18	194		7.62mm coax	4300	Base	71	68	66	69	65	67	65	65	64	61	58	55	49	49	49	48	48	47	45	44	41	38	34	32	29	26	27	28	28	31	32	33	35	37	61		
	5/18	194		7.62mm coax	4300	Base	44	39	36	44	45	45	50	51	49	49	48	46	48	50	47	47	50	47	47	45	46	43	40	36	32	29	26	27	28	28	31						



Table E7. Summary data for military vehicle noise on Fort Stewart, GA.

0 = no visible response 1 = alert to cavity mouth 2 = flush from cavity												
Table E.7. Summary data for minitary vehicle noise on Fort Stewart, GA:												
Date	Cluster	Nesting Phase & Day	Event Type	Event Dist. (m)	RCW Response	Recovery time (min)	Remarks	Mic Pos.	SEL (dB) at mic		Lmax (dB) at mic	
									Flat	A	Flat	A
05 May 98	47	N-4	Convoy	60	0	0		Base	95.8	74.1	84.9	61.0
05 May 98	47	N-4	Convoy	60	0	0		Base	96.7	74.9	84.3	61.5
05 May 98	47	N-4	Convoy	60	0	0		Base	83.1	65.9	73.4	55.1
05 May 98	47	N-4	Convoy	60	0	0		Base	90.8	75.4	81.0	67.2
05 May 98	47	N-4	Convoy	60	0	0		Base	81.8	74.1	68.5	60.4
05 May 98	47	N-4	Convoy	60	0	0		Base	92.2	76.0	79.7	60.5
05 May 98	47	N-4	Convoy	60	0	0		Base	76.8	59.9	63.9	49.3
05 May 98	47	N-4	Convoy	60	0	0		Base	99.9	92.0	89.5	81.1
05 May 98	47	N-4	Convoy	60	0	0		Base	95.5	86.6	82.5	83.5
05 May 98	47	N-4	Convoy	60	0	0		Base	106.6	95.0	97.7	84.3
05 May 98	47	N-4	Convoy	60	0	0		Base	78.0	59.6	68.9	45.1
05 May 98	47	N-4	Convoy	60	0	0		Base	92.9	80.3	84.0	64.6
05 May 98	47	N-4	Convoy	60	0	0		Base	84.5	70.3	77.4	62.9
05 May 98	47	N-4	Convoy	60	0	0		Base	90.8	76.5	77.9	63.4

Table E8. Representative unweighted noise spectra for military traffic on Fort Stewart, GA.

Table E8. Representative unweighted noise spectra for military traffic on Ft. Stewart, GA.																																								
Date	Col	Event Type	Event Dist. (m)	Mic Pos	Band SEL (dB) at 1/3 Octave Spectrum Center Frequencies (Hz)																				Calc. Overall SEL															
					10	13	16	20	25	32	40	50	63	80	100	125	160	200	250	315	400	500	630	800		1000	1250	1600	2000											
5/15	47	Convoy	60	Base	60	63	63	65	69	74	82	88	94	88	76	77	70	67	66	63	58	58	59	61	64	63	62	61	58	56	53	52	48	45	42	41	41	42	96	
5/15	47	Convoy	60	Base	58	59	61	66	69	76	81	95	86	78	77	72	71	67	64	60	60	63	63	65	64	64	61	61	59	56	53	52	48	45	43	41	41	42	97	
5/14	47	HUMMVs	30	Base	56	57	57	58	58	63	65	74	78	71	78	73	66	67	62	58	56	54	53	52	51	51	51	52	50	47	44	42	40	36	38	38	39	83		
5/14	47	Hermits	30	Base	54	54	56	61	63	74	79	71	73	66	88	76	72	67	63	60	57	56	60	63	64	65	66	64	62	61	59	54	53	49	42	39	38	39	91	
5/5	51	Road 144	400	Base	70	71	68	69	72	69	61	72	70	66	72	69	63	69	68	62	68	67	57	67	67	65	62	63	61		56	57		50	52		43	82		
5/21	62	Tracked veh	188	Base	58	58	60	64	70	74	79	89	86	79	81	77	69	61	59	60	62	64	66	66	66	64	66	66	66	62	58	56	52	53	55	56	58	92		
5/20	75	HUMMVs	210	Base	56	56	58	57	56	60	61	68	73	68	69	64	54	48	43	42	42	42	42	42	42	42	38	40	38	39	52	52	42	52	53	45	33	21	77	
4/15	83	Military convoy	28	Cavity	59		66	71	75	75	78	80	85	86	87	79	84	93	97	78	67	68	72	81	81	75	81	80	72	69	73	68	59	61	58		43	26	100	
4/15	83	Military convoy	28	Base	63	57	66	72	75	76	79	81	89	88	89	78	82	83	78	77	73	73	71	73	75	74	79	77	79	70	69	69	64	64	63	60	56	57	95	
5/25	83	Truck passes by	26	Base	63	49	67	70	73	81	100	93	83	90	103	95	97	95	84	80	82	78	81	81	82	84	86	84	84	82	80	77	74	75	74	75	62	53	43	107
4/27	172	HUMMVs	500	Base	73	72	69	68	63	60	61	58	59	62	63	61	52	49	50	51	52	54	54	53	51	48	42	43	42	34	37	34	8	34	32	18	28	10	78	
5/26	179	Graders	20	Base	79	79	76	70	68	73	76	86	88	83	82	79	73	70	69	67	63	67	69	73	71	71	71	70	68	66	64	63	59	53	48	31	36	19	93	
5/19	216	HUMMVs	15	Base	56	57	57	61	60	61	61	66	77	80	73	76	71	70	71	67	62	58	57	58	57	57	57	57	54	50	47	46	43	42	36	26	27	15	84	
5/20	203	Convoy	50	Base	57	59	62	61	66	73	75	77	77	78	81	89	80	65	58	54	54	56	59	64	65	64	64	63	62	60	57	55	51	46	39	37	38	39	91	





Table E11. Summary data for MLRS noise on Fort Stewart, GA.

0 = no visible response 1 = alert to cavity mouth 2 = flush from cavity											
Date	Cluster	Nesting Phase & Day	Event Type	Event Dist. (m)	Azimuth re. DOF	RCW Response	Recovery time (min)	Remarks	Mic Pos.	SEL (dB) at mic	
										Flat	A
20 May 98	75	N-12	MLRS	5600	95	0	0		Base	80.4	47.6
20 May 98	75	N-12	MLRS	5600	95	0	0		Base	80.2	54.1
20 May 98	75	N-12	MLRS	6000	95	0	0		Base	58.4	48.2
20 May 98	203	N	MLRS	2200	160	0	0		Base	82.0	59.0
20 May 98	203	N	MLRS	2200	160	0	0		Base	80.5	58.1

Table E12. Representative unweighted noise spectra for MLRS on Fort Stewart, GA.

Date	Col	Event Type	Event Dist.	Mic Pos	Band SEL (dB) at 1/3 Octave Spectrum Center Frequencies (Hz)																								Calc. Overall SEL										
					10	13	16	20	25	32	40	50	63	80	100	125	160	200	250	315	400	500	630	800	1000	1250	1600	2000											
			(m)																																				
5/20	75	MLRS	5600	Base	70	73	77	74	68	53	51	48	53	57	51	50	49	46	45	44	44	43	41	37	32	28	23	23	25	19	27	24	22	19	12	-1	80		
5/20	75	MLRS	5600	Base	71	71	75	75	70	59	55	54	58	60	58	58	54	51	51	50	51	50	47	43	39	33	28	27	28	20	27	22	18	17	15	80			
5/20	75	MLRS	6000	Base	42	40	44	46	45	43	52	54	45	39	36	33	31	28	29	30	25	29	28	28	28	34	39	35	39	43	39	37	30	23	20	13	58		
5/20	203	MLRS	2200	Base	72	73	67	74	71	74	75	71	65	63	62	62	61	58	54	54	55	53	51	50	48	45	41	36	29	24	23	23	26	25	26	28	29	82	
5/20	203	MLRS	2200	Base	72	76	65	66	72	69	69	68	64	66	63	61	59	56	52	53	53	51	50	49	48	45	45	39	34	30	27	33	37	29	26	27	28	29	81

Table E13. Summary of airplane data from Fort Stewart, GA.

0 = no visible response 1 = alert to cavity mouth 2 = flush from cavity									
Date	Cluster	Nesting Phase & Day	Event Type	Event Dist. (m)	RCW Response	Recovery time (min)	Mic Pos.	SEL (dB) at mic Flat	A
15 May 98	51	I-4	Airplane	600	0	0	Base	89.9	78.5
16 Apr 98	83	Pre-nesting	C-130 Cargo Plane	500	Pre-nesting	0	Cavity	105.7	92.0
16 Apr 98	83	Pre-nesting	C-130 Cargo Plane	500	Pre-nesting	0	Base	94.7	87.6
20 Apr 98	169	No-nest	Jet	610	Non-nesting	0	Cavity	93.4	82.8
20 Apr 98	169	No-nest	Jet	610	Non-nesting	0	Base	78.9	67.4

Table E14. Representative unweighted noise spectra for airplanes on Fort Stewart, GA.

Date	Col	Event Type	Event Dist. (m)	Mic Pos	Band SEL (dB) at 1/3 Octave Spectrum Center Frequencies (Hz)																								Calc. Overall SEL										
					10	13	16	20	25	32	40	50	63	80	100	125	160	200	250	315	400	500	630	800	1000	1250	1600	2000											
5/15	51	Alplane	600	Base	54	54	54	55	62	73	82	61	70	76	87	78	68	84	75	79	72	71	67	64	62	59	57	55	52	46	39	32	32	24	26	21	90		
4/16	83	C-130 Cargo	500	Cavity	73	68	66	69	73	75	77	79	83	87	91	102	103	89	82	77	75	74	78	81	74	75	65	60	59	54	44	41	39	37	35	33	32	106	
4/16	83	C-130 Cargo	500	Base	73	70	68	72	74	76	78	81	81	82	79	79	85	88	86	83	83	81	80	79	77	76	74	72	68	63	56	47	40	37	39	36	34	31	95
4/20	169	Jet	610	Cavity	56	52	57	58	58	59	61	66	70	71	70	78	80	92	86	71	62	57	55	56	55	54	51	51	43	46	45	28	39	40		32	20	93	
4/20	169	Jet	610	Base	56	50	58	60	63	64	66	68	70	70	70	65	62	67	70	68	62	58	56	49	53	51	41	48	46	12	41	39		35	37		30	79	

Table E15. Summary data for blank fire on Fort Stewart, GA.

0 = no visible response 1 = alert to cavity mouth 2 = flush from cavity											
Date	Cluster	Nesting Phase & Day	Event Type	Event Dist. (m)	Azimuth re. DOF	RCW Response	Recovery time (min)	Remarks	Mic Pos.	SEL (dB) at mic Flat	A
03 Jun 98	36	N-2	M-16 blanks	15.2	0	1	0		Base	86.8	86.4
03 Jun 98	36	N-2	M-16 blanks	15.2	0	1	0		Base	85.9	85.7
03 Jun 98	36	N-2	M-16 blanks	15.2	0	1	0		Base	79.0	78.3
03 Jun 98	36	N-2	M-16 blanks	15.2	0	1	0		Base	79.5	79.3
03 Jun 98	36	N-2	M-16 blanks	15.2	0	1	0		Base	79.5	79.1
03 Jun 98	36	N-2	M-16 blanks	15.2	0	1	0		Base	80.4	80.3
03 Jun 98	36	N-2	M-16 blanks	15.2	0	1	0		Base	79.9	79.6
03 Jun 98	36	N-2	M-16 blanks	15.2	0	1	0		Base	79.5	79.1
03 Jun 98	36	N-2	M-16 blanks	15.2	0	0	0		Base	79.4	79.0
03 Jun 98	36	N-2	M-16 blanks	15.2	0	0	0		Base	79.5	79.0
03 Jun 98	36	N-2	M-16 blanks	15.2	0	0	0		Base	80.5	79.7
03 Jun 98	36	N-2	M-16 blanks	15.2	0	0	0		Base	81.0	80.4
03 Jun 98	36	N-2	M-16 blanks	15.2	0	0	0		Base	81.7	81.1
03 Jun 98	36	N-2	M-16 blanks	15.2	0	0	0		Base	79.2	78.6
03 Jun 98	36	N-2	M-16 blanks	15.2	0	0	0		Base	80.1	79.6
03 Jun 98	36	N-2	M-16 blanks	15.2	0	0	0		Base	78.8	78.3
03 Jun 98	36	N-2	M-16 blanks	15.2	0	0	0		Base	80.0	79.6
03 Jun 98	36	N-2	M-16 blanks	15.2	0	0	0		Base	78.4	77.9
03 Jun 98	36	N-2	M-16 blanks	15.2	0	0	0		Base	79.0	78.7
03 Jun 98	36	N-2	M-16 blanks	15.2	0	0	0		Base	79.3	78.8
03 Jun 98	36	N-2	M-16 blanks	15.2	0	0	0		Base	79.8	79.4
03 Jun 98	36	N-2	M-16 blanks	15.2	0	0	0		Base	79.5	79.1
03 Jun 98	36	N-2	M-16 blanks	15.2	0	0	0		Base	79.1	78.5
03 Jun 98	36	N-2	M-16 blanks	15.2	0	0	0		Base	79.4	78.7
03 Jun 98	36	N-2	M-16 blanks	15.2	0	0	0		Base	80.8	80.2
03 Jun 98	36	N-2	M-16 blanks	15.2	0	0	0		Base	79.0	78.2
03 Jun 98	36	N-2	M-16 blanks	15.2	0	0	0		Base	79.3	78.6
03 Jun 98	36	N-2	M-16 blanks	15.2	0	0	0		Base	79.0	78.3
03 Jun 98	36	N-2	M-16 blanks	15.2	0	0	0		Base	78.5	77.7
03 Jun 98	36	N-2	M-16 blanks	15.2	0	0	0		Base	78.4	77.5
03 Jun 98	36	N-2	M-16 blanks	15.2	0	0	0		Base	77.0	76.0
03 Jun 98	36	N-2	M-16 blanks	15.2	0	0	0		Base	77.3	76.0
03 Jun 98	36	N-2	M-16 blanks	15.2	0	0	0		Base	85.7	84.8
03 Jun 98	36	N-2	M-16 blanks	15.2	0	0	0		Base	81.2	79.8
03 Jun 98	37	I-8	M-16 blanks	15.2	0	0	0		Base	81.6	80.5
03 Jun 98	37	I-8	M-16 blanks	15.2	0	0	0		Base		

03 Jun 98	37	I-8	M-16 blanks	15.2	0	0	0	0	0	Base	79.7	78.4
03 Jun 98	37	I-8	M-16 blanks	15.2	0	0	0	0	0	Base	81.4	80.0
03 Jun 98	37	I-8	M-16 blanks	15.2	0	0	0	0	0	Base	81.2	79.5
03 Jun 98	37	I-8	M-16 blanks	15.2	0	0	0	0	0	Base	81.3	79.0
03 Jun 98	37	I-8	M-16 blanks	15.2	0	0	0	0	0	Base	80.1	78.9
03 Jun 98	37	I-8	M-16 blanks	15.2	0	0	0	0	0	Base	82.9	81.6
03 Jun 98	37	I-8	M-16 blanks	15.2	0	0	0	0	0	Base	83.3	81.0
03 Jun 98	37	I-8	M-16 blanks	15.2	0	0	0	0	0	Base	81.3	79.3
03 Jun 98	37	I-8	M-16 blanks	15.2	0	0	0	0	0	Base	83.8	82.1
03 Jun 98	76	N-1	M-16 blanks	15.2	0	0	0	0	0	Base	79.7	78.2
03 Jun 98	76	N-1	M-16 blanks	15.2	0	0	0	0	0	Base	81.2	80.8
03 Jun 98	76	N-1	M-16 blanks	15.2	0	0	0	0	0	Base	79.5	79.4
03 Jun 98	76	N-1	M-16 blanks	15.2	0	0	0	0	0	Base	79.4	78.9
03 Jun 98	76	N-1	M-16 blanks	15.2	0	0	0	0	0	Base	79.6	78.4
03 Jun 98	76	N-1	M-16 blanks	15.2	0	0	0	0	0	Base	82.1	80.8
03 Jun 98	76	N-1	M-16 blanks	15.2	0	0	0	0	0	Base	78.7	77.9
03 Jun 98	76	N-1	M-16 blanks	15.2	0	0	0	0	0	Base	79.6	78.7
03 Jun 98	76	N-1	M-16 blanks	15.2	0	0	0	0	0	Base	80.7	79.2
03 Jun 98	76	N-1	M-16 blanks	15.2	0	0	0	0	0	Base	78.6	78.1
10 Jun 98	199	No-nest	M-16 blanks	15.2 front of tree	0	Non-nesting	0	0	0	Base	90.0	89.1
10 Jun 98	199	No-nest	M-16 blanks	15.2 front of tree	0	Non-nesting	0	0	0	Base	84.3	82.0
10 Jun 98	199	No-nest	M-16 blanks	15.2 front of tree	0	Non-nesting	0	0	0	Base	87.1	85.9
10 Jun 98	199	No-nest	M-16 blanks	15.2 front of tree	0	Non-nesting	0	0	0	Cavity	93.7	88.5
10 Jun 98	199	No-nest	M-16 blanks	15.2 front of tree	0	Non-nesting	0	0	0	Cavity	88.8	83.1
10 Jun 98	199	No-nest	M-16 blanks	15.2 front of tree	0	Non-nesting	0	0	0	Cavity	88.3	83.4
10 Jun 98	199	No-nest	M-16 blanks	30.5 be-hind tree	0	Non-nesting	0	0	0	Cavity	80.9	79.6
10 Jun 98	199	No-nest	M-16 blanks	30.5 be-hind tree	0	Non-nesting	0	0	0	Base	78.6	70.9
10 Jun 98	199	No-nest	M-16 blanks	45.7 be-hind tree	0	Non-nesting	0	0	0	Cavity	75.0	66.8
10 Jun 98	199	No-nest	M-16 blanks	45.7 be-hind tree	0	Non-nesting	0	0	0	Cavity	78.5	70.6
10 Jun 98	199	No-nest	M-16 blanks	45.7 be-hind tree	0	Non-nesting	0	0	0	Base	73.0	68.7
10 Jun 98	199	No-nest	M-16 blanks	45.7 be-hind tree	0	Non-nesting	0	0	0	Base	75.2	72.5

10 Jun 98	199	No-nest	M-16 blanks	61 behind tree	0	Non-nesting	0		Base	71.8	63.9
10 Jun 98	199	No-nest	M-16 blanks	61 behind tree	0	Non-nesting	0		Base	72.5	63.9
10 Jun 98	199	No-nest	M-16 blanks	61 behind tree	0	Non-nesting	0		Base	74.1	64.5
10 Jun 98	199	No-nest	M-16 blanks	61 behind tree	0	Non-nesting	0		Cavity	75.2	66.8
10 Jun 98	199	No-nest	M-16 blanks	61 behind tree	0	Non-nesting	0		Cavity	73.5	65.4
10 Jun 98	199	No-nest	M-16 blanks	61 behind tree	0	Non-nesting	0		Cavity	76.2	65.9
10 Jun 98	199	No-nest	M-16 blanks	30.5 front tree	0	Non-nesting	0		Cavity	84.8	76.0
10 Jun 98	199	No-nest	M-16 blanks	30.5 front tree	0	Non-nesting	0		Base	79.9	78.5
10 Jun 98	199	No-nest	M-16 blanks	45.7 front tree	0	Non-nesting	0		Base	82.5	81.5
10 Jun 98	199	No nest	M-16 blanks	45.7 front tree	0	Non-nesting	0		Cavity	84.1	80.2
10 Jun 98	199	No-nest	M-16 blanks	61 front tree	0	Non-nesting	0		Cavity	81.4	77.2
10 Jun 98	199	No-nest	M-16 blanks	61 front tree	0	Non-nesting	0		Base	78.4	76.9
10 Jun 98	199	No-nest	M-16 blanks	15.2 be-hind nest	0	Non-nesting	0		Base	83.9	82.9
10 Jun 98	199	No-nest	M-16 blanks	15.2 be-hind nest	0	Non-nesting	0		Base	79.6	77.9
10 Jun 98	199	No-nest	M-16 blanks	15.2 be-hind nest	0	Non-nesting	0		Cavity	81.5	75.3
10 Jun 98	199	No-nest	M-16 blanks	15.2 be-hind nest	0	Non-nesting	0		Cavity	78.7	72.8
03 Jun 98	142	N-22	M-16 blanks	15.2	0	2	5.1333		Base	87.8	87.1
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0		Base	76.4	75.3
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0		Base	80.3	79.7
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0		Base	78.7	78.1
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0		Base	80.9	80.1
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0		Base	82.8	82.0
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0		Base	82.8	82.0
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0		Base	76.2	75.3
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0		Base	81.1	80.0
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0		Base	78.4	77.6
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0		Base	79.1	77.9

03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	77.8	76.7
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	81.1	80.3
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	78.9	78.0
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	78.9	77.9
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	78.6	77.5
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	76.7	75.9
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	80.4	79.6
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	78.3	77.6
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	80.8	79.1
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	82.1	81.1
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	77.8	76.4
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	80.1	79.1
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	81.3	80.2
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	78.9	77.5
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	78.9	77.8
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	79.6	78.7
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	78.2	76.9
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	77.4	76.1
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	77.1	75.9
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	80.4	79.0
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	77.8	76.6
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	77.2	76.2
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	79.4	78.3
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	77.5	76.4
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	81.6	80.4
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	81.3	79.8
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	77.6	76.5
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	77.7	76.5
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	80.1	79.5
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	76.7	75.9
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	78.0	77.1
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	80.5	79.7
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	81.8	80.5
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	78.4	77.3
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	78.2	77.2
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	81.5	80.1
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	83.1	81.9
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	84.5	83.0
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	80.7	79.2
03 Jun 98	142	N-22	M-16 blanks	15.2	0	0	0	0	Base	81.0	79.0

Table E16. Representative unweighted noise spectra for blank fire on Fort Stewart, GA.

Date	Cd	Event Type	Event Dist. (m)	Mic Pos	Band SEL (dB) at 1/3 Octave Spectrum Center Frequencies (Hz)																				Calc. Overall SEL																	
					10	13	16	20	25	32	40	50	63	80	100	125	160	200	250	315	400	500	630	800	1000	1250	1600	2000	2500	3150	4000	5000	6300	8000	10000	12500	16000	20000				
63	36	M-16 helo	152	Base	50	48	50	54	57	59	61	64	66	67	67	68	69	67	71	68	67	71	73	74	75	76	77	77	79	72	70	73	75	74	73	71	70	71	68	64	67	
63	36	M-16 helo	152	Base	44	49	47	51	53	57	59	61	62	63	63	65	67	67	71	68	68	68	71	73	72	73	76	79	71	70	72	70	73	75	74	73	71	70	71	68	63	68
63	36	M-16 helo	152	Base	42	44	44	47	50	52	55	58	58	60	62	62	69	69	68	68	69	71	73	72	73	76	79	71	70	72	70	73	75	74	73	71	70	71	68	63	68	
63	36	M-16 helo	152	Base	47	43	42	47	47	51	54	55	55	57	58	60	62	69	69	68	68	69	71	73	72	73	76	79	71	70	72	70	73	75	74	73	71	70	71	68	63	68
63	36	M-16 helo	152	Base	44		38	46	46	52	52	55	56	57	58	60	61	60	63	62	59	65	69	69	72	69	69	72	62	62	67	68	65	67	68	65	67	68	65	64	61	59
63	36	M-16 helo	152	Base	39		37	45	49	51	53	55	55	57	58	61	62	60	64	63	61	65	70	68	68	72	69	69	72	63	65	70	71	68	66	68	63	64	64	53	54	80
63	36	M-16 helo	152	Base	39	37	31	38	34	35	44	53	55	57	58	61	62	60	64	63	60	65	70	68	67	69	70	72	63	64	67	69	66	66	64	66	64	66	64	59	80	
63	36	M-16 helo	152	Base	41	46	41	46	40	48	51	55	55	57	57	59	60	62	59	64	63	60	66	70	68	69	72	69	62	67	66	67	66	67	66	66	64	63	63	61	79	
63	36	M-16 helo	152	Base	39	40	43	49	52	54	55	56	57	57	58	60	62	59	63	62	59	63	62	68	71	70	69	71	62	62	68	68	67	68	65	65	62	64	61	79		
63	36	M-16 helo	152	Base	37	31	44	46	49	52	52	55	55	57	58	61	62	60	63	61	59	63	62	68	71	69	68	71	60	63	68	68	67	68	65	65	62	62	62	80		
63	36	M-16 helo	152	Base	55	58	57	64	55	57	60	61	61	62	62	63	65	67	67	68	68	69	71	73	72	71	70	72	63	64	64	65	68	70	67	64	63	61	60	81		
63	36	M-16 helo	152	Base	51	52	51	48	49	51	52	55	56	58	59	61	62	61	65	64	60	68	70	71	72	63	65	69	63	65	69	71	65	68	68	67	68	68	64	81		
63	36	M-16 helo	152	Base	34	31	38	47	51	54	56	57	58	60	61	63	64	61	66	65	62	68	71	69	71	69	71	69	59	62	64	69	71	63	65	62	67	62	82			
63	36	M-16 helo	152	Base	42	41	39	46	49	51	53	56	56	57	58	60	62	60	64	63	61	65	71	69	71	69	71	69	59	62	64	69	63	65	62	64	63	63	59	79		
63	36	M-16 helo	152	Base	42	37	48	48	46	52	53	54	56	57	58	61	62	59	64	62	61	65	71	69	69	69	61	64	69	61	64	69	63	67	67	67	68	64	61	80		
63	36	M-16 helo	152	Base	39	47	49	49	49	51	53	55	55	57	57	59	61	62	59	63	62	59	63	69	69	67	65	65	61	64	69	63	69	63	65	61	64	65	61	80		
63	36	M-16 helo	152	Base	37	44	37	44	49	53	55	56	58	59	60	62	63	60	64	60	68	70	70	69	72	63	63	63	63	63	63	63	63	63	63	64	64	63	60	80		
63	36	M-16 helo	152	Base	44	37	43	46	49	51	53	55	55	57	58	60	62	59	63	62	59	65	68	70	61	67	68	64	63	63	63	63	63	63	63	63	63	62	57	79		
63	36	M-16 helo	152	Base	42	43	43	43	43	43	38	33	42	40	45	57	61	62	60	64	63	61	66	70	69	71	69	71	62	63	68	64	64	64	64	63	63	61	58	79		
63	36	M-16 helo	152	Base	44	36	38	37	46	49	51	53	55	56	58	61	62	61	65	64	61	68	71	70	71	62	60	68	64	63	63	63	63	63	63	63	61	62	58	79		
63	36	M-16 helo	152	Base	52	47	46	42	49	51	53	55	56	58	59	61	62	60	64	64	60	68	69	71	72	62	63	66	67	67	66	68	67	70	66	63	63	63	61	57	80	
63	36	M-16 helo	152	Base	45	42	42	47	50	52	53	55	56	58	59	61	62	60	64	63	60	66	70	69	71	61	62	68	66	67	63	63	63	63	63	63	63	62	56	80		
63	36	M-16 helo	152	Base	42	42	34	40	36	45	48	54	56	58	59	61	62	60	64	63	60	65	71	69	68	70	69	71	61	63	67	66	66	63	63	63	62	56	79			
63	36	M-16 helo	152	Base	53	49	51	48	50	52	54	56	58	58	59	61	62	60	64	63	61	67	70	71	63	62	63	67	63	63	63	63	63	63	63	63	62	54	54	79		
63	36	M-16 helo	152	Base	44	49	45	41	44	49	51	55	56	58	59	61	62	60	64	63	60	66	71	70	64	63	62	63	67	63	63	63	63	63	63	63	63	63	61	54	79	
63	36	M-16 helo	152	Base	44	49	45	41	44	49	51	55	56	58	59	61	62	60	64	63	60	66	71	70	64	63	62	63	67	63	63	63	63	63	63	63	63	63	61	54	79	
63	36	M-16 helo	152	Base	42	39	41	50	52	53	55	56	57	58	59	61	62	60	65	64	61	66	70	69	70	59	60	65	64	65	64	65	65	64	64	63	63	63	59	79		
63	36	M-16 helo	152	Base		42	47	50	50	53	55	55	57	58	59	61	62	60	64	64	61	67	69	70	59	59	67	66	69	63	63	63	63	63	63	62	59	79				
63	36	M-16 helo	152	Base	47	39	44	43	49	52	55	56	58	58	59	61	62	60	64	63	60	66	71	70	64	63	62	63	67	63	63	63	63	63	63	63	63	57	79			
63	36	M-16 helo	152	Base	45	47	46	39	50	51	53	55	56	57	58	60	62	59	64	63	60	66	69	68	59	62	65	66	66	64	64	64	64	64	64	64	64	63	57	79		
63	36	M-16 helo	152	Base	39	45	45	45	50	52	54	56	56	58	59	61	62	60	63	62	60	65	71	69	68	61	60	63	63	63	63	63	63	63	63	63	63	63	60	78		
63	36	M-16 helo	152	Base	42	42	42	42	48	51	53	55	54	56	57	60	62	59	62	62	60	65	71	69	68	61	60	63	63	63	63	63	63	63	63	63	63	63	63	60	78	
63	36	M-16 helo	152	Base	37	37	38	37	41	46	55	55	55	56	58	60	61	59	62	62	59	65	69	67	67	59	60	63	63	63	63	63	63	63	63	63	63	63	63	60	77	
63	36	M-16 helo	152	Base	44	50	53	55	57	60	62	63	64	65	67	68	69	71	7																							

63	37	M-16 blank fire	152	Base																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
----	----	-----------------	-----	------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--



6/10	199	M-16 bark fire	61 be- hind tree	Cavity	62	58	52	60		61	58		61	57	63	62	63	65	71	60	57	58	55	58	55	56	38	51	49	-222	46	44	-222	41	42	-222	-222	75		
6/10	199	M-16 bark fire	61 be- hind tree	Cavity			49	58		62	60		60	60	57	62	59	64	70	60	56	57	56	53	52	-222	51	47	-222	43	44	-222	39	44	-222	-222	74			
6/10	199	M-16 bark fire	61 be- hind tree	Cavity	70	63	64	64		63	63		65	62	56	65	64	57	67	63	53	60	56	44	57	55	-218	55	53	-218	45	48	-218	43	44	-218	-218	76		
6/10	199	M-16 bark fire	30.5 front tree	Cavity	75	78	73	75	69	70	67	65	64	61	65	66	67	71	78	68	66	67	68	67	62	62	62	55	64		63	62	47	52	48	40	36	-222	86	
6/10	199	M-16 bark fire	30.5 front tree	Base	62		57	63		56	61		65	61	62	63	61	68	58	58	60	63	66	70	67					68	68	64	63	66	67	68	63	80		
6/10	199	M-16 bark fire	45.7 front tree	Base	63		67	63		66	63		66	62	63	66	64	59	63	61	62	63	67	71	68	69	72	67	69		72	72	69	69	70	69	66	61	82	
6/10	199	M-16 bark fire	45.7 front tree	Cavity	58		64	66	55	63	62		65	66	64	67	69	74	79	71	69	69	72	75	68	65	68				65	67	65	54	48	39	39	-218	84	
6/10	199	M-16 bark fire	61 front tree	Cavity	64		63	61		65	64	61	65	64	64	67	67	72	75	67	64	66	69	73	65	64	65	58	62		60	59	63	49	51	46	31	39	-219	81
6/10	199	M-16 bark fire	61 front tree	Base	64		58	61		59	59		65	62	64	66	63	56	61	60	58	61	63	69	66	70	65	62		65	64	58	61	60	56	56	50	78		
6/10	199	M-16 bark fire	152 be- hind tree	Base	72		58			61	62		67		61	66	62	63	64	67	64	66	72	75	76	74	73	69		68	70	66	67	69	69	64	84			
6/10	199	M-16 bark fire	152 be- hind tree	Base			58	62		59	66		64	49	64	64	57	63	64	62	63	68	70	70	68	66	64				62	66	65	62	63	67	65	60	80	
6/10	199	M-16 bark fire	152 be- hind tree	Cavity			62	67		55			63	61	64	63	64	72	78	72	67	65	61	67	65	64	62	64				52	50		37				81	
6/10	199	M-16 bark fire	152 be- hind tree	Cavity				65		64	65		65	63		64	63	69	74	69	64	61	61	62	63	61	58	65	57		48	45		42				79		
6/10	142	M-16 bark	152	Base	48	47	52	55	57	60	62	63	63	64	64	65	66	64	62	67	73	77	80	77	77	74	70	75		74	75	74	74	73	74	74	69	88		
6/10	142	M-16 bark	152	Base	37	34	38	40	37	39	42	51	52	54	56	57	58	56	53	58	64	67	70	66	64	62	55	59		61	63	60	62	61	64	60	59	76		
6/10	142	M-16 bark	152	Base	39	43	45	47	49	52	54	55	57	59	59	59	60	59	55	60	66	69	73	68	69	66	58	65		67	70	69	67	66	66	61	80			
6/10	142	M-16 bark	152	Base	37	35	41	45	47	49	51	52	54	54	56	55	56	57	56	53	59	65	68	71	66	68	65	62		63	70	68	65	64	64	65	60	79		
6/10	142	M-16 bark	152	Base	42	43	44	47	50	52	54	55	56	57	59	59	60	59	56	61	67	70	73	70	70	67	59	67		67	70	68	65	64	68	68	64	81		
6/10	142	M-16 bark	152	Base	47	49	49	51	52	54	56	57	58	59	61	61	62	61	57	63	68	72	76	72	72	68	62	68		66	71	69	67	66	70	69	66	83		
6/10	142	M-16 bark	152	Base	48	49	48	51	52	54	56	57	58	59	61	61	62	61	57	63	68	72	76	72	72	68	62	68		66	71	69	67	66	70	69	66	83		
6/10	142	M-16 bark	152	Base	44	46	39	40	45	48	50	53	53	53	55	55	56	55	52	56	62	67	68	64	67	64	56	62		64	59	58	61	60	63	64	60	76		
6/10	142	M-16 bark	152	Base	57	59	51	49	52	55	57	57	59	60	60	61	61	61	61	56	61	67	71	74	70	67	59	65		68	67	66	65	65	68	69	81			
6/10	142	M-16 bark	152	Base	53	57	52	46	46	48	49	53	54	55	57	57	58	58	57	53	58	64	68	72	68	68	57	63		63	65	66	62	61	64	60	78			
6/10	142	M-16 bark	152	Base	46	42	45	48	47	50	52	53	54	55	56	56	57	59	58	52	58	63	68	72	68	67	65	63		63	65	66	65	62	61	64	60	78		
6/10	142	M-16 bark	152	Base	32	39	41	44	48	50	52	53	54	54	56	56	57	56	53	58	63	68	72	68	67	65	63		63	65	66	65	68	67	65	64	79			
6/10	142	M-16 bark	152	Base	54	53	54	53	51	53	54	56	57	58	60	61	61	61	57	62	67	71	74	70	67	68	65	63		62	61	60	61	65	66	65	78			
6/10	142	M-16 bark	152	Base	52	54	49	48	51	52	54	55	55	57	57	58	59	58	54	59	64	68	72	69	69	68	61	66		68	68	64	63	62	63	67	63	81		
6/10	142	M-16 bark	152	Base	59	55	53	53	53	51	51	53	55	55	57	57	58	59	58	54	59	64	68	72	69	69	68	57	61		62	62	62	62	65	64	64	79		
6/10	142	M-16 bark	152	Base	44	44	49	47	48	50	51	52	54	54	56	56	57	57	57	52	58	64	68	71	68	69	58	62		64	61	61	63	66	60	79				
6/10	142	M-16 bark	152	Base	51	45	44	46	48	49	50	51	52	54	54	56	56	57	56	51	56	63	67	69	63	67	65	64		61	63	62	65	62	66	67	66	79		
6/10	142	M-16 bark	152	Base	37	43	45	50	52	54	56	57	58	59	60	60	60	60	59	56	60	67	70	73	70	68	60	66		66	65	66	64	62	61	59	64	83		
6/10	142	M-16 bark	152	Base	43	42	46	48	47	52	53	54	55	55	57	56	57	58	57	54	59	65	68	72	69	67	64			63	65	63	61	62	61	64	63	59	78	
6/10	142	M-16 bark	152	Base	40	42	46	48	47	52	53	54	56	56	56	57	58	57	58	57	54	64	67	71	68	68	65	60		61	65	67	65	64	65	64	63	78		
6/10	142	M-16 bark	152	Base	47	47	53	53	53	55	57	57	57	56	56	56	57	58	57	52	59	63	68	72	69	67	64			63	61	64	72	70	65	61	81			

63	142	M-16 tank	152	Base	43	48	49	51	55	56	58	58	59	60	60	60	61	61	61	58	63	68	71	75	71	71	69	61	66	68	69	69	68	69	69	70	64	82	
63	142	M-16 tank	152	Base	40	45	45	49	52	52	57	55	56	56	57	58	58	58	59	58	55	60	66	68	70	66	66	64	55	61	63	62	64	64	65	64	63	78	
63	142	M-16 tank	152	Base	39	42	47	49	51	54	57	57	58	58	59	59	60	60	60	59	56	61	66	70	72	68	69	67	59	67	66	67	65	66	65	68	61	80	
63	142	M-16 tank	152	Base	47	47	52	55	55	57	60	60	61	62	63	62	62	62	62	60	55	61	66	71	74	70	73	70	60	63	63	65	67	65	66	67	69	63	81
63	142	M-16 tank	152	Base	44	42	37	50	54	58	61	61	62	62	64	63	63	63	62	58	59	63	66	68	62	71	70	62	63	63	64	65	64	62	60	65	61	79	
63	142	M-16 tank	152	Base	42	36	46	50	54	55	58	55	54	54	61	62	63	66	64	59	61	65	67	70	65	70	71	60	56	56	60	64	65	64	63	61	62	59	79
63	142	M-16 tank	152	Base	38	46	51	54	54	58	60	62	63	62	64	63	63	63	63	57	59	61	64	69	64	72	73	63	59	62	61	63	62	64	62	64	62	80	
63	142	M-16 tank	152	Base	40	47	49	49	58	57	60	61	61	61	62	61	61	60	53	57	57	62	67	69	64	70	66	66	56	63	63	65	62	65	63	65	61	78	
63	142	M-16 tank	152	Base	41	45	44	47	49	50	51	52	55	54	56	56	56	57	57	53	58	64	67	70	67	68	63	56	62	60	60	59	64	61	63	66	67	61	77
63	142	M-16 tank	152	Base	37	44	50	51	52	57	55	56	58	58	58	58	58	58	58	55	59	64	67	70	67	68	63	57	60	59	63	60	63	62	61	61	62	60	77
63	142	M-16 tank	152	Base	49	48	51	52	56	58	60	61	63	64	65	65	65	64	63	59	62	68	68	70	61	69	69	66	67	63	64	68	71	66	64	65	64	60	80
63	142	M-16 tank	152	Base	41	46	48	52	54	57	58	60	61	61	62	61	60	60	59	53	57	64	67	68	63	69	66	60	63	61	65	65	64	63	63	62	60	78	
63	142	M-16 tank	152	Base	40	35	36	39	44	48	51	54	54	54	56	55	56	56	55	52	57	64	67	70	66	67	63	54	62	61	64	64	64	66	63	63	64	56	77
63	142	M-16 tank	152	Base	46	46	49	53	55	56	59	61	62	62	63	63	62	62	62	57	59	64	65	66	62	73	69	62	64	64	66	67	65	64	65	66	65	62	79
63	142	M-16 tank	152	Base	54	50	43	47	46	50	53	53	55	55	56	57	56	57	57	53	58	64	68	71	67	68	64	57	61	59	61	63	62	63	62	66	59	77	
63	142	M-16 tank	152	Base	48	47	51	54	57	59	62	63	64	65	66	66	65	65	64	59	61	65	68	71	68	75	72	63	65	64	65	66	66	67	67	66	65	63	82
63	142	M-16 tank	152	Base	56	52	54	55	57	59	61	63	64	64	66	65	64	64	64	59	62	67	68	72	66	71	68	63	67	64	67	68	66	68	68	69	65	81	
63	142	M-16 tank	152	Base	49	51	48	48	49	48	52	54	55	56	57	57	57	57	57	54	58	65	67	72	68	67	63	57	62	60	63	62	62	60	59	63	63	61	78
63	142	M-16 tank	152	Base	43	43	41	47	49	51	53	54	55	56	57	56	57	58	58	54	58	64	67	72	68	67	64	57	62	60	60	59	62	61	65	64	61	78	
63	142	M-16 tank	152	Base	41	47	50	52	54	56	59	61	62	62	64	62	62	63	63	59	59	61	66	72	68	72	69	66	66	70	66	65	64	61	61	59	56	80	
63	142	M-16 tank	152	Base	48	48	49	49	53	56	58	59	60	61	62	60	60	59	57	49	51	59	64	68	67	71	66	56	60	59	55	58	57	56	56	55	51	77	
63	142	M-16 tank	152	Base	39	44	45	47	54	56	59	61	62	62	64	63	63	63	62	58	56	59	62	67	63	73	70	62	55	54	58	63	58	57	58	60	57	78	
63	142	M-16 tank	152	Base	40	44	46	50	53	55	57	58	59	60	62	61	62	62	63	60	61	65	69	74	71	72	70	65	64	65	62	64	61	63	61	63	62	58	80
63	142	M-16 tank	152	Base	43	46	53	55	58	60	62	63	65	65	67	67	66	65	64	62	63	67	68	70	64	72	72	63	64	68	69	72	67	70	69	65	60	82	
63	142	M-16 tank	152	Base	39	42	48	52	54	56	58	59	61	60	62	60	59	59	58	49	55	63	68	71	68	69	63	55	65	62	66	63	63	62	61	62	64	62	78
63	142	M-16 tank	152	Base	31	44	48	52	54	57	59	60	61	61	63	62	62	61	60	56	58	62	64	67	64	70	68	61	64	64	65	66	66	64	63	63	62	60	78
63	142	M-16 tank	152	Base	38	31	37	36	51	55	58	61	63	63	65	65	64	64	63	60	64	69	73	74	70	69	63	62	68	67	67	67	68	65	65	67	60	82	
63	142	M-16 tank	152	Base	43	43	48	52	55	57	59	63	65	64	66	65	64	64	63	59	64	69	73	74	70	72	67	63	68	68	71	71	68	69	69	70	65	83	
63	142	M-16 tank	152	Base	52	53	54	57	60	62	64	66	67	67	69	68	68	67	67	63	66	72	73	75	72	74	69	70	71	66	70	70	72	69	70	67	67	84	
63	142	M-16 tank	152	Base	42	47	50	53	56	58	60	61	63	63	65	64	65	64	64	60	64	70	71	72	69	67	63	67	69	64	67	65	65	65	62	65	62	81	
63	142	M-16 tank	152	Base	43	47	50	53	55	57	60	62	63	64	65	65	65	64	64	61	66	71	71	72	69	66	62	65	68	65	63	65	66	63	64	65	69	61	

Table E17. Noise spectra for ambient noise on Fort Stewart, GA.

Date	Cluster	Nesting Phase & Day	Event Type	Mic Pos.	AVG. LEQ (dB) at mic	
					Flat	A
29 Apr 98	2	I-6	Ambient noise	Base	53.2	41.6
19 Jun 98	9	N-20	Ambient noise	Base	50.3	40.2
11 May 98	23	I-8	Ambient noise	Base	50.7	39.4
30 Apr 98	26	I-7	Ambient noise	Base	46.6	34.0
06 May 98	26	N-2	Ambient noise	Base	46.5	32.3
26 May 98	36	I-5	Ambient noise	Base	63.0	53.5
03 Jun 98	36	N-2	Ambient noise	Base	51.7	43.1
03 Jun 98	37	I-8	Ambient noise	Base	49.9	42.1
08 Jun 98	37	N-3	Ambient noise	Base	45.8	39.1
11 Jun 98	41	N-14	Ambient noise	Base	59.3	49.4
05 May 98	47	N-4	Ambient noise	Base	49.2	37.1
14 May 98	47	N-13	Ambient noise	Base	51.7	35.1
27 Apr 98	48	I-3	Ambient noise	Base	49.8	41.8
27 Apr 98	48	I-3	Ambient noise	Base	48.6	40.3
19 May 98	48	N-13	Ambient noise	Base	53.7	40.1
19 May 98	48	N-13	Ambient noise	Base	52.1	36.6
05 May 98	51	I-4	Ambient noise	Base	52.6	37.7
15 May 98	51	I-4	Ambient noise	Base	49.7	37.3
21 Apr 98	55	N-1	Ambient noise	Base	50.8	42.2
21 Apr 98	55	N-1	Ambient noise	Base	49.6	41.1
27 Apr 98	62	I-2	Ambient noise	Base	48.9	36.1
14 May 98	62	N-3	Ambient noise	Base	53.5	37.9
21 May 98	62	N-10	Ambient noise	Base	54.7	46.0
28 Apr 98	67	I-5	Ambient noise	Base	44.6	30.7
09 Jun 98	67	N-5	Ambient noise	Base	49.1	46.4
20 May 98	75	N-12	Ambient noise	Base	63.6	47.2
03 Jun 98	76	N-1	Ambient noise	Base	55.0	42.4
09 Jun 98	76	N-7	Ambient noise	Base	47.3	35.7
15 Apr 98	83	Pre-nesting	Ambient noise	Base	54.4	34.4
15 Apr 98	83	Pre-nesting	Ambient noise	Cavity	56.2	45.2

16 Apr 98	83	Pre-nesting	Ambient noise	Base	56.3	42.0
16 Apr 98	83		Ambient noise	Cavity	63.0	47.6
20 May 98	83	I-2	Ambient noise	Base	56.7	45.5
21 May 98	83	I-3	Ambient noise	Base	69.0	60.3
21 May 98	83	I-3	Ambient noise	Base	49.7	41.7
25 May 98	83	I-7	Ambient noise	Base	60.6	54.1
25 May 98	83	I-7	Ambient noise	Base	63.2	53.6
25 May 98	83	I-7	Ambient noise	Base	63.9	37.9
21 May 98	84	N-19	Ambient noise	Base	53.0	43.9
14 May 98	86	N-9	Ambient noise	Base	47.2	37.7
14 May 98	133	N-13	Ambient noise	Base	46.9	41.3
28 Apr 98	136	No-nest	Ambient noise	Base	48.0	36.1
28 Apr 98	142	I-6	Ambient noise	Base	48.4	37.1
03 Jun 98	142	N-22	Ambient noise	Base	55.6	41.7
22 May 98	152	N-10	Ambient noise	Base	50.0	36.6
20 Apr 98	169	No-nest	Ambient noise	Cavity	59.6	46.7
20 Apr 98	169	No-nest	Ambient noise	Base	57.9	42.2
23 Apr 98	172	I-6	Ambient noise	Base	60.2	51.3
27 Apr 98	172	N-0	Ambient noise	Base	50.4	39.5
19 May 98	172	N-22	Ambient noise	Base	45.0	35.4
19 May 98	172	N-22	Ambient noise	Base	49.9	43.3
21 May 98	172	N-24	Ambient noise	Base	50.0	36.4
14 Jul 98	172	Post-fledging	Ambient noise	Base	49.6	38.9
14 Jul 98	172	Post-fledging	Ambient noise	Cavity	56.6	44.3
23 Apr 98	174	I-5	Ambient noise	Base	48.6	37.6
20 May 98	177	I-8	Ambient noise	Base	53.2	32.8
27 May 98	177	I	Ambient noise	Base	45.4	31.8
17 May 98	179	N-16	Ambient noise	Base	49.7	42.6
26 May 98	179	0	Ambient noise	Base	48.8	39.3
21 May 98	183	N	Ambient noise	Base	46.5	33.9
04 May 98	184	N-3	Ambient noise	Base	41.7	28.6
11 Jun 98	187	N-16	Ambient noise	Base	51.1	46.2
18 May 98	194	N-20	Ambient noise	Base	48.4	35.2
05 Jun 98	199	No-nest	Ambient noise	Base	51.5	47.9

05 Jun 98	199	No-nest	Ambient noise	Cavity	56.3	43.3
19 May 98	216	N-16	Ambient noise	Base	43.8	37.3
27 Apr 98	218	I-8	Ambient noise	Base	56.8	42.5
14 May 98	218	N-14	Ambient noise	Base	50.2	33.8
21 May 98	218	N-21	Ambient noise	Base	47.5	33.1
14 Jul 98	Buelah	N/a	Ambient noise	N/a	46.8	43.2
15 Jul 98	Buelah	N/a	Ambient noise	N/a	58.9	58.7
20 May 98	203	N	Ambient noise	Base	63.7	45.5

Table E18. Representative unweighted spectra for ambient noise levels on Fort Stewart, GA.

Date	Col	Event Type	Mic Pos	Band SEL (dB) at 1/3 Octave Spectrum Center Frequencies (Hz)																				Calc. Overall SEL														
				10	13	16	20	25	32	40	50	63	80	100	125	160	200	250	315	400	500	630	800		1000	1250	1600	2000										
4/29	2	Ambient	Base	41	42	44	43	42	42	43	43	43	41	38	34	32	32	27	27	26	26	27	28	28	32	32	33	34	32	53								
6/19	9	Ambient	Base	34	35	36	37	38	38	40	42	42	41	39	35	31	29	28	28	28	28	28	28	28	28	28	28	27	28	26	50							
5/11	23	Ambient	Base	37	38	40	40	41	40	40	40	38	41	35	34	33	31	29	31	32	34	34	33	31	27	24	20	20	21	23	51							
4/20	26	Ambient	Base	35	36	35	34	34	33	37	38	38	37	36	35	32	25	22	23	22	22	21	19	19	17	18	25	24	23	24	47							
5/6	28	Ambient	Base	31	34	36	37	37	35	37	36	36	37	32	28	26	24	26	26	26	24	21	19	17	15	17	16	18	18	22	46							
5/26	36	Ambient	Base	50	53	50	40	54	52	52	57	54	52	47	53	51	45	49	48	42	48	46	45	44	38	42	39	40	35	20	63							
6/5	36	Ambient	Base	41	33	39	40	31	41	40	38	41	38	35	40	40	37	38	37	36	37	36	35	34	26	31	29	19	21	14	52							
6/3	37	Ambient	Base	37	38	38	37	37	40	37	37	39	37	33	33	30	27	31	31	30	32	31	29	29	28	28	35	37	39	50								
6/8	37	Ambient	Base	36	35	36	36	35	34	32	32	34	32	29	30	24	21	25	24	21	23	21	8	20	20	16	21	24	28	6	46							
6/11	41	Ambient	Base	47	49	48	30	49	49	43	50	47	42	50	47	42	46	44	38	43	43	29	41	40	30	37	35	34	30	23	59							
5/5	47	Ambient	Base	39	39	41	40	39	39	38	37	36	36	36	36	26	25	24	23	23	22	21	21	21	20	22	24	23	26	27	49							
5/14	47	Ambient	Base	37	41	40	41	44	42	43	42	39	42	35	32	27	23	23	20	19	19	17	17	17	17	22	21	21	22	24	52							
4/27	48	Ambient	Base	39	30	40	39	29	38	41	36	39	36	29	38	35	30	36	35	32	35	34	25	34	26	30	29	13	26	30	50							
4/27	48	Ambient	Base	37	37	36	36	36	39	38	37	36	34	32	30	29	26	29	29	27	28	26	22	25	25	22	26	28	30	31	49							
5/19	48	Ambient	Base	34	34	37	40	42	43	47	42	42	46	41	38	41	36	36	33	33	31	32	32	30	25	22	26	28	30	30	34	36	49					
5/19	48	Ambient	Base	31	32	35	39	41	42	44	45	42	43	40	39	36	34	30	27	27	26	27	26	25	23	22	21	19	16	10	8	54						
5/5	51	Ambient	Base	36	38	40	41	42	41	43	42	42	46	40	34	31	31	29	28	28	28	27	28	27	26	23	22	21	21	23	24	52						
5/15	51	Ambient	Base	35	35	35	36	38	43	43	38	38	35	37	29	27	26	27	30	31	32	32	30	28	24	21	19	20	21	23	24	53						
4/21	55	Ambient	Base	38	30	38	40	37	41	41	38	41	38	32	39	36	31	36	35	29	36	34	28	35	33	26	34	29	20	21	23	50						
4/21	55	Ambient	Base	38	37	37	38	35	39	38	39	39	36	32	38	34	28	34	34	31	35	34	29	34	32	27	31	28	22	17	18	51						
4/27	62	Ambient	Base	36	36	42	39	38	40	39	37	36	35	29	33	30	24	29	28	19	28	27	18	27	26	17	26	25	23	20	8	50						
5/14	62	Ambient	Base	40	39	42	46	44	43	46	45	42	40	39	34	29	25	25	24	20	24	23	14	23	24	20	24	27	29	31	20	16	3	49				
5/21	62	Ambient	Base	42	42	42	43	41	44	47	43	41	40	38	37	35	31	34	33	27	33	32	28	32	31	27	32	34	32	35	34	37	38	40	41	43	55	
4/28	67	Ambient	Base	40	36	35	34	32	31	31	29	29	27	22	25	23	19	25	25	23	26	24	19	22	21	11	19	17	3	13	13	-18	10	-8	10	-6	45	
6/9	67	Ambient	Base	37	37	35	35	33	34	33	32	32	30	26	24	20	24	23	19	25	24	18	22	21	12	22	28	25	37	41	31	41	42	34	26	18	49	
5/20	75	Ambient	Base	42	42	41	48	45	48	56	58	55	55	51	52	50	44	40	40	43	36	30	28	26	37	41	31	31	31	31	31	33	34	36	37	39	55	
6/3	76	Ambient	Base	50	48	46	44	41	41	39	39	38	37	34	34	32	28	31	31	28	24	26	28	28	28	24	21	21	22	20	23	26	23	13	2	17	21	47

415	83	Ambient	Base	37	37	41	40	41	45	48	44	47	46	41	35	33	31	30	26	22	25	25	24	28	24	28	24	17	20	18	1	14	12	-6	10	-8	9	-8	54		
415	83	Ambient	Cavity	42	41	42	40	40	43	45	42	42	45	38	40	41	47	32	33	26	25	27	34	33	27	29	27	29	27	21	4	16	14	-3	10	11	9	-8	56		
416	83	Ambient	Base	46	41	43	45	41	44	47	51	45	44	43	40	38	33	32	33	33	35	35	34	34	32	28	25	24	22	22	23	22	21	22	23	25	26	27	56		
416	83	Ambient	Cavity	54	54	51	49	45	44	46	49	44	46	49	57	56	39	32	30	30	31	38	41	35	36	25	21	22	23	23	23	23	20	20	22	23	24	26	28	63	
520	83	Ambient	Base	41	41	45	44	41	46	45	48	46	47	48	43	37	33	34	38	32	32	31	27	32	31	27	31	32	28	28	34	34	34	36	37	39	40	42	57		
521	83	Ambient	Base	62	59	58	57	56	58	54	51	54	52	51	51	49	44	48	47	39	47	46	43	47	46	41	46	47	43	49	49	49	48	48	52	53	54	56	58	69	
521	83	Ambient	Base	38	37	37	36	34	39	36	38	36	34	40	34	32	28	30	29	23	28	27	22	28	27	23	28	28	24	24	30	30	30	33	34	36	37	39	50		
525	83	Ambient	Base	48	49	48	33	33	50	49	44	51	47	41	51	47	42	46	46	40	47	37	47	46	36	46	46	42	42	34	33	33	25	25	31	23	8	61			
525	83	Ambient	Base	49	53	50	46	53	53	55	52	52	52	46	52	50	45	48	47	41	47	46	38	46	45	33	43	40	40	37	37	37	37	31	30	23	12	63			
525	83	Ambient	Base	59	58	56	55	52	50	51	43	40	43	39	33	30	27	27	26	26	24	23	22	24	23	21	19	31	21	24	24	23	30	30	21	23	23	24	64		
521	84	Ambient	Base	38	40	41	41	40	42	44	42	38	42	44	38	36	31	31	29	27	28	28	21	25	27	23	22	22	19	23	23	36	42	29	19	10	4	53			
514	86	Ambient	Base	40	39	38	37	35	35	33	33	32	33	31	24	21	20	21	20	18	17	17	16	18	19	20	20	22	21	18	19	19	32	35	21	24	23	24	47		
514	133	Ambient	Base	33	34	35	35	35	36	35	35	34	34	30	30	26	25	24	22	15	21	20	16	21	20	17	22	22	25	31	34	34	34	35	35	30	30	31	47		
428	136	Ambient	Base	34	34	35	36	38	38	34	38	38	36	31	33	31	26	30	26	30	32	32	29	27	27	11	26	22	19	19	19	18	18	15	14	11	2	48			
63	142	Ambient	Base	44	40	39	35	34	34	34	33	32	32	29	25	24	24	26	28	30	32	33	33	31	29	27	23	26	28	25	28	29	31	32	32	33	35	37	56		
63	142	Ambient	Base	49	49	47	46	44	42	39	41	40	37	35	32	30	27	30	31	32	33	33	31	29	27	21	17	25	25	22	23	22	22	30	31	17	-10	9	-7	50	
522	152	Ambient	Base	39	38	40	38	44	41	37	37	37	36	35	30	31	27	27	26	23	25	23	17	21	21	17	21	21	23	29	29	31	32	35	36	36	38	38	40	60	
420	169	Ambient	Cavity	48	46	49	49	44	49	47	47	48	48	41	40	42	33	47	36	33	31	30	31	31	28	25	27	23	25	30	30	30	29	32	32	33	35	37	39	58	
420	169	Ambient	Base	46	45	49	48	44	48	48	48	47	49	41	38	35	33	31	30	26	29	28	25	28	24	28	24	28	23	31	30	30	30	29	32	33	35	37	39	58	
423	172	Ambient	Base	49	44	51	49	50	48	44	50	46	43	50	47	40	46	45	41	45	44	38	43	42	35	40	37	24	36	34	36	34	30	32	30	22	22	22	60		
427	172	Ambient	Base	45	42	41	39	38	36	37	35	35	35	29	33	30	25	32	33	33	35	34	28	31	29	17	27	27	14	20	20	18	17	15	17	15	9	-7	50		
519	172	Ambient	Base	35	34	35	35	37	37	33	31	31	28	23	27	24	17	23	22	18	22	21	10	21	21	16	24	29	22	22	26	27	23	23	21	14	8	-10	45		
519	172	Ambient	Base	34	35	37	38	39	39	40	38	38	38	36	37	30	26	24	23	18	23	22	14	21	20	19	28	35	31	32	35	35	33	39	32	21	18	12	50		
521	172	Ambient	Base	33	34	36	38	37	38	41	43	43	40	37	34	29	27	24	24	24	23	19	17	16	17	16	17	28	23	27	27	27	22	26	23	20	21	23	24	50	
714	172	Ambient	Base	37	41	39	36	35	38	38	39	39	38	34	32	30	27	24	27	21	26	25	19	24	20	25	25	25	23	27	27	27	27	27	30	31	33	34	36	57	
714	172	Ambient	Cavity	37	40	39	36	35	38	37	37	37	38	40	42	55	47	31	29	26	27	26	24	25	26	22	25	26	22	22	27	27	27	30	31	33	34	36	57		
423	174	Ambient	Base	38	38	39	39	35	38	38	37	38	38	36	35	32	23	32	31	26	32	30	24	30	28	19	28	24	24	9	22	19	19	19	21	13	15	10	-9	49	
520	177	Ambient	Base	48	47	46	43	40	37	33	30	32	27	25	24	21	20	22	23	24	25	23	22	20	15	17	17	17	13	13	19	19	19	19	21	22	24	26	28	53	
527	177	Ambient	Base	38	37	36	34	33	34	30	33	35	30	29	29	24	21	21	20	18	19	18	17	17	18	17	17	18	18	21	23	22	22	19	20	21	22	23	24	45	
517	179	Ambient	Base	40	16	38	37	39	37	33	30	30	36	25	40	37	30	37	35	29	35	35	28	38	35	27	32	30	3	23	23	23	17	17	17	13	3	50			
528	179	Ambient	Base	38	33	38	36	24	39	39	36	39	36	32	39	35	26	34	33	28	33	32	22	31	31	19	28	25	24	24	24	24	19	22	19	22	12	49			
521	183	Ambient	Base	39	36	35	34	34	34	40	34	34	33	30	30	23	22	23	25	27	27	26	24	21	19	17	17	20	21	21	21	19	19	20	24	20	21	23	24	47	
514	184	Ambient	Base	28	28	32	33	34	32	33	30	29	26	21	26	23	19	23	22	16	22	12	12	21	21	13	13	18	16	2	15	12	12	9	9	6	-11	42			
611	187	Ambient	Base	37	38	38	39	39	40	39	41	40	39	38	33	29	25	25	24	19	22	21	10	21	22	23	27	42	33	23	23	28	35	35	35	26	23	17	51		
518	194	Ambient	Base	40	41	39	37	36	35	37	34	37	38	32	33	31	27	26	27	27	26	25	23	21	19	17	17	30	20	20	20	19	18	19	20	21	23	24	48		
65	199	Ambient	Base	37	36	43	42	38	37	37	37	37	37	34	31	30	28	29	31	30	32	31	27	24	34	34	34	34	26	18	16	16	16	5	20	13	8	-6	56		
65	199	Ambient	Cavity	50	47	46	46	43	40	38	35	36	36	40	38	38	45	48	42	32	29	28	22	28	25	18	25	33	26	18	16	17	17	35	32	18	-11	8	-14	44	
519	216	Ambient	Base	30	28	31	32	32	32	31	33	35	33	29	28	25	20	24	24	20	23	21	8	21	20	11	19	20	13	16	16	17	17	35	32	18	-11	8	-14	44	
427	218	Ambient	Base	52	51	48	46	42	41	39	35	39	36	30	38	35	30	36	36	33	38	36	31	35	33	23	30	28	23	23	22	22	18	19	19	13	57				
514	218	Ambient	Base	36	34	37	39	39	40	41	43	36	37	39	38	36	33	33	27	25	23	21	22	17	17	16	18	21	17	21	24	24	20	21	20	21	23	24	50		
521	218	Ambient	Base	39	35	35	37	38	37	37	37	38	35	30	30	27	20	28	27	24	26	25	20	24	23	18	21	20	13	13	18	17	11	16	15	8	13	6	47		
714	Bush	Ambient	N/A	35	37	39	36	33	32	31	30	32	32	30	27	20	28	27	20	17	19	19	10	24	23	18	24	33	34	35	31	38	25	19	4	10	-7	47			
715	Bush	Ambient	N/A	39	40	33	37	37	35	34	34	33	32	32	27	21	23	21	14</																						

## DISTRIBUTION

Chief of Engineers  
ATTN: CEHEC-IM-LH (2)  
ATTN: CEHEC-IM-LP (2)  
ATTN: CEMP  
ATTN: CEMP-CE  
ATTN: CEMP-EA (2)  
ATTN: CEMP-ZM  
ATTN: CERD-L  
ATTN: CERD-M (2)  
ATTN: CERD-ZA

SERDP (3)

ACS(IM) 22060  
ATTN: DAIM-FDP

CEISC 22310-3862  
ATTN: CEISC-E  
ATTN: CEISC-FT  
ATTN: CEISC-ZC

HQ USAREUR & 7th Army  
ATTN: AEAEN-EH  
ATTN: Unit 29351

US Military Academy  
ATTN: MAEN-A  
ATTN: Civil Div Director  
ATTN: Dept of Geo & Env Engr  
ATTN: Facilities Engineer

Commander FORSCOM  
ATTN: FCEN-RDF 30330-6000

CEWES 39180  
ATTN: Library

CECRL 03755  
ATTN: Library

US Army ARDEC 07806  
ATTN: SMCAR-ISE

Linda Hall Library 10017  
ATTN: Acquisitions

US Army Environmental Center  
ATTN: SFIM-AEC-NR 21010  
ATTN: SFIM-AEC-CR 64152  
ATTN: SFIM-AEC-SR 30335-6801  
ATTN: AFIM-AEC-WR 80022-2108

National Guard Bureau 20310  
ATTN: NGB-ARI

Naval Facilities Engr Command  
ATTN: Facilities Engr Command  
Code 20YAZ (2)

US Army CHPPM  
ATTN: MCHB-DC-EEN

US Gov't Printing Office 20401  
ATTN: Rec Sec; Dep Sec (2)

Nat'l Institute of Standards & Tech  
ATTN: Library 20899

Defense Supply Center Columbus  
ATTN: DSCC-WI 43216

Defense Tech Info Center 22304  
ATTN: DTIC-O (2)

45  
7/98